

Rev00

# **Material Safety Data Sheet**

# Section 1: Identification of the Substance/Preparation and of the Company/Undertaking

Descriptions:

Product Name: Hard Gel LED MSDS Approved by/Date: 1/24/2013

Manufacture: Artistic Nail Design, Inc

Product Use: Cosmetics

Nail Alliance – Artistic, Inc, Missouri USA

 Emergency Phone Number:
 (800) 535-5053

 Information Contacts:
 (714)773-9758

02201Hardcore Pink Buiding Gel02202Hardcore White Building Gel02203Hardcore Clear Building Gel02205Head Liner Brush-on Clear Gel

# Section 2: Hazards Identification

# **EMERGENCY OVERVIEW**

This information is based on findings from related or similar materials.

May be slightly toxic.

Product #s

- May cause moderate skin injury (reddening & swelling).
- May cause chemical burn in eye

#### Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry No specific information available.

Eye No specific information available. Contains materials that are essentially nonirritating, but contact may cause slight transient irritation. Skin No specific information available. Contains materials that may cause moderate skin injury (reddening and swelling) and/or sensitization.

Prolonged contact may cause blister formation (burns). Since irritation may not occur immediately, contact can go unnoticed.

Ingestion May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

Inhalation No specific information available. Low volatility makes vapor inhalation inlikely. Aerosol can be irritating

Sub-Chronic Effects No specific information available. Limited tests showed no evidence of teratogenicity in animals. A lifetime skin painting study

with mice showed no evidence of carcinogencity.

NOTE: Refer to Section 11, Toxicological Information for Details

# Section 3: Composition/Information on Ingredients

INCI NAME	CAS#	EINECS#	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Di-HEMA Trimethylhexyl Dicarbamate,	Exempt	N/E	N/E	N/E	Not Listed	50-75
Trimethylolpropane Trimethacrylate	3290-92-4	221-950-4	N/E	N/E	Not Listed	10-25
Hydroxypropyl Methacrylate	27813-02-1	248-666-3	N/E	N/E	Not Listed	1-5
PEG-4 Dimethacrylate	N/A	N/A	N/E	N/E	Not Listed	1-5
Ethyl trimethylbenzoyl phenylphosphinate	84434-11-7	282-810-6	N/E	N/E	Not Listed	0-1
p-Hydroxyanisole	150-76-5	205-769-8	5mg/m3	5mg/m3	Not Listed	≤0.02
Hydroquinone	123-31-9	204-617-8	5mg/m3	5mg/m3	Not Listed	≤0.005

# May Contain (+/-) < 1.0

Titanium Dioxide (CI 77891)	13463-67-7	236-675-5	15 mgm3	15 mgm3	Not Listed	
Blue 1 (CI 42090)	68921-42-6	272-936-6	N/E	N/E	Not Listed	
Red 34 (CI 15880)	6417-83-0	229-142-3	N/E	N/E	Not Listed	
Red 6 ( CI 15850)	5858-81-1	227-497-9	N/E	N/E	Not Listed	
Yellow 10 (CI 47005)	8004-92-0	305-632-3	N/E	N/E	Not Listed	
Red 7 (CI 15850)	5281-04-9	226-109-5	N/E	N/E	Not Listed	
Yellow 5 (CI 19140)	8004-92-0	305-632-3	N/E	N/E	Not Listed	
Violet 2 (CI 60725)	81-48-1	201-352-5	N/E	N/E	Not Listed	

N/E - None Established N/DA - No Data Available \* See section 16 N/R - Not Reviewed N/A - Not Applicable

Polyurethane Acrylate Oligomer: Hazard Symbol: Xi Risk Phrases: R36/37/38 Safety Phrases: S3/7, S36/37, S62

Trimethylolpropane Trimethacrylate

Februare

Hazard Symbol: Xi

Risk Phrases: R36/37/38

Safety Phrases: S26

Tetraethylene Glycol
Dimethacrylate

Hazard Symbol: Xi
Risk Phrases: R36/38
Safety Phrases: S21, S24/25, S26, S41

See Section 16 for Risk and Safety Phrase Key

# **Section 4: First Aid Measures**

First Aid for Eye Flush with plenty of water for 15 minutes and seek medical attention

First Aid for Skin Remove contaminated clothing and wash contact area with soap and water for 15 minutes.

Page 1 of 4

First Aid for Inhalation In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer

artifical respiration and seek medical attention.

# **Section 5: Fire Fighting Measures**

Flash Point ( °F/ °C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
> 212°F/100°C estimate	No Data	No Data

Method:

Extinguishing Media: Use carbon dioxide or dry chemical for small fires; aqueous foam or water for large fires.

Fire Fighting Instructions: Remove all ignition sources. Wear self-contained breathing apparatus and complete personal protective equipment when entering

confined areas where potential for exposure to vapors or products of combustion exists.

Unusual Hazards: High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the

violent rupture of storage vessels or containers. Avoid the use of a stream of water to control fires since frothing can occur.

# Section 6: Accidental Release Measures

Spill or Release Producers: Spontaneous polymerization can occur. Although material in non-flammable please try to eliminate ignition sources.

Use eye and skin protection. Place leaking containers in a well ventilated area.

Dike and recover large spills. Soak up small spills with inert solids (such as vermiculite, clay) and sweep/shovel

into disposal container. Wash spill area with strong detergent and water solution; rinse with water, but minimize water use during clean-up. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. Dispose and report per regulatory requirements if necessary. Please prevent

washings from entering waterways.

# Section 7: Handling and Storage

Handling: Avoid contact with skin and eyes. Avoid breathing vapor. Keep container closed when not in use. Avoid prolonged exposure to

light. Remove all contaminated clothing, shoes, belts and other leather goods immediately. Incinerate leather goods (including shoes). Wash contaminated clothing thoroughly before reuse. Wash skin thoroughly with soap and water after handling. Solvents

should not be used to clean skin because of increased penetration potential.

Storage: Store in a cool, dry place, away from heat and all types of light. Store at temperatures below 100°F.

Explosion Hazard: High temperatures and fire conditions may cause rapid and uncontrolled polymerization which can result in explosions and the

violent rupture of storage vessels or containers.

### Section 8: Exposure Controls / Personal Protection

Engineering Controls Local exhaust recommended to control exposure which may result from operations generating aerosols and hot operations

generating vapors.

Personal Protective Equipment

General: To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance

with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or

whole body suit. Nitrile rubber is better than PVC.

Eye / Face Protection: Chemical splash goggles.
Skin Protection: Impervious gloves ( Neoprene)

Respiratory Protection: A NIOSH/MSHA approved air purifying respirator with an organic vapor cartridge or canister may be permissible under certain

limited circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance level organic vapor dust masks can be used, however the use of the respirator is limited. Follow OSHA respirator regulations

found in 29 CFR 1910.134 or European Standard EN149.

### Section 9: Physical and Chemical Properties

Appearance	Odor & Odor Threshold	pН	Specific Gravity	Viscosity	%Volatile
Tan/Peach/Beige movible viscous gel	characteristic acrylate odor	NA	(H20=1): 1.12	N/DA	By Volume: <0.5

Boiling Point/Freezing Point	Decompositi on Temperature	Partitioning Coefficient Log	Vapor Pressure:	Vapor Density	Evaporation Rate	Ignition	Solubility In Water (20°C)
N/A	N/A	N/A	(mm Hg) @ 20 °C:<0.01	No Data	No Data	No Data	Insoluble
Flash Point ( °F/ °C)	Flash Point ( °F/ °C) Flammable Limit (vol%) Auto-ignition Temperature (vol%)		mperature (vol%)				
> 212°F/100°C estimat	e		No Data			No I	Data

# Section 10: Stability and Reactivity

Stability Incompatibility (Material to Avoid):

Normally Stable Polymerization initiators including peroxides, strong oxidizing agents, copper, copper alloys, carbon steel, iron, rust

and strong bases.

Hazardous Decomposition Products: Hazardous Polymerization:

Fumes produced when heated to May occur --- Uncontrolled polymerization may cause rapid evolution of heat and increased pressure that could

decomposition may include: result in violent rupture of sealed storage vessels or containers. carbon monoxide, carbon dioxide

Conditions to Avoid:

Storage>100°F, exposure to light, loss of dissolved air, loss of polymerization, contamination with incompatible materials.

# **Section 11: Toxicological Information**

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation - skin	Irritation - Eye
No information available	No information available	No information available	No information available	No information available
Since this product contains a very low concentration of active components, the primary toxicological information is derived from oligomers. Further hazardous properties cannot be excluded. The				
product should be handled with care when dealing with chemicals.				

Sensitization	Mutagenicity	Sub-chronic Toxicity
N/DA	N/DA	N/DA

# Section 12: Ecological Information

# **Ecotoxicological Information**

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/DA	N/DA	N/DA	N/DA

### **Chemical Fate Information**

Biodegradability	N/DA
Chemical Oxygen Demand	N/DA

To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated.

# **Section 13: Disposal Considerations**

Non-contaminated, properly inhibited product is not a RCRA hazardous waste. It is the generators responsibility to determine what is classified as a hazardous waste. Comply with all federal, state, and local regulations. Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable and incinerate.

#### Section 14: Transport Information

oodion 141 Hanoport illiorination	
DOT (49 CFR 172)	
Proper Shipping Name:	Non-Regulated Material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	None
Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	None
Emergency Response Guidance (ICAO)#:	N/A
IMO (IMDG):	
Proper Shipping Name:	Non-Regulated Material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	None
Emergency Schedule (EmS)#:	N/A
Other Information:	Flash point > 100°C

# **Section 15: Regulatory Information**

# **US Federal Regulations**

US Federal Regulations	
Clean Air Act: HAP/ODS	This product contains the following hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act:
	• NONE
	This product does not contain ODS's
Clean Water Act: Priority Pollutant	This product contains no chemicals listed under the US Clean Water Act Priority Pulluntant List
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and /or other applications as an indirect food
	additive.
Occupational Safety and Health Act	This product is considered to be a hazardous chemical under the OSHA Hazard Communication Standard. Its
	hazards are:
	Immediate (acute) health hazard
	Delayed (chronic) health hazard
	Reactive hazard
RCRA	This product is not considered to be a hazardous waste under RCRA (40 CFR 261)
SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Sec. 302 as extremely hazardous substances that carry a TPQ.
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 304 as extremely hazardous chemicals for emergency
	release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product is considered hazardous under the OSHA Hazard Communication Standard and is regulated under
	Section 311-312 (40 CFR 370). Its hazards are:
	Immediate (acute) health hazard
	Delayed (chronic) health hazard
	Reactive hazard
SARA Title III: Section 313:	This product contains no chemicals subject to the reporting requirements of Section 313 of Title III of the
	Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:
TSCA Section 8(b) Inventory:	This product contains chemicals listed on the TSCA inventory or otherwise complies with TSCA premanufacture
	notification requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

Do not allow to enter drinking water supplies, wastewater, or soil.

#### State Regulations

CA Right-to-Know Law:	NONE
California No Significant Risk Rule:	NONE
MA Right-to-Know Law:	Titanium Dioxide CAS # 13263-67-7
NJ Right-to-Know Law:	Titanium Dioxide CAS # 13263-67-7
PA Right-to-Know Law:	Titanium Dioxide CAS # 13263-67-7
FL Right-to-Know Law:	This product contains the following hazardous components subject to disclosure under Florida Right-To-Know Legislation: NONE
MN Right-to-Know Law:	Titanium Dioxide CAS # 13263-67-7
International Degulations	<del>-</del>

International Regulations

CDSL: Canadian Inventory	Hydroxcyclohexyl Phenyl Kerotene CAS # 947-19-3 is on the DSL List .WHMIS=N/DA		
	PEG-4 Dimethacrylate CAS# 109-17-1 is not on the DSL List. WHMIS = N/DA		
	Trimehylolpropane Trimethacrylate CAS # 3290-92-4 is on the DSL List. WHMIS = N/DA		
	Titanium Dioxide (CI77891) CAS # 13463-67-7 is on the DSL List. WHMIS = N/DA		

# Labeling according to EC Directives - 1999/45/EC

European Community:



#### Gelish Hard LED Gels:

- HAZARD SYMBOLS: Xi: Irritant
- RISK PHRASES: R20: Harmful by inhalation, R43: May cause sensitization by skin contact.
- SAFETY PHRASES: \$24/25: avoid contact with skin and eyes, \$28A: After contact with skin, wash inmediate with plenty of water.

\$37: Wear suitable gloves, \$45: In case of accident or if you fill unwell, seek medical advise immediate (show the label where possible)

#### Section 16: Other Information

# EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

#### Hazard Symbols:

Xi - Irritants

#### Risk Phrases:


R36/37/38 Irritating to eyes, respiratory system and skin

#### Safety Phrases:

S3/7 Keep container tightly closed in a cool place; S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice;

S36/37 Wear suitable protective clothing and gloves; S62 If swalllowed, no not induce vomiting: seek mediacl advice immediately and show this container or label

Hazard Rating System (Pictograms)



OSHA PEL for nuisance dust: 15 mg/m³ (total dust 5 mg/m³ (respirable dust)

ACGIH PEL for nuisance dust: 10 mg/m3

This information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If there are any problems or concerns understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at (1-800-535-5053).

Hand & Nail Harmony • Brea, CA 92821