Safety Data Sheet

FB Doubleshot Espresso Tan

Section 1-Product and Company Information

Chemtrec Outside US and Canada: 703-527-3887

Product Name: FB Doubleshot Espresso Tan Product Code: G-071

Trade Name: FB Doubleshot Espresso Tan

Manufactured By Chemtrec Within US and Canada: 800-424-9300

United 1 International Laboratories

1541 Champion Dr. Carrollton, TX 75006

Section 2- Hazards Identification

GHS Ratings:

Eye corrosive 2B Mild eye irritant: Subcategory 2B, Reversible in 7 days

GHS Hazards

H320 Causes eye irritation

GHS Precautions

P264 Wash ... thoroughly after handling

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if

present and easy to do - continue rinsing

P337+P313 If eye irritation persists, get medical advice/attention

Signal Word: Warning

Section 3 - Composition/Information on Ingredients

Chemical Name	CAS number	Weight Concentration %
Dimethyl Isosorbide (DMI)	5306-85-4	1.00% - 5.00%
Glycerin	56-81-5	1.00% - 5.00%
Ethanol SDA 40-B 200 Proof/SD Alcohol	64-17-5	1.00% - 5.00%

Section 4 - First Aid Measures

Inhalation: Remove to fresh air

Eye Contact: Avoid getting in the eyes. In case of contact with eyes flush with water for 10-15 minutes. Skin Contact: Product should not be an irritant; however, should skin become irritated, wash with soap and water. Discontinue use.

SDS for: G-071 Page 1 of 6

For external use only. Do not induce vomiting. If ingested, contact a physician. Keep out of reach of children.

Section 5 - Fire Fighting Measures

Flammable Limits: N/A

Extinguishing Media: Dry chemical, Water Spray Foam, Carbon Dioxide

Unusual Fire/ Expl Hazards: None cited Hazard Combustible Products: N/A

Fire Fighting: N/A
Fire Equipment: N/A

Section 6 - Accidental Release Measures

Spill/ Leap Procedures: Personal Precautions: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep Unnecessary and unprotected personnel from entering, Do not touch or walk through spilled material. Avoid breathing vapor mist. Provided adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on personal protective equipment (See Section 8).

Environmental Precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains, and sewers. Inform the relevant authorities of the product have caused environmental pollution (sewers, waterways, soil or air).

Small Spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Dispose of via a licensed waste disposal contractor.

Large Spills: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillages into an effluent treatment or proceed as follows. Contain and collect spillage with non-combustible, absorbent materials, sand, earth, vermiculite or diatomaceous earth and place in a container for disposal according to local regulations. Dispose via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 emergency contact information. Contaminated absorbent material may pose the same hazard as the spilled product.

Note: See Section 1 for emergency contact information.

Section 7 - Handling and Storage

Handling Precautions: Non Hazardous - Use normal non hazardous handling and storage procedures. Put on appropriate personal protective equipment. (see section 8). Eating drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers

Should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. use only in adequate ventilation. Wear appropriate respirator when ventilation is

SDS for: G-071 Page 2 of 6

in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue can be hazardous. Do not reuse container.

Storage Requirements: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry cool and well-ventilated area, away from incompatible materials, food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8 - Exposure Controls / Personal Protection						
Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits			
Dimethyl Isosorbide (DMI) 5306-85-4	None Known	None Known	None Known			
Glycerin 56-81-5	Not Established	Not Established	Not Established			
Ethanol SDA 40-B 200 Proof/SD Alcohol 64-17-5	PEL 1000.000 ppm - TWA VPEL 1000.000 ppm - TWA	TLV 1000.000 ppm - TWA	Not Established			

Engineering Controls: Wash hand, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Ventilation: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist ,use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirement of the environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Respiratory: Use a properly fitted, air-purifying or supplied-air respirator complying with an approved standard if a risk assessment indicated this is necessary. Respirator selection must be based on a known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicated this is necessary.

Eyes: Safety eye wear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mist or dust. Recommended: Splash Goggles.

Skin: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product

SDS for: G-071 Page 3 of 6

Section 9 - Physical and Chemical Properties

This mixture typically exhibits the following properties under normal conditions

Appearance: Semi Translucent

Brown Gel

Vapor Pressure: No information

available

Vapor Density: No information

available

Density: 1.()()

Freezing point: No information

available

Boiling range: No information

available

Evaporation rate: No information

available

Explosive Limits: No information

available

Autoignition temperature: No information

available

Viscosity: 27,300 cps

Odor: Coconut

Odor threshold: No information

available

pH: 3.5

Melting point: No information

available

Solubility: Dispersible in water

Flash point: No information

available

Flammability: No information

available

Partition coefficient No information

(n-octanol/water): available

Decomposition temperature: No information

available

Grams VOC less water: No information

available

Section 10 - Stability and Reactivity

Stable

STABLE

Component of this mixture are non hazardous and non reactive to other materials. Under normal conditions of storage and use, hazardous reactions will not occur

Under normal conditions of storage and use, hazardous decomposition products should not be produced

Hazardous polymerization will not occur.

Section 11 - Toxicology Information

Mixture Toxicity

Oral Toxicity LD50: 69mg/kg Inhalation Toxicity LC50: 4mg/L

Component Toxicity

56-81-5

Oral LD50: 2,300 mg/kg (rabbit)

Ethanol SDA 40-B 200 Proof/SD Alcohol 64-17-5

SDS for: G-071 Page 4 of 6 Printed: 6/3/2016 at 1:02:32PM

Oral LD50: 1,400 mg/kg (Human)

Toxicology Information: No data found/ No component listed on (NTP), (IARC) or OSHA database.

Routs of Entry: Avoid getting in eyes.

Inhalation Skin Contact **Eye Contact** Ingestion

Eyes Central Nervous System Skin

Effects of Overexposure

Carcinogen Rating CAS Number Description % Weight

N/A None

Section 12 - Ecology Information

Ecology Information: No data found

Component Ecotoxicity

Glycerin The acute toxicity of Glycerol is (IUCLID);

Toxicity to fish - LC50/96h/rainbow trout = 51,000mg/L to 57,00 mg/L

Ethanol SDA 40-B 200 Proof/SD

Toxicity to fish - LC50/96h/ Fathead minnows = 14,200mg/L

Alcohol

Toxicity to daphnia- LC50/48h/ daphnia = 9268 - 14,221 mg/L

Section 13 - Disposal Considerations

As the US, EPA, state, regional, and other regulatory agencies may have jurisdiction over the disposal of your facility's hazardous waste, it is incumbent upon you, the hazardous waste generator to learn and satisfy the requirements that affect you.

Section 14 - Transport Information

This material is classified as followed:

Agency	Proper Shipping Name	UN Number	Packing Group	Hazard Class
EU	Not Regulated	None	None	None
	Not Classified for Hazardous Material Transport			
IATA/ICA	Not Regulated	None	None	None
	Not Classified for Hazardous Material Transport			
IMDG	Not Regulated	None	None	None
	Not Classified for Hazardous Material Transport			
US DOT	Not Regulated	None	None	None
	Not Classified for Hazardous Material Transport			

Section 15 - Regulatory Information

- None

SDS for: G-071

Page 5 of 6 Printed: 6/3/2016 at 1:02:32PM Country Regulation All Components Listed

EU Risk Phrases

R36: Irritating to eyes

Safety Phrase

S25: Avoid contact with eyes

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S51: Use only in well-ventilated areas

TSCA 8(a) IUR Exempt/partial exemption: Not Determined

United States inventory (TSCA 8b): All components are listed or exempted.

- None

SARA 302/304/311/312 extremely hazardous substances: No products were found

SARA 302/304 emergency planning and notification: No products were found

SARA 302/304/311/312 hazardous chemicals: No products were found.

SARA 311/312 MSDS distribution- chemical inventory - hazard identification: No products were found.

Section 16 - Other Information


Hazardous Material Information System (HMIS)

National Fire Protection Association (NFPA)



HMIS & NFPA Hazard Rating Legend * = Chronic Health Hazard 0 = INSIGNIFICANT 1 = SLIGHT

2 = MODERATE 3 = HIGH



NON WARRANTY - The information presented in this publication is based upon the research and experience of the issuing party. No representation or warranty is made concerning the accuracy or completeness of the information presented in this publication. The party issuing this information makes no warranty or representation of any kind, express or implied, including without limitation any warranty of merchantability or fitness for any particular purpose, and no warranty or representation shall be implied by law or otherwise. Any products sold by the issuing party are not warranted as suitable for any particular purpose to the buyer. The suitability of any products for any purpose particular to the buyer is for the buyer to determine. The issuing party shall in no event be liable for any special, incidental, or consequential damages

Reviewer Revision

Date Prepared: 6/3/2016