according to Regulation (EC) No. 1907/2006

Super Shine Finish Cleaner

Print date: 07.11.2011 Product code: 2424 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Super Shine Finish Cleaner

Product group: Eigenprodukt

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cosmetic product

Details of the supplier of the safety data sheet

Company name: Wilde Cosmetics GmbH Street: Rheingaustr. 19a

Place: D-65375 Oestrich-Winkel

Post-office box: 1220

D-65368 Oestrich-Winkel

Telephone: +49-6723-6020-0 Telefax: +49-6723-6020-15

e-mail: beate.kerntopf@wilde-group.com

Contact person: Dr. Beate Kerntopf Telephone: -752

Emergency telephone: Tel: +49-30-19240 Poison Information Centre telephone number

Further Information

The preparation is classified as dangerous in accordance with Directive 1999/45/EC. The product is classified and labelled in accordance with Directive 1999/45/EC.

SECTION 2: Hazards identification

Classification of the substance or mixture

Indications of danger: Highly flammable, Irritant

R-phrases: Highly flammable. Irritating to eyes.

Label elements

Danger symbols: F - Highly flammable; Xi - Irritant





F - Highly flammable Xi - Irritant

R phrases

Highly flammable. 36 Irritating to eyes.

S phrases

02 Keep out of the reach of children.

16 Keep away from sources of ignition - No smoking.

Additional advice on labelling

EG Directive 76/768/EEC (cosmetic regulation)

The preparation does not fall under Directive 1999/45/EC.

Other hazards

Keep out of the reach of children.

Processing may lead to evolution of flammable volatiles.

according to Regulation (EC) No. 1907/2006

Super Shine Finish Cleaner

Print date: 07.11.2011 Product code: 2424 Page 2 of 8

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 3: Composition/information on ingredients

Mixtures

Chemical characterization

Chemical Name / INCI: ISOPROPYL MYRISTATE

ISOPROPYL ALCOHOL (propan-2-ol; isopropyl alcohol; isopropanol)

PARFUM (FRAGRANCE)
BENZYL ALCOHOL
COLIMARIN

GERANIO

LIMONENE

Hazardous components

EC No.	Chemical name	Quantity
CAS No.	Classification	
Index No.	GHS classification	
REACH No.		
200-661-7	propan-2-ol; isopropyl alcohol; isopropanol	10 - 25 %
67-63-0	F, Xi R11-36-67	
603-117-00-0	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336	

Full text of R- and H-phrases: see section 16.

Further Information

Is/are applicable: EG Directive 76/768/EEC (cosmetic regulation) The preparation does not fall under Directive 1999/45/EC.

SECTION 4: First aid measures

Description of first aid measures

General information

Remove from exposure, lie down. Take off all contaminated clothing immediately. First aider needs to protect himself.

After inhalation

Move to fresh air. Keep patient warm and at rest. In case of shortness of breath, give oxygen. If breathing has stopped, apply artificial respiration. If unconscious place in recovery position and seek medical advice.

After contact with skin

Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Consult a physician.

Indication of any immediate medical attention and special treatment needed

Symptoms: Dizziness, Unconsciousness, Dizziness, headache, Nausea, Vomiting, Skin irritation, Eye irritation

SECTION 5: Firefighting measures

according to Regulation (EC) No. 1907/2006

Super Shine Finish Cleaner

Print date: 07.11.2011 Product code: 2424 Page 3 of 8

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Water, Dry chemical. Use water spray to cool unopened containers.

Extinguishing media which must not be used for safety reasons

no data available.

Conditions to avoid: High volume water jet

Special hazards arising from the substance or mixture

Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

Hazardous combustion products: Carbon monoxide, Carbon dioxide (CO2)

Advice for firefighters

In the event of fire, wear self-contained breathing apparatus. Protective suit

Additional information

Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Keep people away from and upwind of spill/leak. Keep away from heat and sources of ignition. Avoid contact with the skin and the eyes. S23 - Do not breathe gas/fumes/vapour/spray.

Environmental precautions

Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration. If the product contaminates rivers and lakes or drains inform respective authorities. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Ensure adequate ventilation. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated surface thoroughly.

Reference to other sections

Treat recovered material as described in the section "Disposal considerations".

SECTION 7: Handling and storage

Precautions for safe handling

Advice on safe handling

Keep containers tightly closed in a dry, cool and well-ventilated place. Ensure adequate ventilation, especially in confined areas. Vapours are heavier than air and may spread along floors. Eye wash bottle with pure water. Avoid contact with skin, eyes and clothing. Ensure that eyewash stations and safety showers are close to the workstation location.

Advice on protection against fire and explosion

Combustible Liquid Vapours may form explosive mixtures with air. Take measures to prevent the build up of electrostatic charge. Use only explosion-proof equipment. Use only in an area containing explosion proof equipment. Keep away from sources of ignition - No smoking.

Further information on handling

Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in an area equipped with solvent resistant flooring. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Store in original container.

according to Regulation (EC) No. 1907/2006

Super Shine Finish Cleaner

Print date: 07.11.2011 Product code: 2424 Page 4 of 8

Advice on storage compatibility

Materials to avoid: Oxidizing and spontaneously flammable products, Flammable materials, Organic peroxides, Oxidizing agents

Further information on storage conditions

Keep away from direct sunlight. Keep in a dry place. Store in a cool and shaded area.

SECTION 8: Exposure controls/personal protection

Control parameters

Exposure limits (EH40)

CAS No.	Chemical name	ml/m³	mg/m³	F/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

Additional advice on limit values

No data is available on the product itself.

Exposure controls

Occupational exposure controls

Handle in accordance with good industrial hygiene and safety practice. To avoid risks to man and the environment, comply with the instructions for use.

Protective and hygiene measures

Take off all contaminated clothing immediately. Avoid contact with the skin and the eyes. Ensure adequate ventilation, especially in confined areas. Avoid breathing vapors, mist or gas.

When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hand protection

Preventive skin protection: Solvent-resistant gloves (butyl-rubber). Use protective skin cream before handling the product.

Eye protection

Safety glasses with side-shields

Skin protection

Protective suit.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: alcoholic

Test method

Changes in the physical state

Melting point: <-60 °C
Boiling point: 82 °C *)
Flash point: 12 °C *)
Lower explosion limits: 2 vol. % *)
Upper explosion limits: 12 vol. % *)

according to Regulation (EC) No. 1907/2006

Super Shine Finish Cleaner					
Print date: 07.11.2011	Product code: 2424	Page 5 of 8			
Ignition temperature:	425 °C				
Vapour pressure: (at 20 °C)	41,6 hPa *)				
Vapour pressure: (at 50 °C)	225 hPa *)				
Density (at 20 °C):	0,84 g/cm³				
Water solubility:	miscible				
Solubility in other solvents:	miscible with most organic solvents				
Solvent content:	22,00 %				
Other information					

<u> Ither information</u>

SECTION 10: Stability and reactivity

Conditions to avoid

Keep away from direct sunlight. Keep away from heat and sources of ignition. Do not smoke. Take measures to prevent the build up of electrostatic charge.

Incompatible materials

Oxidizing agents, Alkali metals, Alkaline earth metals

Hazardous decomposition products

Carbon monoxide, Carbon dioxide (CO2). Oxidizing and spontaneously flammable products.

Further information

Vapours may form explosive mixtures with air.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

CAS No.	Chemical name						
	Exposure routes	Method	Dose	Species	h	Source	
67-63-0	propan-2-ol; isopropyl alcohol; isopropanol						
	Acute oral toxicity	LD50	5280 mg/kg	Ratte			
	Acute dermal toxicity	LD50	12800 mg/kg	Kaninchen			

Irritation and corrosivity

Irritating to eyes. Risk of serious damage to eyes.

Sensitizing effects

May cause sensitization by skin contact.

Severe effects after repeated or prolonged exposure

Repeated absorption may cause disorder of central nervous system, liver, kidneys and blood.

Additional information on tests

Harmful if swallowed. Effects due to ingestion may include: Nausea, narcosis, Weakness, Dizziness, Unconsciousness. If inhaled: Irritation of mucous membranes, Dizziness. Repeated exposure may cause skin dryness or cracking.

Empirical data on effects on humans

Health injuries are not known or expected under normal use.

SECTION 12: Ecological information

^{*)} propan-2-ol; isopropyl alcohol; isopropanol

according to Regulation (EC) No. 1907/2006

Super Shine Finish Cleaner

Print date: 07.11.2011 Product code: 2424 Page 6 of 8

Toxicity

The product should not be allowed to enter drains, water courses or the soil. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Persistence and degradability

Readily biodegradable (75 % after 20 days).

Other adverse effects

No data is available on the product itself.

Further information

No data is available on the product itself.

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

Waste treatment methods

Advice on disposal

adsorption in inert material (e.g. sand, kieselguhr, acid binder, universal binder, sawdust) The organic ingredients can be incinerated in a suitable installation when in accordance with local regulations. Offer surplus and non-recyclable solutions to a licensed disposal company. Prevent product from entering drains.

Contaminated packaging

Offer surplus and non-recyclable solutions to a licensed disposal company.

SECTION 14: Transport information

Land transport (ADR/RID)

UN number: UN1993

UN proper shipping name: FLAMMABLE LIQUID, N.O.S.

Transport hazard class(es):3Packing group:IIHazard label:3



Classification code: F1

Special Provisions: 274 601 640D

Limited quantity: 1 L
Transport category: 2
Hazard-no.: 33
Tunnel restriction code: D/E

Other applicable information (land transport)

E2

Inland waterways transport

UN number: UN1993

UN proper shipping name: FLAMMABLE LIQUID, N.O.S.

Transport hazard class(es):

Packing group:

Hazard label:

3

according to Regulation (EC) No. 1907/2006

Super Shine Finish Cleaner

Print date: 07.11.2011 Product code: 2424 Page 7 of 8



Classification code: F1

Special Provisions: 274 601 640D

Limited quantity: 1 L

Other applicable information (inland waterways transport)

E2

Marine transport

UN number: UN1993

UN proper shipping name: FLAMMABLE LIQUID, N.O.S.

Transport hazard class(es):3Packing group:IIHazard label:3



Special Provisions: 274
Limited quantity: 1 L
EmS: F-E, S-E

Other applicable information (marine transport)

E2

Air transport

UN/ID number: UN1993

UN proper shipping name: FLAMMABLE LIQUID, N.O.S.

Transport hazard class(es):

Packing group:

Hazard label:

3



Special Provisions: A3

Limited quantity Passenger: 1 L

IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

Other applicable information (air transport)

E2 Y341

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

1999/13/EC (VOC): 22 %

Additional information

according to Regulation (EC) No. 1907/2006

Super Shine Finish Cleaner

Print date: 07.11.2011 Product code: 2424 Page 8 of 8

EG Directive 76/768/EEC (cosmetic regulation)

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

SECTION 16: Other information

Full text of R-phrases referred to under sections 2 and 3

Highly flammable.Irritating to eyes.

Vapours may cause drowsiness and dizziness.

Full text of H-Statements referred to under sections 2 and 3

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Further Information

All data refer to the product upon delivery

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

In case of emergency call CHEMTREC 1-800-424-9300.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)