# SAFETY DATA SHEET



1. Identification

Product identifier MATRIX COLORGRAPHICS PROMOTER 22

Other means of identification

**SDS number** 00-21-0000327

**Recommended use** Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc

133 Terminal Avenue Clark, NJ 07066

**USA** 

Canadian Address: L'Oreal Canada

4895 rue Hickmore

Ville St-Laurent, H4T 1K5

Canada

**Emergency Phone #:** 1-800-535-5053 (International: 352-323-3500)

In Canada - 1-613-996-6666 (Canutec (\*666 Cellular))

For further Information: 1-732-499-2741

**Poison Control #:** 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation

OSHA defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Causes serious eye irritation.

**Precautionary statement** 

**Prevention** Wash thoroughly after handling. Wear eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Category 2A

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Material name: MATRIX COLORGRAPHICS PROMOTER 22 90290 MX Version #: 01 Issue date: 02-05-2020

### 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name     | Common name and synonyms | CAS number | %   |
|-------------------|--------------------------|------------|-----|
| HYDROGEN PEROXIDE |                          | 7722-84-1  | 6.6 |

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eve contact

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

### 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. General fire hazards

### 6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

Material name: MATRIX COLORGRAPHICS PROMOTER 22 90290 MX Version #: 01 Issue date: 02-05-2020

### 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| Components                                  | Туре | Value     |  |  |  |
|---|------|-----------|--|--|--|
| HYDROGEN PEROXIDE<br>(CAS 7722-84-1)        | PEL  | 1.4 mg/m3 |  |  |  |
|   |      | 1 ppm     |  |  |  |
| US. ACGIH Threshold Limit Value             | es · |           |  |  |  |
| Components                                  | Туре | Value     |  |  |  |
| HYDROGEN PEROXIDE<br>(CAS 7722-84-1)        | TWA  | 1 ppm     |  |  |  |
| US. NIOSH: Pocket Guide to Chemical Hazards |      |           |  |  |  |
| Components                                  | Туре | Value     |  |  |  |
| HYDROGEN PEROXIDE<br>(CAS 7722-84-1)        | TWA  | 1.4 mg/m3 |  |  |  |

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

1 ppm

Individual protection measures, such as personal protective equipment

Applicable for industrial settings only. Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Hand protection Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other Applicable for industrial settings only. Wear appropriate chemical resistant clothing.

Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory Respiratory protection

equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

Liquid. **Physical state** Cream. **Form** Not available. Color Odor Not available. **Odor threshold** Not available. 2 - 2.4 pН Melting point/freezing point Not available. > 212 °F (> 100 °C) Initial boiling point and boiling

range

Flash point

> 212.0 °F (> 100.0 °C) Closed Cup

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Material name: MATRIX COLORGRAPHICS PROMOTER 22

90290 MX Version #: 01 Issue date: 02-05-2020

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%) Vapor pressure

Not available. Not available.

Vapor density Relative density Not available.

Solubility(ies)

Solubility (water)
Partition coefficient

Not available.

Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials. Strong oxidizing agents.

Incompatible materials

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

## 11. Toxicological information

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** No adverse effects due to skin contact are expected.

**Eye contact** Causes serious eye irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and

toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

### Information on toxicological effects

**Acute toxicity** 

Product Species Test Results

MATRIX COLORGRAPHICS PROMOTER 22

Acute Inhalation

*Vapor* ATEmix

ATEmix 166.7 mg/l

Oral

ATEmix 10510 mg/kg

Components Species Test Results

HYDROGEN PEROXIDE (CAS 7722-84-1)

<u>Acute</u>

Dermal

LD50 Rabbit > 2000 mg/kg OECD 402

Material name: MATRIX COLORGRAPHICS PROMOTER 22 90290 MX Version #: 01 Issue date: 02-05-2020

Components **Species Test Results** 

Inhalation Vapor

LC0 Rat 170 mg/m<sup>3</sup>, 4 h OECD 403

Oral

LD50 Rat 693.7 mg/kg OECD 401

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. No adverse effects due to

skin contact are expected.

Irritation Corrosion - Skin

HYDROGEN PEROXIDE OECD 404, 35% ≥ C < 50%

> Result: Irritating Species: Rabbit OECD 404, C ≥ 50% Result: Corrosive Species: Rabbit

Serious eye damage/eye

irritation

Causes serious eye irritation.

**Irritation Corrosion - Eye** 

HYDROGEN PEROXIDE OECD 405, 5% ≥ C < 8%

Result: Irritating Species: Rabbit OECD 405, C ≥ 8% Result: Corrosive Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible. Skin sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization

HYDROGEN PEROXIDE Result: Not Sensitizing

Species: Guinea pig

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Mutagenicity

HYDROGEN PEROXIDE Result: In vitro tests showed mutagenic effects which were

not observed with in vivo test.

Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the Carcinogenicity

classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

HYDROGEN PEROXIDE (CAS 7722-84-1) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

Due to partial or complete lack of data the classification is not possible.

single exposure

HYDROGEN PEROXIDE

0. C ≥ 35%

Result: Irritating

Specific target organ toxicity -

HYDROGEN PEROXIDE

repeated exposure

Due to partial or complete lack of data the classification is not possible.

2.9 mg/L air OECD 412, Inhalation

Result: NOAEL Species: Rat Test Duration: 28 d

26 mg/kg bw/d OECD 408, Oral

Result: NOAEL Species: Mouse Test Duration: 90 d

**Aspiration hazard** Due to partial or complete lack of data the classification is not possible. The reference to any animal testing for individual constituents mentioned in this document is

based on public, third-party data.

### 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components      |                   | Species   | Test Results                   |
|-----------------|-------------------|---|--------------------------------|
| HYDROGEN PEROXI | DE (CAS 7722-84-1 | 1)  |                                |
| Aquatic         |                   |   |                                |
| Acute           |                   |   |                                |
| Algae           | EC50              | Chlorella vulgaris                                  | 2.5 mg/l, 72 h OECD 201        |
| Crustacea       | EC50              | Daphnia pulex                                       | 2.4 mg/l, 48 h                 |
| Fish            | LC50              | Pimephales promelas                                 | 16.4 mg/l, 96 h                |
| Other           | EC50              | Activated sludge of a predominantly domestic sewage | 2.5 mg/l, 30 min OECD 209      |
| Chronic         |                   |   |                                |
| Crustacea       | NOEC              | Daphnia magna                                       | 0.63 mg/l, 21 d ASTM E 1193-97 |

### Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

HYDROGEN PEROXIDE 99 % OECD 209

Result: Readily Biodegradable

Bioaccumulative potential

Mobility in soil No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions** 

contents/container in accordance with local/regional/national/international regulations.

Dispose in accordance with all applicable regulations. Local disposal regulations

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

#### **FINISHED GOODS**

Not regulated as dangerous goods.

**BULK** 

Not regulated as dangerous goods.

IATA

### **FINISHED GOODS**

Not regulated as dangerous goods.

**BULK** 

Not regulated as dangerous goods.

IMDG

#### **FINISHED GOODS**

Not regulated as dangerous goods.

**BULK** 

Not regulated as dangerous goods.

Material name: MATRIX COLORGRAPHICS PROMOTER 22 90290 MX Version #: 01 Issue date: 02-05-2020

### 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

HYDROGEN PEROXIDE (CONC.> 52%)

(CAS 7722-84-1)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name **CAS** number Reportable **Threshold Threshold Threshold** planning quantity, quantity planning quantity planning quantity, (pounds) (pounds) lower value upper value (pounds) (pounds) **HYDROGEN** 7722-84-1 1000 1000

1000 LBS

**PEROXIDE** 

chemical

SARA 311/312 Hazardous SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

No (Exempt)

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

16. Other information, including date of preparation or last revision

Issue date 02-05-2020

Version # 01

Health: 2 NFPA ratings

Flammability: 1 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: MATRIX COLORGRAPHICS PROMOTER 22 90290 MX Version #: 01 Issue date: 02-05-2020