

Material Safety Data Sheet

MC 2412HV

1. Product and company identification

Product name Material uses	: MC 2412HV : Industrial applications: Lubricants; grease.
Manufacturer	: Metalcote Division of Chemtool Incorporated 801 West Rockton Road Rockton, IL 61072 U.S.A. Tel: +01 815.957.4140 Fax: +01 815.624.0292
Product code	: LIR2803000
MSDS #	: 1104
Validation date	: 9/29/2014
Incaseofemergency	: INFOTRAC U.S. and Canada - 800.535.5053 Outside the U.S. and Canada - +01 352.323.3500
e-mail address of person responsible for this SDS	: chemtool_regulatory@chemtool.com

2. Hazards identification

Emergencyoverview	
Physical state	: Solid. [grease]
Color	: Red.
Odor	: Mild. Petroleum oil
Hazard statements	: CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.
Precautionary measures	: Do not eat, drink or smoke when using this product. Wash thoroughly after handling.
OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Routes of entry	: Dermal contact. Eye contact. Ingestion.
Potentialacutehealtheffect	
Inhalation	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Skin	: No known significant effects or critical hazards.
Eyes	: No known significant effects or critical hazards.
Potentialchronichealtheffe	ts
Chronic effects	: Contains material that may cause target organ damage, based on animal data.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.

2. Hazards identification

Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Target organs	: Contains material which may cause damage to the following organs: upper respiratory tract, skin, eyes.
<u>Over-exposuresigns/symp</u>	<u>toms</u>
Inhalation	: No specific data.
Ingestion	: No specific data.
Skin	: No specific data.
Eyes	: No specific data.

Medical conditions aggravated by overexposure

: Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

3. Composition/information on ingredients

UnitedStates

Name	CAS number	%
Mineral oil. Limestone	mixture 1317-65-3	80-90 1-5
Canada		

Name	CAS number	%
	mixture	80-90
Limestone	1317-65-3	1-5

<u>Mexico</u>

							Classification				
Name	CAS number	UN number	%	IDLH	Η	F	R				
Mineral oil.		Not available.	80-90	2500 mg/m ³	1	1	0	-			
Limestone		Not available.	1-5	-	1	0	0	-			

4. First aid measures

Eye contact	 Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin contact	 In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
Inhalation	 Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
Ingestion	: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

4. First aid measures

Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
Notes to physician	 No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

5. Fire-fighting measures

Flammability of the product	: No specific fire or explosion hazard.
Extinguishingmedia	
Suitable	: Use an extinguishing agent suitable for the surrounding fire.
Not suitable	: None known.
Special exposure hazards	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methodsforcleaningup		
Small spill	:	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. Handling and storage

Handling

: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

7. Handling and storage

Storage

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

UnitedStates

Ingredient	Exposure limits
Mineral oil.	 ACGIH TLV (United States, 2/2010). TWA: 5 mg/m³ 8 hour(s). Form: Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM–TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract. NIOSH REL (United States, 6/2009). TWA: 5 mg/m³ 10 hour(s). Form: Mist STEL: 10 mg/m³ 15 minute(s). Form: Mist OSHA PEL (United States, 11/2006). TWA: 5 mg/m³ 8 hour(s).
Limestone	OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m ³ 8 hour(s). Form: Respirable fraction TWA: 15 mg/m ³ 8 hour(s). Form: Total dust NIOSH REL (United States, 6/2009). TWA: 5 mg/m ³ 10 hour(s). Form: Respirable fraction TWA: 10 mg/m ³ 10 hour(s). Form: Total OSHA PEL (United States, 11/2006). TWA: 5 mg/m ³ 8 hour(s). Form: Respirable fraction TWA: 15 mg/m ³ 8 hour(s). Form: Total dust

<u>Canada</u>

Occupationalexposurelimits		TWA	TWA (8 hours)			STEL (15 mins)			g			
Ingredient	List name	ppm	mg/m ³	Other	ppm	mg/m³	Other	ppm	mg/m³	Other	Notations	
Limestone	AB 4/2009 BC 10/2009	- - -	10 3 -	-		- - 20	- - -	- - -	- - -	-	[3] [a]	
Mineral oil.	QC 6/2008 US ACGIH 2/2010 ON 7/2010 QC 6/2008	- - - -	10 10 5 5 5	-	- - - -	- - - 10 10	- - - -	- - - -	- - - -	-	[b] [c] [d] [e] [e]	

[3]Skin sensitization

Form: [a]Respirable dust [b]Total dust [c]Total dust. [d]Inhalable fraction. See Appendix C, paragraph A. Inhalable Particulate Mass TLVs (IPM–TLVs) for those materials that are hazardous when deposited anywhere in the respiratory tract. [e]mist

<u>Mexico</u>

Occupationalexposurelimits

Ingredient	Exposure limits

		MSDS # : 1104
8. Exposure contr	ols	/personal protection
Mineral oil.		NOM-010-STPS (Mexico, 9/2000). LMPE-PPT: 5 mg/m ³ 8 hour(s). Form: mist LMPE-CT: 10 mg/m ³ 15 minute(s). Form: mist
Limestone		NOM-010-STPS (Mexico, 9/2000). LMPE-PPT: 10 mg/m ³ 8 hour(s). LMPE-CT: 20 mg/m ³ 15 minute(s).
Consult local authorities for	' acc	eptable exposure limits.
Recommended monitoring procedures	:	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
Engineering measures	:	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Personalprotection		
Respiratory	:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Hands	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Eyes	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
Skin	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Г

Physical state	: Solid. [grease]
Flash point	: Not available.
Auto-ignition temperature	: Not available.
Flammable limits	: Not available.
Color	: Red.
Odor	: Mild. Petroleum oil
Molecular weight	: Not applicable.
Molecular formula	: Not applicable.
рН	: Not available.

9. Physical and chemical properties

Boiling/condensation point: Not available.Melting/freezing point: Not available.Critical temperature: Not available.Density: 0.9 g/cm³Relative density: Not available.Vapor pressure: Not available.Vapor density: Not available.Volatility: Not available.Odor threshold: Not available.Evaporation rate: Not available.Viscosity: Kinematic (40°C (104°F)): 3.9 to 4.5 cm²/s (390 to 450 cSt)Dispersibility properties: Not available.Solubility: Insoluble in the following materials: cold water and hot water.Physical/chemical: Not available.properties comments: Not available.	Deiling de angles action maint	
Critical temperature Density: Not available. 0.9 g/cm³Relative density: Not available.Vapor pressure: Not available.Vapor density: Not available.Volatility: Not available.Odor threshold: Not available.Evaporation rate: Not available.Viscosity: Kinematic (40°C (104°F)): 3.9 to 4.5 cm²/s (390 to 450 cSt)Dispersibility properties: Not available.Solubility: Insoluble in the following materials: cold water and hot water.Physical/chemical: Not available.	Boiling/condensation point	: Not available.
Density: 0.9 g/cm³Relative density: Not available.Vapor pressure: Not available.Vapor density: Not available.Volatility: Not available.Odor threshold: Not available.Evaporation rate: Not available.Viscosity: Kinematic (40°C (104°F)): 3.9 to 4.5 cm²/s (390 to 450 cSt)Dispersibility properties: Not available.Solubility: Insoluble in the following materials: cold water and hot water.Physical/chemical: Not available.	Melting/freezing point	: Not available.
Relative density: Not available.Vapor pressure: Not available.Vapor density: Not available.Volatility: Not available.Odor threshold: Not available.Evaporation rate: Not available.Viscosity: Kinematic (40°C (104°F)): 3.9 to 4.5 cm²/s (390 to 450 cSt)Dispersibility properties: Not available.Solubility: Insoluble in the following materials: cold water and hot water.Physical/chemical: Not available.	Critical temperature	: Not available.
Vapor pressure: Not available.Vapor density: Not available.Volatility: Not available.Odor threshold: Not available.Evaporation rate: Not available.Viscosity: Kinematic (40°C (104°F)): 3.9 to 4.5 cm²/s (390 to 450 cSt)Dispersibility properties: Not available.Solubility: Insoluble in the following materials: cold water and hot water.Physical/chemical: Not available.	Density	: 0.9 g/cm ³
Vapor density: Not available.Volatility: Not available.Odor threshold: Not available.Evaporation rate: Not available.Viscosity: Kinematic (40°C (104°F)): 3.9 to 4.5 cm²/s (390 to 450 cSt)Dispersibility properties: Not available.Solubility: Insoluble in the following materials: cold water and hot water.Physical/chemical: Not available.	Relative density	: Not available.
Volatility: Not available.Odor threshold: Not available.Evaporation rate: Not available.Viscosity: Kinematic (40°C (104°F)): 3.9 to 4.5 cm²/s (390 to 450 cSt)Dispersibility properties: Not available.Solubility: Insoluble in the following materials: cold water and hot water.Physical/chemical: Not available.	Vapor pressure	: Not available.
Odor threshold: Not available.Evaporation rate: Not available.Viscosity: Kinematic (40°C (104°F)): 3.9 to 4.5 cm²/s (390 to 450 cSt)Dispersibility properties: Not available.Solubility: Insoluble in the following materials: cold water and hot water.Physical/chemical: Not available.	Vapor density	: Not available.
Evaporation rate: Not available.Viscosity: Kinematic (40°C (104°F)): 3.9 to 4.5 cm²/s (390 to 450 cSt)Dispersibility properties: Not available.Solubility: Insoluble in the following materials: cold water and hot water.Physical/chemical: Not available.	Volatility	: Not available.
Viscosity: Kinematic (40°C (104°F)): 3.9 to 4.5 cm²/s (390 to 450 cSt)Dispersibility properties: Not available.Solubility: Insoluble in the following materials: cold water and hot water.Physical/chemical: Not available.	Odor threshold	: Not available.
Dispersibility properties: Not available.Solubility: Insoluble in the following materials: cold water and hot water.Physical/chemical: Not available.	Evaporation rate	: Not available.
Solubility: Insoluble in the following materials: cold water and hot water.Physical/chemical: Not available.	Viscosity	: Kinematic (40°C (104°F)): 3.9 to 4.5 cm ² /s (390 to 450 cSt)
Physical/chemical : Not available.	Dispersibility properties	: Not available.
	Solubility	: Insoluble in the following materials: cold water and hot water.
		: Not available.

10. Stability and reactivity

Chemical stability	: The product is stable.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.

11. Toxicological information

UnitedStates

Acutetoxicity

Product/ingredient name	Result	Species	Dose	Exposure
Mineral oil.	LD50 Dermal LD50 Oral	Rabbit Rat	>2000 mg/kg >5000 mg/kg	-
Conclusion/Summary	: No known significant effects o	r critical hazards	j.	
Chronictoxicity				
Conclusion/Summary	: Repeated or prolonged expose	ure to spray or m	nist may produce res	piratory tract irritation
Irritation/Corrosion				
Conclusion/Summary				
Skin Eyes	: No known significant effects or critical hazards.			
Respiratory	: No known significant effects o	r critical hazards	5.	
<u>Sensitizer</u> Conclusion/Summary	: Repeated or prolonged exposition Pre-existing respiratory disord			
Skin	: No specific information is available in our database regarding the skin sensitizing properties of this product. Sensitization not suspected for humans.			

11. Toxicological information

Respiratory	: Sensitization not suspected for humans.
Carcinogenicity	
Conclusion/Summary	: There are no data available on the preparation itself. Carcinogenicity not suspected for humans.
Mutagenicity	
Conclusion/Summary	: There are no data available on the preparation itself. Mutagenicity not suspected for humans.
<u>Teratogenicity</u>	
Conclusion/Summary	: There are no data available on the preparation itself. Teratogenicity not suspected for humans.
Reproductivetoxicity	
Conclusion/Summary	: There are no data available on the preparation itself. Not considered to be dangerous to humans, according to our database.
•	

Canada

Product/ingredient name	Result	Species	Dose	Exposure
Mineral oil.	LD50 Dermal LD50 Oral	Rabbit Rat	>2000 mg/kg >5000 mg/kg	-
Conclusion/Summary	: No known significant e	effects or critical hazard	ls.	
Chronictoxicity				
Conclusion/Summary	: Repeated or prolonge	d exposure to spray or	mist may produce res	piratory tract irritation
Irritation/Corrosion				
Conclusion/Summary				
Skin Eyes	: No known significant e	effects or critical hazard	ls.	
Respiratory	: No known significant e	effects or critical hazard	ls.	
	: Repeated or prolonge Pre-existing respirato	d exposure to spray or ry disorders may be ago		
<u>Sensitizer</u>				

Conclusion/Summary	
Skin	 No specific information is available in our database regarding the skin sensitizing properties of this product. Sensitization not suspected for humans.
Respiratory	: Sensitization not suspected for humans.
Carcinogenicity	
Conclusion/Summary	: There are no data available on the preparation itself. Carcinogenicity not suspected for humans.
Mutagenicity	
Conclusion/Summary	: There are no data available on the preparation itself. Mutagenicity not suspected for humans.
Teratogenicity	
Conclusion/Summary	: There are no data available on the preparation itself. Teratogenicity not suspected for humans.
Reproductivetoxicity	
Conclusion/Summary	: There are no data available on the preparation itself. Not considered to be dangerous to humans, according to our database.

11. Toxicological information

Ac	ute	tox	ici	tv
	uic	LOA		L Y

Product/ingredient name	Result	Species	Dose	Exposure
Mineral oil.	LD50 Dermal LD50 Oral	Rabbit Rat	>2000 mg/kg >5000 mg/kg	-
Conclusion/Summary	: No known significant ef	fects or critical hazard	S.	
Chronictoxicity				
Conclusion/Summary	: Repeated or prolonged	exposure to spray or	mist may produce res	piratory tract irritation
Irritation/Corrosion				
Conclusion/Summary				
Skin Eyes	: No known significant ef	fects or critical hazard	S.	
Respiratory	: No known significant ef	fects or critical hazard	S.	
	: Repeated or prolonged Pre-existing respiratory			
<u>Sensitizer</u>				
Conclusion/Summary				
Skin	 No specific information is available in our database regarding the skin sensitizing properties of this product. Sensitization not suspected for humans. 			
Respiratory	: Sensitization not suspe	: Sensitization not suspected for humans.		
Carcinogenicity				
Conclusion/Summary	: There are no data avail humans.	able on the preparatio	n itself. Carcinogenici	ty not suspected for
<u>Mutagenicity</u>				
Conclusion/Summary	: There are no data avail humans.	able on the preparatio	n itself. Mutagenicity r	not suspected for
Teratogenicity				
Conclusion/Summary	: There are no data avail humans.	able on the preparatio	n itself. Teratogenicity	not suspected for
Reproductivetoxicity				
Conclusion/Summary	: There are no data avail	able on the preparatio our database.	n itself. Not considere	d to be dangerous to

Γ

: Not readily biodegradable.
: No known significant effects or critical hazards.
: This product has not been tested for biodegradation. Not readily biodegradable. This product is not expected to bioaccumulate through food chains in the environment.
: No known significant effects or critical hazards.

12. Ecological information

Conclusion/Summary	:	This product has not been tested for biodegradation. Not readily biodegradable. This product is not expected to bioaccumulate through food chains in the environment.
<u>Mexico</u>		
Aquaticecotoxicity		
Conclusion/Summary	:	No known significant effects or critical hazards.
Persistence/degradability		
Conclusion/Summary	1	This product has not been tested for biodegradation. Not readily biodegradable. This product is not expected to bioaccumulate through food chains in the environment.

13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information						
Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
Mexico Classification	Not available.	Not available.	Not available.	-		-
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

PG* : Packing group

15. Regulatory information

UnitedStates		
HCS Classification	:	Target organ effects
U.S. Federal regulations		TSCA 8(a) PAIR: Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts TSCA 8(a) IUR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): All components are listed or exempted.
		SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: Limestone SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Limestone: Immediate (acute) health hazard
		Clean Water Act (CWA) 307 : zinc bis(dipentyldithiocarbamate); Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Not listed
Clean Air Act Section 602 Class I Substances	1	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed
DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

SARA313

	Product name	CAS number	Concentration %
Form R - Reporting requirements	: No listed substance		
Supplier notification	: No listed substance		

SARA 313 notifications must not be detached from the MSDS and any copying and redistribution of the MSDS shall include copying and redistribution of the notice attached to copies of the MSDS subsequently redistributed.

Let 1 Sta

Stateregulations	
Connecticut Carcinogen Reporting	: None of the components are listed.
Connecticut Hazardous Material Survey	: None of the components are listed.
Florida substances	: None of the components are listed.
Illinois Chemical Safety Act	: None of the components are listed.
Illinois Toxic Substances Disclosure to Employee Act	: None of the components are listed.
Louisiana Reporting	: None of the components are listed.
Louisiana Spill	: None of the components are listed.
Massachusetts Spill	: None of the components are listed.
Massachusetts Substances	: The following components are listed: CALCIUM CARBONATE
Michigan Critical Material	: None of the components are listed.

15. Regulatory information

<u> </u>	
Minnesota Hazardous Substances	: None of the components are listed.
New Jersey Spill	: None of the components are listed.
New Jersey Toxic Catastrophe Prevention Act	: None of the components are listed.
New Jersey Hazardous Substances	 The following components are listed: CALCIUM CARBONATE; LIMESTONE; ZINC compounds
New York Acutely Hazardous Substances	: None of the components are listed.
New York Toxic Chemical Release Reporting	: None of the components are listed.
Pennsylvania RTK Hazardous Substances	: The following components are listed: LIMESTONE; ZINC COMPOUNDS
Rhode Island Hazardous Substances	: None of the components are listed.

CaliforniaProp.65

WARNING: This product contains less than 0.1% of a chemical known to the State of California to cause cancer.

Ingredient name	Cancer	Reproductive		Maximum acceptable dosage level
Quartz (SiO2)	Yes.	No.	No.	No.
United States inventory : All compo	nents are liste	d or exempted.	•	

(TSCA 8b)

<u>Canada</u>	
WHMIS (Canada)	: Class D-2A: Material causing other toxic effects (Very toxic).
<u>Canadianlists</u>	
Canadian NPRI	: The following components are listed: Zinc
CEPA Toxic substances	: None of the components are listed.
Canada inventory: DSL/NDSL	: Not determined.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Mexico Classification	:
	Health 1 Flammability Beactivity Special
Internationalregulations	
International lists	 Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): All components are listed or exempted. Japan inventory: At least one component is not listed. Korea inventory: At least one component is not listed. New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted. Philippines inventory (PICCS): All components are listed or exempted. Europe inventory : Not determined.
Chemical Weapons Convention List Schedule I Chemicals	: Not listed

15. Regulatory information

Chemical Weapons: Not listedConvention List ScheduleIIII Chemicals: Not listedChemical Weapons: Not listedConvention List ScheduleIIIIII Chemicals: Not listed

16. Other information

Label requirements		CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.			
Hazardous Material Information System (U.S.A.)	:	Health * 1		1	
		Flammability		1	
		Physical hazards		0	
				В	

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

CN code	: 2710 19 99
US HTS Schedule B Export code	: 2710.19.3750
US HTS Import Code	: 2710.19.3500
Date of issue	: 9/29/2014
Date of previous issue	: 4/1/2011
Version	: 1.01
Prepared by	: Regulatory Department, Chemtool Inc.

16. Other information

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.