# **SAFETY DATA SHEET**

# **PULPRIOT**

1. Identification

Product identifier PULP RIOT DEMI-PERMANENT DEVELOPER - 6.7 VOLUME

Other means of identification

**SDS number** 00-26-0000047

**Recommended use** Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc

133 Terminal Avenue

Clark, NJ 07066

**USA** 

Canadian Address: L'Oreal Canada

4895 rue Hickmore

Ville St-Laurent, H4T 1K5

Canada

**Emergency Phone #:** 1-800-535-5053 (International: 352-323-3500)

In Canada - 1-613-996-6666 (Canutec (\*666 Cellular))

For further Information: 1-732-499-2741

**Poison Control #:** 412-390-3326

# 2. Hazard(s) identification

Physical hazards Not classified.
Health hazards Not classified.
OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** The mixture does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

**Response** Take off contaminated clothing and wash it before reuse.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
HYDROGEN PEROXIDE		7722-84-1	2

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Not available.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

**General fire hazards** No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

recovery, husir area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Keep out of the reach of children. Store away from incompatible

materials (see Section 10 of the SDS).

#### 8. Exposure controls/personal protection

## Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

## US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	
HYDROGEN PEROXIDE (CAS 7722-84-1)	PEL	1.4 mg/m3	
		1 ppm	

US. ACGIH Threshold Limit Values					
Components	Type	Value			
HYDROGEN PEROXIDE (CAS 7722-84-1)	TWA	1 ppm			
US. NIOSH: Pocket Guide to Cher Components	mical Hazards Type	Value			
HYDROGEN PEROXIDE (CAS 7722-84-1)	TWA	1.4 mg/m3			
		1 ppm			

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Other

Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory Respiratory protection

equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

**Physical state** Liquid.

Color Not available. Not available. Odor **Odor threshold** Not available. 2 - 2.4Ηq

Melting point/freezing point

Not available. Initial boiling point and boiling > 212 °F (> 100 °C)

range

Flash point

> 212.0 °F (> 100.0 °C) Closed Cup

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available.

Vapor density Not available. Relative density Not available.

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Not explosive. **Explosive properties Oxidizing properties** Not oxidizing.

## 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with Conditions to avoid

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

## Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact No adverse effects due to eye contact are expected.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

Acute toxicity

**Product Test Results Species** 

PULP RIOT DEMI-PERMANENT DEVELOPER - 6.7 VOLUME

Acute Inhalation

Vapor

**ATEmix** 550 mg/l

Oral

34690 mg/kg **ATEmix Test Results** Components **Species** 

HYDROGEN PEROXIDE (CAS 7722-84-1)

**Acute Dermal** 

LD50 Rabbit > 2000 mg/kg OECD 402

Inhalation

Vapor

LC0 Rat 170 mg/m3, 4 h OECD 403

Oral LD50

Rat 693.7 mg/kg OECD 401

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. No adverse effects due to

skin contact are expected.

Irritation Corrosion - Skin

HYDROGEN PEROXIDE OECD 404, 35% ≥ C < 50%

> Result: Irritating Species: Rabbit

Material name: PULP RIOT DEMI-PERMANENT DEVELOPER - 6.7 VOLUME

Irritation Corrosion - Skin

HYDROGEN PEROXIDE OECD 404, C ≥ 50%

Result: Corrosive Species: Rabbit

Serious eye damage/eye

irritation

Due to partial or complete lack of data the classification is not possible. No adverse effects due to

eye contact are expected.

**Irritation Corrosion - Eye** 

HYDROGEN PEROXIDE OECD 405, 5% ≥ C < 8%

> Result: Irritating Species: Rabbit OECD 405, C ≥ 8% Result: Corrosive Species: Rabbit

Respiratory or skin sensitization

Due to partial or complete lack of data the classification is not possible. Respiratory sensitization Skin sensitization Due to partial or complete lack of data the classification is not possible.

Skin sensitization

HYDROGEN PEROXIDE Result: Not Sensitizing

Species: Guinea pig

Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity

Mutagenicity

HYDROGEN PEROXIDE Result: In vitro tests showed mutagenic effects which were

not observed with in vivo test.

Carcinogenicity Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the

classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

**HYDROGEN PEROXIDE (CAS 7722-84-1)** 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

0, C ≥ 35% Result: Irritating

Specific target organ toxicity -

HYDROGEN PEROXIDE

repeated exposure

Due to partial or complete lack of data the classification is not possible.

HYDROGEN PEROXIDE 2.9 mg/L air OECD 412, Inhalation

> Result: NOAEL Species: Rat Test Duration: 28 d

26 mg/kg bw/d OECD 408, Oral

Result: NOAEL Species: Mouse Test Duration: 90 d

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard** 

**Further information** The reference to any animal testing for individual constituents mentioned in this document is

based on public, third-party data.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity** 

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Species Test Results** Components

HYDROGEN PEROXIDE (CAS 7722-84-1)

Aquatic

Acute

Algae EC50 Chlorella vulgaris 2.5 mg/l, 72 h OECD 201

Crustacea EC50 Daphnia pulex 2.4 mg/l, 48 h

Material name: PULP RIOT DEMI-PERMANENT DEVELOPER - 6.7 VOLUME

SDS US 1212104 Version #: 01 Issue date: 01-09-2020

Components		Species	Test Results
Fish	LC50	Pimephales promelas	16.4 mg/l, 96 h
Other	EC50	Activated sludge of a predominantly domestic sewage	2.5 mg/l, 30 min OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	0.63 mg/l, 21 d ASTM E 1193-97

#### Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

HYDROGEN PEROXIDE 99 % OECD 209

Result: Readily Biodegradable

Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Waste from residues / unused Dispose of in a

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

**FINISHED GOODS** 

Not regulated as dangerous goods.

**BULK** 

Not regulated as dangerous goods.

IATA

**FINISHED GOODS** 

Not regulated as dangerous goods.

**BULK** 

Not regulated as dangerous goods.

**IMDG** 

**FINISHED GOODS** 

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

## 15. Regulatory information

**US** federal regulations This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

**Toxic Substances Control Act (TSCA)** 

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

HYDROGEN PEROXIDE (CONC. > 52%) 1000 LBS

(CAS 7722-84-1)

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SARA 302 Extremely hazardous substance

Chemical name **CAS** number Reportable **Threshold Threshold Threshold** quantity planning quantity planning quantity, planning quantity, (pounds) (pounds) lower value upper value (pounds) (pounds) 1000 **HYDROGEN** 7722-84-1 1000

**PEROXIDE** 

SARA 311/312 Hazardous

No (Exempt)

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

# 16. Other information, including date of preparation or last revision

Issue date 01-09-2020

Version # 01

**NFPA** ratings Health: 0

Flammability: 1 Instability: 0

The information provided in this Safety Data Sheet is correct to the best of our knowledge, **Disclaimer** 

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: PULP RIOT DEMI-PERMANENT DEVELOPER - 6.7 VOLUME

SDS US 7/7 1212104 Version #: 01 Issue date: 01-09-2020