

e n Jogue MATERIAL SAFETY DATA SHEET

Prepared	ed to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standard MS	SDS Revision: 1.1	MSDS Revision Date: 1	1/30/2016
	1. PRODUCT IDEN	NTIFICATION		
	Product Name: SIMPLY FIBRE GEL			
1.2	Chemical Name:			
	OLIGOMER BLEND			
1.3	Synonyms: N/A			
1.4	Trade Names: FIBRE GEL			
1.5	Product Use: PROFESSIONAL COSMETIC USE ONLY			
1.6	Manufacturer's Name: EN VOGUE SCULPTURED NAIL SYSTEMS INC.			
1.7	Manufacturer's Address:			
	#1 - 6322 202ND STREET, LANGLEY BC, V2Y 1N2 C	CANADA		
1.8	Business Phone/Fax			
	1.604.514.3606/+1.604.514.3607			
1.9	Emergency Phone: BC DPIC: 1-800-567-8911 CHEMTREC 1-703-52	7-3887/1-800-424-9	9300	
	2. HAZARD IDEN	ITIFICATION		
2.1	Hazard Identification: This product is classified as a HAZARDOUS SUBSTANCE and as DAI criteria of NOHSC:1008 (2004) AND ADG Code (Australia). WARNING! AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. Hazard Statements (H): H227 - Combustible Liquid. H317 - may be eye irritation. Precautionary Statements (P) P210 - Keep away from heat/sparks. Keep container tightly closed. P261 - Avoid breathing dust/fume skin areas thoroughly with soap and water after handling. P27 allowed out of the workplace. P280 - Wear protective gloves/eye SKIN - Wash with soap and water. P305+P351+P338 - IF IN EYES - Remove contact lenses if present and easy to do - continue rinsin Get medical advice/attention. P321 - For specific first aid treat P363 - Wash contaminated clothing before reuse. P370+P378 - chemical, or foam for extinction. P403+P235 - Store in a well-value contents/container to a licensed treatment, storage or disposal for	COMBUSTIBLE LIQUID cause and allergic skin red syopen flame/hot surfaces/gas/mist/vapours/spray. 2 - Contaminated work of protection/face protectionse continuously with wards. P333+P313 - If skin irritation to the case of fire, CO2, Haventilated place. Keep care	action. H320 - Causes s - no Smoking. P233 - P264 - Wash exposed clothing should not be on. P302+P352 - IF ON ter for several minutes. ation or a rash occurs - nis Safety Data Sheet). alon (if permitted), dry	
2.2	Routes of Entry: Inhalation: YES	Absorption:	YES Ingestio	n: YES
2.3	Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomitin SKIN & EYES: Slightly irritating to the eyes. Symptoms of overexpo May be irritating to skin in some sensitive individual: INHALATION: Low volatility makes inhalation unliely. Prolonged defined as liquids that are in vaporous form. This would not be he	osure may include redness s especially after prolonge d exposure to mists may	s, itching, irritation and ed and/or repeated co cause an allergic rec	watering. ntact. ıction. Mists are
2.4	Symptoms of Overexposure: Symptoms of skin overexposure in individuals may include rednermay cause redness, itching and watering.	ss, itching and irritation of (affected areas. Over e	exposure in eyes
2.5	Acute Health Effects: Mild to moderate irritation of eyes and skin near affected areas.			
2.6	Chronic Health Effects: None Known			
2.7	Target Organs: Eyes, skin			
	L			



Prepared to OSHA, ACC, ANSI, NOHSC, W			MSDS Re				Revision	Date: 1	1/30/20	016	
	3. COMPOSIT	ION & INGREDIE	NT INF	ORM.	ATION						
			EXPOSURE LIMITS IN AIR (mg/m³)								
			ACG	HI	NOHSC ppm		OSHA			l	
			ppr	n			ppm			l	
					ES-	ES-	ES-				
CHEMICAL NAME(S)	CAS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	
Acrylates Copolymer	70766-56-2	20-40%		NA	NE	NE	NE	NA	NA	NA	
Di-HEMA Trimethylhexyl Dicarbamate	72869-86-4	10-30%		NA	NE	NE	NE	NA	NA	NA	
PEG-22 Dimethacrylate	25852-47-5	10-30%		NA	NE	NE	NE		NA	NA	
Isopropylidenediphenyl Bisoxyhydroxypropyl Methacrylate	1565-94-2	5-15%		NA	NE	NE	NE	NA	NA	NA	
Hydroxypropyl Metharylate	27813-02-1	5-10%		NA	NE	NE	NE	NA	NA	NA	
PEG-6 Trimethylopropane Triacrylate	28961-43-5	1-5%		NA	NE	NE	NE	NA	NA	NA	
Ethyl Trimethylbenzoyl Phenylphosphinate	84434-11-7	1-5%		NA	NE	NE	NE	NA	NA	NA	
Trimethyl pentanyl diisobutyrate	6846-50-0	1-5%		NA	NE	NE	NE	NA	NA	NA	
Silica Fiber	7631-86-9	1-5%		NA	NE	NE	NE	NA	NA	NA	
Hydroxycyclohexyl phenyl ketone	947-19-3	1-5%		NA	NE	NE	NE	NA	NA	NA	
HEMA	868-77-9	1-5%		NA	NE	NE	NE	NA	NA	NA	L
ВНТ	128-37-0	>1%		NA	NE	NE	NE	NA	NA	NA	
Hydroquinone	123-31-9	>1%		NA	NE	NE	NE	NA	NA	NA	
P-hydroxyanisole	150-76-5	>1%		NA	NE	NE	NE	NA	NA	NA	

NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used.

NOTE: /	All WHMIS requir	ed information is included	l. It is located in appropriate sections based on the AN	ISI Z400.1-2010	format.	
			4. FIRST AID MEASURES			
4.1	First Aid: INGESTION: EYES: SKIN:	the patient is vomiting, the nearest Poison Cor material was ingested of Splashes are not likely: 15 minutes. If irritation of if irritation occurs and p the effected area with s	ce vomiting. If product has been swallowed, drink ple continue to offer water or milk. Never give water or mil htrol Center or local emergency number. Provide a and the amount of the substance that was swallowed. however, if product gets in the eyes flush with copious occurs, contact a physician. roduct is on the skin, rinse thoroughly with lukewarm w oap and water. If irritation, redness or swelling persists,	lk to an uncons n estimate of t amounts of luke ater followed b	cious person. Containe time at which the warm water for at lewy a through washing	ct ne east
4.2	Medical Cond	Remove victim to fresh of the state of the s		HEALTH		1
	Special remov	<u>/al Instructions</u> : Follow nai	I prep & removal instructions. Product must be filed to not force or pull gel away from nail or use metal	FLAMMAB	LITY	1
	implements fo		one in the second of the secon	PHYSICAL	HAZARDS	1
				PROTECTIV	E EQUIPMENT	В
				FAF2	SKIN	
			5. FIREFIGHTING MEASURES			
5.1	Flashpoint & M >100°C (212 °	ethod: F), ASTM D-93				
5.2	Auto ignition Te	emperature:				
5.3	Flammability Li	imits:	Lower Explosive Limit (LEL): NE	Upper Explos	ive Limit (UEL): NE	
5.4	Fire & Explosion	n Hazards:				

Combustible Liquid. Keep away from heat, lit cigarettes, sparks & open flame. Keep container closed.



MATERIAL SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards MSDS Revision: 1.1 MSDS Revision Date: 11/30/2016 5. FIREFIGHTING MEASURES con't Extinguishing Methods: 5.5 CO₂, Halon (where authorized), Dry Chemical, Foam. 5.6 Firefiahtina Procedures: When involved in a fire, this product will ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct, vapors. Water may not be effective in actually extinguishing a fire involving this product. 6. ACCIDENTAL RELEASE MEASURES Spills: 6.1 Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, provincial and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon), deny entry to all unprotected individuals. Maximize ventilation (open doors and windows) and secure all source of ignition. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: 7.1 Avoid prolonged contact with the product. Avoid breathing vapors of this product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product. 7.2 Storage & Handling: Open containers slowly on a stable surface. Keep container closed tightly when not in use. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product: therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (See Section 10). 7.3 Special Precautions: Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Ventilation & Engineering Controls: When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. 8.2 No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states or Australia. 8.3 Eye Protection: Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133 Canadian standards, or the European Standard EN166. 8.4 AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canadian of the E.C, member states. 8.5 Body Protection: AVOID SKIN CONTACT DUE TO SENSITIZING POTENIAL. However, no special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states or U.S. OSHA.



ared to	Sculptured Nail Systems Inc. OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 &	MSDS Revision: 1.1 MSDS Revision Date: 11/30/2016	
	0017,7100,71101,1101100,11111110,2001700 0	Tital 2/2000/20 oranidates Tital 2000/2010 Tit	
	9	9. PHYSICAL & CHEMICAL PROPERTIES	
9.1	Density:	1.100-1.300	
9.2	Boiling Point:	ND	
9.3	Melting Point:	NE	
9.4	Evaporation Rate:	ND	
9.5	Vapor Pressure:	NA	
9.6	Molecular Weight:	NE	
9.7	Appearance & Color:	Clear or Translucent Pink - Gel consistancy	
9.8	Odor Threshold:	ND	
9.9	Solubility:	Insoluble	
9.10	рН	NA	
9.11	Viscosity:	1080 cPs	
9.12	Other Information:	NA	
		10. STABILITY & REACTIVITY	
10.1	Stability: Stable under ambient conditions wh	hen stored properly (see Section 7, Storage and Handling)	
10.2	Hazardous Decomposition Products If exposed to extremely high temper gases (e.g., CO, CO ₂)	s: eratures, the products of thermal decomposition may include irritating vapors and carbon oxide	
10.3	Hazardous Polymerization: May occur, if exposed to extremely high temperatures.		
10.4	Conditions to Avoid: This product is incompatible with structure or strong bases (e.g., lye, potassium	rong oxidizers (e.g., peroxides, superoxide's) strong acids (e.g., hydrochloric or muriatic acids) n hydroxide).	
10.5	Incompatible Substances:		
	None Known		
		11. TOXICOLOGICAL INFORMATION	
11.1	Toxicity Data:		
		on animals to obtain toxicology data. There are toxicology data for the components of the ific literature. These data have not been presented in this document.	
11.2	Acute Toxicity:		
	See Section 2.5		
11.3	Chronic Toxicity:		
11 4	See Section 2.6 Suspected Carcinogen:		
11.4	No		
11.5	Reproductive Toxicity:		
	This product is not reported to produ Mutagenicity: This product is not reported to produ		
	Embryo toxicity: This product is not reported to produ Teratogenicity:	ice reproductive effects in humans.	
11.6	This product is not reported to produ Irritancy of Product:	ice reproductive effects in humans.	
	See Section 2.3		
11.7	Riological Exposure Indices:		
11.7	Biological Exposure Indices: NE Physician Recommendations:		



	Sculptured Nail Systems Inc.	
Prepared	d to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards MSDS Revision: 1.1 MSDS Revision Date: 11/30/2016	
	12. ECOLOGICAL INFORMATION	
12.1	Environmental Stability: The components of this product will slowly degrade over time into a variety of organic compounds.	
12.2	Effects on Plants & Animals:	
	There are no specific data available for this product.	
12.3	Effects on Aquatic Life: There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life.	
	13. DISPOSAL CONSIDERATIONS	
13.1	Waste Disposal:	
	Waste disposal must be in accordance with appropriate Federal, Provincial and local regulations.	
13.2	Special Considerations:	
	U.S. EPA WASTE NUMBER: D0001 (characteristic - ignitable).	
	14. TRANSPORTATION INFORMATION	
Additio	sic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. and descriptive information may be required by 49 CFR, IATA/ICOA, IMDG and the CTDGR.	
	49 CFR (GND): NOT REGULATED	
	IATA (AIR): NOT REGULATED	
14.3	IMDG (OCN):	
	NOT REGULATED TDGR (Canadian GND)	
	NOT REGULATED	
	ADR/RID (EU): NOT REGULATED	
	MEXICO (SCT): NOT REGULATED	
	ADGR (AUS):	
	NOT REGULATED	
	15. REGULATORY INFORMATION	
	SARA Reporting Requirements: This product does not contain any substances subject to SARA Title III (311,312, 313) reporting.	
	SARA Threshold Planning Quantity:	
	There are no specific Threshold Planning Quantities for the components of this product.	
	TSCA Inventory Status:	
	The components of this product are listed on the TSCA Inventory.	
15.4	CERCLA Reportable Quantity (RQ):	
	NA NA	
15.5	Other Federal Requirements:	
	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics)	
15.6	Other Canadian Regulations: This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Class B3 Combustible Liquid.)



ared to (OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards	MSDS Revision: 1.1	MSDS Revision Date: 11/30/2016			
	15. REGULATORY INFO	ORMATION con't				
15.7	State Regulatory Information:	ORMATION COIT				
	NA NA					
15.8	67/548/EEC (European Union) Requirements:					
	The primary components of this product are NOT listed In Ann WARNING! AVOID SKIN CONTACT DUE TO SENSITIZING POTEN' Hazard Statements (H): H227 - Combustible Liquid. H317 - maintation. Precautionary Statements (P): P210 - Keep away from heat/s Keep container tightly closed. P261 - Avoid breathing dust/skin areas thoroughly with soap and water after handling. allowed out of the workplace. P280 - Wear protective glove SKIN · Wash with soap and water. P305+P351+P338 - IF IN EY Remove contact lenses if present and easy to do - continue Get medical advice/attention. P321 - For specific first aid tre - Wash contaminated clothing before reuse. P370+P378 • It or foam for extinction. P403+P235 - Store In a well-contents/container to a licensed treatment, storage or disposition.	TIAL. COMBUSTIBLE LIQUID. ay cause an allergic skin rea sparks/open flame/hot surfa /fume/gas/mist/vapours/spropers/epe protection/face protection/face protection/face protection. P333+P313 - If skin eatment (see section 4 of this n case of fire, CO2, Halon (if eventilated place. Keep of	cetion. H320 - Causes eye ces - No Smoking. P233 - cy. P264 - Wash exposed ck clothing should not be ection. P302+P352 - IF ON water for several minutes. irritation or a rash occurs - Safety Data Sheet). P363 permitted), dry chemical,			
	16. OTHER INFO	ORMATION				
16.1	Other Information: AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. COMBUTE Keep away from heat or flame. Use only as directed. Avoid water. Use only in a well-ventilated area. If redness or other Keep container closed. KEEP OUT OF REACH OF CHILDREN.	STIBLE LIQUID eye contact. If contact occ				
16.2	Terms & Definitions:					
	Please see last page of this MSDS					
16.3	Disclaimer:					
	This Material Safety Data Sheet is offered pursuant to OSH, government regulations must be reviewed for applicability to Inc.'s knowledge, the information contained herein is reliable completeness are not guaranteed and no warranties of any contained herein relates only to the specific product(s). If the properties must be considered. Data may be changed from times	this product. To the best of e and accurate as of this d type, either expressed or in this product(s) is combined	of en Vogue's Sculptured Nail System ate; however, accuracy, suitability o aplied, are provided. The informatio with other materials, all componer			
16.4	Prepared by: Trapp Industries Inc. Unit B29 - 215 West Holly Street Bellingham, WA 98225 USA www.trappindustries.com info@trappindustries.com	TQ	App			
		Industri	es Inc			



UEL

explode or ignite in the presence of an ignition source

MATERIAL SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards MSDS Revision: 1.1 MSDS Revision Date: 11/30/2016 **DEFINITION OF TERMS** A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following: GENERAL INFORMATION: **HAZARD RATINGS:** FLAMMABILITY CAS No. Chemical Abstract Service Number Minimal Hazard HEALTH Slight Hazard EXPOSURE LIMITS IN AIK: Moderate Hazard ACGIH American Conference on Governmental industrial Hygienists 3 Severe Hazard TLV Threshold Limit Value Extreme Hazard 4 AHZO U.S. Occupational Safety and Health Administration ACO Acidic PEL ALK Alkaline 10LH Immediately Dangerous to Life and Health COR Corrosive REACTIVITY W Use No Water SPECIAL FIRST AID MEASURES: Oxidizer OX **PRECAUTIONS** Radioactive Cardiopulmonary resuscitation - method in which a person whose heart has TREFOIL stopped receives manual chest compressions and breathing to circulate blood (Sample) TOXICOLOGICAL INFORMATION: and provide oxygen to the body. Lethal Dose (solids & liquids) which kills 50% of the exposed LD₅₀ HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS animals ethal Concentration (gases) which kills 50% of the LC₅₀ HEALTH, FLAMMABILITY & REACTIVITY RATINGS: exposed animals Minimal Hazard ppm Concentration expressed in parts of material per million parts **HEALTH** Sliaht Hazard $\mathsf{TD}_{\mathsf{lo}}$ FLAMMABILITY Lowest Dose to cause a symptom 2 Moderate Hazard PHYSICAL HAZARDS **TCLo** Lowest concentration to cause a symptom TD_{Io}, LD_{Io} & LD_o or TC, 3 Severe Hazard PERSONAL PROTECTION Lowest dose (or concentration) to cause lethal or toxic TDo, LCio & LC Extreme Hazard effects PERSONAL PROTECTION RATINGS: IARC International Agency for Research on Cancer NTP National Toxicology Program RTECS Registry of Toxic Effects of Chemical Substances **BCF** Bio-concentration Factor **TL_m** Median Threshold Limit log K_{ow} or log K_{oc} Coefficient of Oil/Water Distribution **REGULATORY INFORMATION:** С WHMIS Canadian Workplace Hazardous Material Information System DOT US. Department of Transportation Transport Canada D TC **EPA** U.S. Environmental Protection Agency DSL Canadian Domestic Substance List Canadian Non-Domestic Substance List NDSL PSI Canadian Priority Substances List U.S. Toxic Substance Control Act <u>tsca</u> Consult your supervisor or SOPs for X EU European Union (European Union Directive 67/548/EEC) special handling directions Wassergefährdungsklassen (German Water Hazard Class) Face Shield Goggles Eye Protection Respirato D1 D3 OTHER STANDARD APPREVIATIONS: Not Available EC (67/548/EEC) INFORMATION: No Results **NE** Not Established NO Not Determined ML Maximum Limit N Xn C E **SCBA** Self-Contained Breathing Apparatus NATIONAL FIRE PROTECTION ASSOCIATION: NFPA FLAMMABILITY LIMITS IN AIR: CLP/GHS (1272/2008/EC) PICTOGRAMS: Autolgnillon Minimum temperature required to initiate combustion in air with no other Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the Presence of an ignition source GHS04 GHS09 GHS03 GHS05 GHS06 GHS07 Upper Explosive Limit - highest percent of vapor in air, by volume, that will

Environmen