

# e n Jogue MATERIAL SAFETY DATA SHEET

	ed to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standard MSDS Revision: 1.1 MSDS Revision Date: 08/01/2020							
	1. PRODUCT IDENTIFICATION							
1.1	Product Name: SIMPLY SMOOTH							
1.2	Chemical Name: OLIGOMER BLEND							
1.3	Synonyms: N/A							
1.4	Trade Names: SIMPLY SMOOTH BLUSH							
1.5	Product Use: PROFESSIONAL COSMETIC USE ONLY							
1.6	Manufacturer's Name: EN VOGUE SCULPTURED NAIL SYSTEMS INC.							
1.7	Manufacturer's Address: #101 - 3237 190 STREET, SURREY BC V3Z 1A7							
1.8	Business Phone/Fax							
	1.604.888.8383							
1.9	Emergency Phone: BC DPIC: 1-800-567-8911 CHEMTREC 1-703-527-3887/1-800-424-9300							
	2. HAZARD IDENTIFICATION							
	criteria of NOHSC:1008 (2004) AND ADG Code (Australia).  WARNING! AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. COMBUSTIBLE LIQUID  Hazard Statements (H): H227 - Combustible Liquid. H317 - may cause and allergic skin reaction. H320 - Causes eye irritation.  Precautionary Statements (P) P210 - Keep away from heat/sparks/open flame/hot surfaces - no Smoking. P233 - Keep container tightly closed. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash exposed skin areas thoroughly with soap and water after handling. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/eye protection/face protection. P302+P352 - IF ON SKIN - Wash with soap and water. P305+P351+P338 - IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. P333+P313 - If skin irritation or a rash occurs - Get medical advice/attention. P321 - For specific first aid treatment (see section 4 of this Safety Data Sheet). P363 - Wash contaminated clothing before reuse. P370+P378 - In case of fire, CO2, Halon (if permitted), dry chemical, or foam for extinction. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).							
2.2	Routes of Entry: Inhalation: YES Absorption: YES Ingestion: YES							
2.3	Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression. SKIN & EYES: Slightly irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering. May be irritating to skin in some sensitive individuals especially after prolonged and/or repeated contact. INHALATION: Low volatility makes inhalation unliely. Prolonged exposure to mists may cause an allergic reaction. Mists are defined as liquids that are in vaporous form. This would not be how the material is designed to be used or applied.  Symptoms of Overexposure: Symptoms of skin overexposure in individuals may include redness, itching and irritation of affected areas. Over exposure in eyes may cause redness, itching and watering.							
2.5	Acute Health Effects: Mild to moderate irritation of eyes and skin near affected areas.							
2.5	Mild to moderate irritation of eyes and skin near affected areas.							



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m³) **ACGIH OSHA NOHSC** ppm ppm ppm ES-ES-ES-CHEMICAL NAME(S) CAS No. % TLV STEL **TWA STEL PEAK** PEL STEL IDLH Bis-HEMA IPDI Copolymer 25133-97-5 20-40% NA ΝE NE NΑ NE NA NA Di-HEMA Trimethylhexyl 72869-86-4 15-30% NA NE NE NE NA NA NA Dicarbamate **Acrylates Copolymer** 82339-16-0 15-30% NA NE ΝE NE NA NA NA PEG-22 Dimethacrylate 25852-47-5 5-15% NA NE ΝE NE NA NA NA Isobutyl Methacrylate 42978-66-5 5-15% NA NE NE NE NA NA NA PEG 6 Trimethylolpropane Triacrylate 28961-43-5 1-10% NA NE NF NE NΔ NΔ NA Ethyl Trimethylbenzoyl 84434-11-7 1-10% NA NE NE NE NA NA NA Phenylphosphinate 2-Butenedioic Acid NA NE 51978-15-5 1-10% NE NE NA NA NA Hydroxycyclohexyl phenyl ketone 947-19-3 1-5% NA NE NE NE NA NA NA C177891 13463-67-7 < 1.0% NA NE NE NE NA NA NA CI15850 17852-98-1 < 1.0% NA NE NE NA NA NA NA = Not Available; ND = Not Determined; NE = Not Established; C = Ceiling Limit; See Section 16 for Additional Definitions of Terms Used. NOTE: All WHMIS required information is included. It is located in appropriate sections based on the ANSI Z400.1-2010 format. 4. FIRST AID MEASURES First Aid: **INGESTION:** If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed. EYES: Splashes are not likely: however, if product gets in the eyes flush with copious amounts of lukewarm water for at least 15 minutes. If irritation occurs, contact a physician. SKIN: If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water followed by a through washing of the effected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately. Remove victim to fresh air at once. HEALTH 1 Medical Conditions Aggravated by Exposure: 4.2 Special removal Instructions: Follow nail prep & removal instructions. Product must be filed off 1 **FLAMMABILITY** using an electric file or nail file. Do not force or pull gel away from nail or use metal implements for removal. PHYSICAL HAZARDS PROTECTIVE EQUIPMENT В SKIN EYES 5. FIREFIGHTING MEASURES 5.1 Flashpoint & Method: >100°C (212°F), ASTM D-93 5.2 Auto ignition Temperature: NA Lower Explosive Limit (LEL): NE Upper Explosive Limit (UEL): **NE** 5.3 Flammability Limits: 5.4 Fire & Explosion Hazards: Combustible Liquid. Keep away from heat, lit cigarettes, sparks & open flame. Keep container closed.



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards 5. FIREFIGHTING MEASURES con't Extinguishing Methods: CO<sub>2</sub>, Halon (where authorized), Dry Chemical, Foam. 5.6 Firefighting Procedures: When involved in a fire, this product will ignite readily and decompose to produce carbon oxides. First responders should wear eye protection. Structural firefighters must wear SCBAs and full protective equipment. Use a water spray or fog to reduce or direct, vapors. Water may not be effective in actually extinguishing a fire involving this product. 6. ACCIDENTAL RELEASE MEASURES 6.1 Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., < 1 gallon) wear appropriate personal protective equipment (e.g., goggles, gloves). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, provincial and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g.,  $\geq$ 1 gallon), deny entry to all unprotected individuals. Maximize ventilation (open doors and windows) and secure all source of ignition. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: 7.1 Avoid prolonged contact with the product. Avoid breathing vapors of this product. Use in a well-ventilated location (e.g., local exhaust ventilation, fans). After use, wash hands and exposed skin with soap and water. Do not eat, drink or smoke while handling product. 7.2 Storage & Handling: Open containers slowly on a stable surface. Keep container closed tightly when not in use. Keep container closed tightly when not in use. Empty container may contain residual amounts of this product: therefore, empty containers should be handled with care. Store containers in a cool, dry location, away from direct sunlight, other light sources, or sources of intense heat. Store away from incompatible materials (See Section 10). 7.3 Special Precautions: Open containers slowly on a stable surface. Keep container tightly closed when not in use. Empty containers may contain residual amounts of this product; therefore, empty containers should be handled with care. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION Ventilation & Engineering Controls: 8 1 When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Ensure that an evewash station, sink or washbasin is available in case of exposure to eves. 8.2 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states or Australia. 8.3 Depending on the use of this product, splash or safety glasses may be worn. If necessary, refer to U.S. OSHA 29 CFR §1910.133 Canadian standards, or the European Standard EN166. 8.4 AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canadian of the E.C. member states. Body Protection: 8.5 AVOID SKIN CONTACT DUE TO SENSITIZING POTENIAL. However, no special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states or U.S. OSHA.



repared to	OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 8	& 1272/2008/EC Standards					
	9	. PHYSICAL & CHEMICAL PROPERTIES					
9.1	Density:	1.100-1.300					
	,						
9.2	Boiling Point:	ND Aug					
9.3	Melting Point:	NE .					
9.4	Evaporation Rate:	ND					
9.5	Vapor Pressure:	NA					
9.6	Molecular Weight:	NE					
9.7	Appearance & Color:	Semi-Transparent Pink					
9.8	Odor Threshold:	ND					
9.9	Solubility:	Insoluble					
9.10	рН	NA					
9.11	Viscosity:	60000 cPs					
9.12	Other Information: NA						
		10. STABILITY & REACTIVITY					
10.1	Stability: Stable under ambient conditions when stored properly ( see Section 7, Storage and Handling)						
10.2	Hazardous Decomposition Products:  If exposed to extremely high temperatures, the products of thermal decomposition may include irritating vapors and carbon oxide gases (e.g., CO, CO <sub>2</sub> )						
10.3	Hazardous Polymerization:						
	May occur, if exposed to extremely	high temperatures.					
10.4	Conditions to Avoid:  This product is incompatible with strong oxidizers (e.g., peroxides, superoxide's) strong acids (e.g., hydrochloric or muriatic acids), or strong bases (e.g., lye, potassium hydroxide).						
10.5	Incompatible Substances:						
	None Known						
	1	11. TOXICOLOGICAL INFORMATION					
11.1							
	product, which are found in scienti	on animals to obtain toxicology data. There are toxicology data for the components of the fic literature. These data have not been presented in this document.					
11.2	Acute Toxicity:						
11.0	See Section 2.5						
11.3	Chronic Toxicity:						
11.4	See Section 2.6 Suspected Carcinogen:						
	No						
11.5	Reproductive loxicity:  This product is not reported to produce reproductive effects in humans.  Mutagenicity:  This product is not reported to produce reproductive effects in humans.  Embryo toxicity:  This product is not reported to produce reproductive effects in humans.  Teratogenicity:						
11 /	This product is not reported to produ  Irritancy of Product:	ce reproductive effects in humans.					
11.6	See Section 2.3						
11.7	Biological Exposure Indices:						
11.8	NE Physician Recommendations:						
	Treat symptomatically						



epare	d to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards						
	12. ECOLOGICAL INFORMATION						
12.1	Environmental Stability: The components of this product will slowly degrade over time into a variety of organic compounds.						
12.2	Effects on Plants & Animals:						
There are no specific data available for this product.							
12.3	Effects on Aquatic Life:  There are no specific data available for this product; however, very large releases of this product may be harmful or fatal to overexposed aquatic life.						
	13. DISPOSAL CONSIDERATIONS						
13.1	Waste Disposal:						
	Waste disposal must be in accordance with appropriate Federal, Provincial and local regulations.						
13.2	Special Considerations:						
	U.S. EPA WASTE NUMBER: D0001 (characteristic - ignitable).						
	14. TRANSPORTATION INFORMATION						
ditio	sic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. In all descriptive information may be required by 49 CFR, IATA/ICOA, IMDG and the CTDGR.						
14.1	49 CFR (GND): NOT REGULATED						
14.2	IATA (AIR): NOT REGULATED						
14.3	IMDG (OCN):						
14.4	NOT REGULATED  TDGR (Canadian GND)						
	NOT REGULATED						
14.5	ADR/RID (EU): NOT REGULATED						
14.6	MEXICO (SCT):						
14.7	NOT REGULATED  ADGR (AUS):						
	NOT REGULATED						
	15. REGULATORY INFORMATION						
15.1	SARA Reporting Requirements:						
	This product does not contain any substances subject to SARA Title III (311,312, 313) reporting.						
15.2	SARA Threshold Planning Quantity:						
	There are no specific Threshold Planning Quantities for the components of this product.						
15.3	TSCA Inventory Status:  The components of this product are listed on the TSCA Inventory.						
15.4	The components of this product are listed on the TSCA Inventory.  CERCLA Reportable Quantity (RQ):						
	NA						
15.5	Other Federal Requirements:						
	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics)						
15.6	Other Canadian Regulations:  This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. Class B3 Combustible Liquid.						



	Sculptured Nail Systems Inc.		1 1		<u> </u>			
epared to	OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards							
	15. REGULATORY INF	ORMATION co	n't					
15.7	State Regulatory Information:							
	NA ,							
15.8	67/548/EEC (European Union) Requirements:							
	The primary components of this product are NOT listed In Annex I of EU Directive 67/548/EEC:							
	WARNING! AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. COMBUSTIBLE LIQUID.  Hazard Statements (H): H227 - Combustible Liquid. H317 - may cause an allergic skin reaction. H320 - Causes							
	eye irritation.	/sparks/open flame	/hot surfaces - N	lo Smoking P233	V			
	<u>Precautionary Statements</u> (P): P210 - Keep away from heat/sparks/open flame/hot surfaces - No Smoking. P233 - Keep container tightly closed. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash							
	exposed skin areas thoroughly with soap and water after not be allowed out of the workplace. P280 - Wear							
	P302+P352 - IF ON SKIN Wash with soap and water. P305+	351+P338 - IF IN EY	ES · Rinse continu	ously with water				
	for several minutes. Remove contact lenses if present and easy to do - continue rinsing. P333+P313 - If skin irritation or a rash occurs. Get medical advice/attention. P321 - For specific first aid treatment (see section 4 of							
	this Safety Data Sheet). P363 - Wash contaminated clothing before reuse. P370+P378 • In case of fire, C02, Halon (if permitted), dry chemical, or foam for extinction. P403+P235 - Store In a well ventilated place. Keep							
	cool. P501 - Dispose of contents/container to a licensed tre							
	16. OTHER INFO	RMATION						
16.1	Other Information:							
	AVOID SKIN CONTACT DUE TO SENSITIZING POTENTIAL. COMBUSTIBLE LIQUID  Keep away from heat or flame. Use only as directed. Avoid eye contact. If contact occurs, flush eye thoroughly with running							
	water. Use only in a well-ventilated area. If redness or other signs of adverse reaction occur, discontinue use immediately.  Keep container closed. KEEP OUT OF REACH OF CHILDREN.							
	keep container closed. KEEP OUT OF REACH OF CHILDREN.							
16.2	Terms & Definitions:							
	Please see last page of this MSDS							
16.3	Disclaimer:							
	This Material Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of en Vogue's Sculptured Nail Systems							
	Inc.'s knowledge, the information contained herein Is reliable and accurate as of this date; however, accuracy, suitability or							
	completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component							
	properties must be considered. Data may be changed from t							
16.4	Prepared by: Trapp Industries Inc.	TI	<b>\ \</b>	T				
	100 - 3237 190th Street	1'1	) /\	1 ) [	)			
	Surrey, BC V3Z 1A7 www.trappindustries.com		//\					
	info@trappindustries.com	T			-			
		Indus	tries	Inc				
	+	THUUS	ici ico	IIIC.				



Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards DEFINITION OF TERMS A large number of abbreviations and acronyms appear on a MSDS. Some of these that are commonly used include the following: GENERAL INFORMATION: **HAZARD RATINGS:** FLAMMABILITY CAS No. Chemical Abstract Service Number Minimal Hazard n **HFAITH** Slight Hazard EXPOSURE LIMITS IN AIR: Moderate Hazard 2 **ACGIH** American Conference on Governmental industrial Hygienists Severe Hazard TLV Threshold Limit Value Extreme Hazard 4 OSHA U.S. Occupational Safety and Health Administration ACO Acidic PEL PINK SEALER Alkaline 101 H Immediately Dangerous to Life and Health COR Corrosive REACTIVITY Use No Water SPECIAL FIRST AID MEASURES: OX Oxidizer **PRECAUTIONS** Cardiopulmonary resuscitation - method in which a person whose heart has TREFOIL Radioactive stopped receives manual chest compressions and breathing to circulate (Sample) TOXICOLOGICAL INFORMATION: blood and provide oxygen to the body. Lethal Dose (solids & liquids) which kills 50% of the LD<sub>50</sub> HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS exposed animals Lethal Concentration (gases) which kills 50% of the HEALTH, FLAMMABILITY & REACTIVITY RATINGS: exposed animals Minimal Hazard ppm Concentration expressed in parts of material per million parts Slight Hazard TDIc **FLAMMABILITY** Moderate Hazard PHYSICAL HAZARDS TCLo Lowest concentration to cause a symptom TD<sub>Io</sub>, LD<sub>Io</sub> & LD<sub>o</sub> or TC, Lowest dose (or concentration) to cause lethal or toxic Severe Hazard PERSONAL PROTECTION Extreme Hazard TDo, LCio & LCo effects IARC International Agency for Research on Cancer PERSONAL PROTECTION RATINGS: NTP National Toxicology Program RTECS Registry of Toxic Effects of Chemical Substances G Α BCF Bio-concentration Factor **TL<sub>m</sub>** Median Threshold Limit В log K<sub>ow</sub> or log K<sub>oc</sub> Coefficient of Oil/Water Distribution REGULATORY INFORMATION: C SIWHW Canadian Workplace Hazardous Material Information System DOT US. Department of Transportation D Transport Canada EPA U.S. Environmental Protection Agency Canadian Domestic Substance List DSL E Κ NDSL Canadian Non-Domestic Substance List Canadian Priority Substances List **PSL** TSCA J.S. Toxic Substance Control Act Consult your supervisor or SOPs for X FII European Union (European Union Directive 67/548/EEC special handling directions WGK Wassergefährdungsklassen (German Water Hazard Class) **₩** Face Shield Dust Respirator Dust & Vapor Full Suit Gloves & Eye Protection Respirator D1 D<sub>2</sub> D3 Compressed Flammable Irrit ation Infectious OTHER STANDARD APPREVIATIONS: EC (67/548/EEC) INFORMATION: NA Not Available NR No Results **NF** Not Established NO Not Determined N a E **SCBA** Self-Contained Breathing Apparatus NATIONAL FIRE PROTECTION ASSOCIATION: NFPA FLAMMABILITY LIMITS IN AIR: CLP/GHS (1272/2008/EC) PICTOGRAMS: Autolgnillon Minimum temperature required to initiate combustion in air with no other Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the Presence of an ignition source GHS02 GHS03 GHS04 GHS05 GHS06 GHS07 GHS08 GHS09 Upper Explosive Limit - highest percent of vapor in air, by volume, that will Environme explode or ignite in the presence of an ignition source