according to Regulation (EU) No. 1907/2006

# **Brush Glue**

Print date : 22.06.2009

Product Code : 43433

Page 1 of 7

# 1. Identification of the substance/preparation and of the company/undertaking

# Identification of the substance or preparation Brush Glue

# Use of the substance/preparation

Cyanoacrylate adhesive Restricted to professional users.

# Company/undertaking identification

Company name :	Wilde Cosmetics GmbH	
Street :	Rheingaustr. 19a	
Place :	D-65375 Oestrich-Winkel	
Post-office box :	1220	
	D-65368 Oestrich-Winkel	
Telephone :	+49-6723-6020-0	Telefax : +49-6723-6020-15
Contact person :	Dr. Beate Kerntopf	Telephone : -752
e-mail :	beate.kerntopf@wilde-group.com	
Emergency telephone :	+49-6723-6020-0	

# 2. Hazards identification

# Classification

#### Explication of special hazards for human health and environment.

Irritating to eyes, respiratory system and skin. Bonds skin and eyes in seconds. Highly reactive to water. (See Section 4 on first aid.) R36/37/38 Irritating to eyes, respiratory system and skin.

# 3. Composition/information on ingredients

### Chemical characterization (preparation)

Chemical Name / INCI: Ethyl Cyanoacrylate Polymethyl Methacrylate

#### Hazardous components

EI	INECS-No.	CAS-No.	Chemical name	Quantity	Classification
23	30-391-5	7085-85-0	Ethyl 2-cyanoacrylate	> 80 - <= 100 %	Xi - Irritant; R36/37/38

Full text of each relevant R phrase can be found in section 16.

#### **Further Information**

Is/are applicable: Directive 1999/45/EC.

according to Regulation (EU) No. 1907/2006

# **Brush Glue**

Print date : 22.06.2009

Product Code : 43433

Page 2 of 7

# 4. First aid measures

# After inhalation

Move to fresh air. Consult a physician.

### After contact with skin

Do not pull bonded skin apart. It may be gently peeled apart using a blunt object such as a spoon, preferably after soaking in warm soapy water.

Cyanoacrylates give off heat on solidification. In rare cases a large drop will generate enough heat to cause a burn.

Burns should be treated normally after the adhesive has been removed from the skin.

If lips are accidentally stuck together apply warm water to the lips and encourage maximum wetting and pressure from saliva inside the mouth.

Peel or roll lips apart. Do not try to pull the lips apart with direct opposing action.

#### After contact with eyes

If the eye is bonded closed, release eyelashes with warm water by covering with wet pad.

Cyanoacrylate will bond to eye protein and will cause periods of weeping which will help to debond the adhesive. Keep eye covered until debonding is complete, usually within 1-3 days.

Do not force eye open. Medical advice should be sought in case solid particles of cyanoacrylate trapped behind the eyelid cause any abrasive damage.

#### After ingestion

Ensure that breathing passages are not obstructed. The product will polymerise immediately in the mouth making it almost

impossible to swallow. Saliva will slowly separate the solidified product from the mouth (several hours).

### 5. Fire-fighting measures

#### Suitable extinguishing media

foam, extinguishing powder, carbon dioxide fine water spray

#### Extinguishing media which must not be used for safety reasons

no data available. Conditions to avoid: High volume water jet

# Special exposure hazards arising from substance or preparation itself, combustion products,

### resulting gases

Oxides of carbon, oxides of nitrogen, irritating organic vapors.

#### Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus. Protective suit.

#### Additional information

Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

#### 6. Accidental release measures

### **Personal precautions**

Ensure adequate ventilation.

#### **Environmental precautions**

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Do not flush into surface water or sanitary sewer system. Should not be released into the environment.

according to Regulation (EU) No. 1907/2006

# **Brush Glue**

Print date : 22.06.2009

Product Code : 43433

Page 3 of 7

#### Methods for cleaning up/taking up

Do not use cloths for mopping up. Flood with water to complete polymerization and scrape off the floor. Cured material can be disposed of as non-hazardous waste.

### 7. Handling and storage

### **Handling**

Ventilation (low level) is recommended when using large volumes Use of dispensing equipment is recommended to minimise the risk of skin or eye contact

#### Storage

Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place at 2-8°C (35,6-46,4°F).

### 8. Exposure controls/personal protection

Hazardous components CAS No.	ACGIH TLV	Austria	Belgium	Czech
Ethyl cyanoacrylate 7085-85-0	0.2 ppm TWA	2 ppm MAK 9 mg/m³ MAK		

Hazardous components CAS No.	Estonia	Greece	Finland	France	Hungary
Ethyl cyanoacrylate 7085-85-0	10 mg/m <sup>°</sup> TWA 2 ppm TWA 20 mg/m <sup>°</sup> STEL 4 ppm STEL				

Hazardous components CAS No.	Germany	Ireland	Netherlands	Norway	Portugal
Ethyl cyanoacrylate 7085-85-0		0.2 ppm TWA			0.2 ppm TWA

Hazardous components CAS No.	Poland	Spain	Sweden	UK EH40
Ethyl cyanoacrylate 7085-85-0			10 mg/m <sup>°</sup> LLV 2 ppm LLV 20 mg/m <sup>°</sup> STV 4 ppm STV	0.3 ppm STEL 1.5 mg/m <sup>°</sup> STEL

### Additional advice on control parameters

No data is available on the product itself.

# Exposure controls

# **Occupational exposure controls**

Handle in accordance with good industrial hygiene and safety practice. To avoid risks to man and the environment, comply with the instructions for use.

#### Protective and hygiene measures

Ensure adequate ventilation, especially in confined areas.

# **Respiratory protection**

Ensure adequate ventilation.

according to Regulation (EU) No. 1907/2006

# **Brush Glue**

Print date : 22.06.2009

Product Code : 43433

Page 4 of 7

#### Hand protection

The use of chemical resistant gloves such as Nitrile are recommended Polyethylene or polypropylene gloves are recommended when using large volumes Do not use PVC, rubber or nylon gloves Please note that in practice the working life of chemical resistant gloves may be considerably reduced as a result of many influencing factors (e.g. temperature). Suitable risk assessment should be carried out by the end user. If signs of wear and tear are noticed then the gloves should be replaced.

#### Eye protection

Safety glasses with side-shields

#### 9. Physical and chemical properties

# **General information**

Physical state :	liquid
Colour :	colourless
Odour :	irritating

#### Phys./chem. Properties

pH-value	not applicable				
Boiling point	> 149 °C (> 300.2 °F)				
Flash point	80 - 93,4 °C (176 - 200.1 °F)				
Vapor pressure	0,27 mbar				
Density	1,0500 g/cm3				
portant health, safety and environmental information					

# Imp

Changes in the physical state	
Solubility (qualitative) (Solvent: Acetone)	miscible
Solubility (qualitative) (Solvent: Water)	Polymerises in presence of water
VOC content	< 3,00 % (As defined in the Council Directive 2004/42/EC)

# 10. Stability and reactivity

Conditions to avoid

Extremes of temperature and direct sunlight. Exposure to light.. Heat, flames and sparks. Polymerization can occur. Do not smoke. Materials to avoid See chapter 7. Peroxides, Oxidizing agents. Polymerization can occur.

# Hazardous decomposition products

Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and alcohols.

In the event of fire the following can be released: Carbon oxides, nitrogen oxides (NOx), fumes. Oxidizing and spontaneously flammable products.

according to Regulation (EU) No. 1907/2006

# **Brush Glue**

Print date : 22.06.2009

Product Code : 43433

Page 5 of 7

# **11.Toxicological information**

#### Oral toxicity:

Cyanoacrylates are considered to have relatively low toxicity. Acute oral LD50 is >5000mg/kg (rat). It is almost impossible to swallow as it rapidly polymerises in the mouth.

#### Inhalative toxicity:

Irritating to respiratory system

Prolonged exposure to high concentrations of vapours may lead to chronic effects in sensitive individuals In dry atmosphere with < 50% humidity, vapours may irritate the eyes and respiratory system

#### Skin irritation:

Irritating to the skin Bonds skin in seconds. Considered to be of low toxicity: acute dermal LD50 (rabbit)>2000mg/kg Due to polymerisation at the skin surface allergic reaction is unlikely to occur

#### Eye irritation:

Irritating to eyes. Liquid product will bond eyelids. In a dry atmosphere (RH<50%) vapours may cause irritation and lachrymatory effect

### 12. Ecological information

#### Mobility:

Cured adhesives are immobile.

# General ecological information:

Biological and Chemical Oxygen Demands (BOD and COD) are insignificant. Do not empty into drains / surface water / ground water.

### 13. Disposal considerations

### Product disposal:

Cured adhesive: Dispose of as water insoluble non-toxic solid chemical in authorised landfill or incinerate under controlled conditions.

Dispose of in accordance with local and national regulations.

Contribution of this product to waste is very insignificant in comparison to article in which it is used

#### Waste code(EWC ):

08 04 09 waste adhesives and sealants containing organic solvents and other dangerous substances

#### Disposal of uncleaned packages:

After use, tubes, cartons and bottles containing residual product should be disposed of as chemically contaminated waste in

an authorised legal land fill site or incinerated.

Disposal must be made according to official regulations

### 14..Transport information

#### Road transport ADR:

Not dangerous goods

#### **Railroad transport RID:**

Not dangerous goods

#### Inland water transport ADN:

Not dangerous goods

according to Regulation (EU) No. 1907/2006

# **Brush Glue**

Print date : 22.06.2009	Product Code : 43433	Page 6 of 7
Marine transport IMDG:		
Not dangerous goods		
Air transport IATA:		
Class:	9	
Packaging group:		
Packaging instructions (passenger)	906	
Packaging instructions (cargo)	906	
UN no.:	3334	
Label:	9	
Proper shipping name:	Aviation regulated liquid n.o.s. (Cyanoacrylate ester)	
15.Regulatory information		

### Indication of danger:

### Xi – Irritant



#### **Risk phrases:**

R36/37/38 Irritating to eyes, respiratory system and skin.

#### Safety phrases:

S23 Do not breathe vapour.S24/25 Avoid contact with skin and eyes.S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

#### Additional labeling:

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

# **16.Other information**

# Full text of R-phrases referred to under sections 2 and 3

The labelling of the product is indicated in Section 15. The full text of the R-phrases indicted by codes in this safety data sheet are as follows:

R36/37/38 Irritating to eyes, respiratory system and skin.

#### **Further Information**

All data refer to the product upon delivery.

This safety data sheet was prepared in accordance with Council Directive 67/548/EEC and it's subsequent amendments, and Commission Directive 1999/45/EC. ICAO-Labels: Exempt

The information is based on present level of our knowledge. It does not, however, give assurances of

according to Regulation (EU) No. 1907/2006

# **Brush Glue**

Print date : 22.06.2009

Product Code : 43433

Page 7 of 7

product properties and establishes no contract legal rights.

The receiver of our product is singulary responsible for adhering to existing laws and regulations. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. In case of emergency call CHEMTREC 1-800-424-9300.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)