according to Regulation (EC) No 1907/2006

	Cleaner "Mango Fl	avour"	
Revision date: 26.02.2019	Product code: 150		Page 1 of 13
SECTION 1: Identification of t	he substance/mixture and of the co	mpany/undertaking	
1.1. Product identifier			
Cleaner "Mango Flavour"			
Product group:	Zulieferprodukt		
1.2. Relevant identified uses of t	he substance or mixture and uses advi	<u>sed against</u>	
Use of the substance/mixture Cosmetics, personal care p			
1.3. Details of the supplier of the	safety data sheet		
Company name:	Wilde Cosmetics GmbH		
Street:	Rheingaustr. 19a		
Place:	D-65375 Oestrich-Winkel		
Post-office box:	1220 D-65368 Oestrich-Winkel		
Telephone:	+49-6723-6020-0	Telefax: +49-6723-6020-15	
e-mail:	beate.kerntopf@wilde-group.com		
Contact person:	Dr. Beate Kerntopf	Telephone:-752	
1.4. Emergency telephone number:	+49-6723-6020-0 This telephone	number is available during office hours only	ν.
SECTION 2: Hazards identific	ation		

# 2.1. Classification of the substance or mixture

# Regulation (EC) No. 1272/2008

Hazard categories: Flammable liquid: Flam. Liq. 2 Serious eye damage/eye irritation: Eye Dam. 1 Specific target organ toxicity - single exposure: STOT SE 3 Hazard Statements: Highly flammable liquid and vapour. Causes serious eye damage. May cause drowsiness or dizziness. Other labelling like: Kosmetikverordnung

# 2.2. Label elements

### Regulation (EC) No. 1272/2008

### Hazard components for labelling

propan-1-ol; n-propanol butanone; ethyl methyl ketone ethyl acetate

Signal word:

**Pictograms:** 

# Danger



#### Hazard statements

H225	
H318	
H336	

Highly flammable liquid and vapour. Causes serious eye damage. May cause drowsiness or dizziness.

according to Regulation (EC) No 1907/2006

### **Cleaner "Mango Flavour"**

Revision date: 26.02.2019

Product code: 1501180

Page 2 of 13

### **Precautionary statements**

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
	or shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P370+P378	In case of fire: Use Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. to extinguish.
P233	Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to Offer surplus and non-recyclable solutions to a licensed disposal company

### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger Pictograms:



### Hazard statements

H318

### **Precautionary statements**

P280-P305+P351+P338-P310

### 2.3. Other hazards

Keep out of the reach of children.

Irritating to eyes, respiratory system and skin. May cause sensitization by skin contact. Repeated exposure may cause skin dryness or cracking. Vapours may cause drowsiness and dizziness. When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Repeated absorption may cause disorder of central nervous system, liver, kidneys and blood.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

### **Chemical characterization**

Cosmetics, personal care products: Contains organic solvents.

according to Regulation (EC) No 1907/2006

# Cleaner "Mango Flavour"

Revision date: 26.02.2019

Product code: 1501180

Page 3 of 13

### Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	GHS Classification	•			
71-23-8	propan-1-ol; n-propanol				
	200-746-9				
	Flam. Liq. 2, Eye Dam. 1, STOT S				
78-93-3	butanone; ethyl methyl ketone				
	201-159-0	606-002-00-3			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336 EUH066			
141-78-6	ethyl acetate		5-10 %		
	205-500-4	607-022-00-5			
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066				

Full text of H and EUH statements: see section 16.

### Further Information

Other labelling like: Kosmetikverordnung

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### General information

Remove from exposure, lie down. Take off all contaminated clothing immediately. First aider needs to protect himself.

### After inhalation

Move to fresh air. Keep patient warm and at rest. In case of shortness of breath, give oxygen. If breathing has stopped, apply artificial respiration. If unconscious place in recovery position and seek medical advice.

### After contact with skin

Wash off immediately with soap and plenty of water. If skin irritation persists, call a physician.

### After contact with eyes

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult a physician.

### After ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Consult a physician. If unconscious place in recovery position and seek medical advice. Never give anything by mouth to an unconscious person.

### 4.2. Most important symptoms and effects, both acute and delayed

Vapours may cause irritation to the eyes, respiratory system and the skin. May cause sensitization by skin contact. Vapours may cause drowsiness and dizziness. Symptoms: Exposure may result in reddening, tears and itching of the eyes and soreness in the nose and throat, together with coughing. Difficulty in breathing. May cause headache and dizziness. Unconsciousness. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### according to Regulation (EC) No 1907/2006

## **Cleaner "Mango Flavour"**

Revision date: 26.02.2019

Product code: 1501180

Page 4 of 13

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

### 5.2. Special hazards arising from the substance or mixture

Vapours are heavier than air and may spread along floors. Vapors may spread long distances and ignite. Vapours may form explosive mixtures with air. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from sources of ignition - No smoking. Use water spray to cool unopened containers. Container may rupture on heating.

Hazardous combustion products: Carbon monoxide, Carbon dioxide (CO2)

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use only explosion-proof equipment.

### Additional information

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Prevent fire extinguishing water from contaminating surface water or the ground water system. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment. Keep people away from and upwind of spill/leak. Keep away from heat and sources of ignition. Avoid contact with the skin and the eyes. S23 - Do not breathe gas/fumes/vapour/spray.

#### 6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

### 6.3. Methods and material for containment and cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13). Ensure adequate ventilation. Use explosion-proof equipment. Clean contaminated surface thoroughly.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Keep containers tightly closed in a dry, cool and well-ventilated place. Ensure adequate ventilation, especially in confined areas. Vapours are heavier than air and may spread along floors. Avoid contact with skin, eyes and clothing. Ensure that eyewash stations and safety showers are close to the workstation location. Eye wash bottle with pure water.

### Advice on protection against fire and explosion

Combustible Liquid. Vapors may spread long distances and ignite. Take measures to prevent the build up of electrostatic charge. Use only explosion-proof equipment. Use only in an area containing explosion proof equipment. Keep away from sources of ignition - No smoking.

#### Further information on handling

Handle in accordance with good industrial hygiene and safety practice. When using, do not eat, drink or smoke.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep in an area equipped with solvent resistant flooring. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Store in original container. Keep away from direct sunlight.

according to Regulation (EC) No 1907/2006

# Cleaner "Mango Flavour"

Revision date: 26.02.2019

Product code: 1501180

Page 5 of 13

### Hints on joint storage

Keep away from food, drink and animal feedingstuffs. Materials to avoid: Oxidizing and spontaneously flammable products, Flammable materials, Organic peroxides, Oxidizing agents

# 7.3. Specific end use(s)

Cosmetic product

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
78-93-3	Butan-2-one (methyl ethyl ketone)	200	600		TWA (8 h)	WEL
		300	899		STEL (15 min)	WEL
141-78-6	Ethyl acetate	200	-		TWA (8 h)	WEL
		400	-		STEL (15 min)	WEL
71-23-8	Propan-1-ol	200	500		TWA (8 h)	WEL
		250	625		STEL (15 min)	WEL

# **Biological Monitoring Guidance Values (EH40)**

CAS No	Substance	Parameter	Value	Test material	Sampling time
78-93-3	Butan-2-one	butan-2-one	70 µmol/L	urine	Post shift

according to Regulation (EC) No 1907/2006

Cleaner "Mango Flavour"

Revision date: 26.02.2019

Product code: 1501180

Page 6 of 13

### **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
71-23-8	propan-1-ol; n-propanol			
Consumer DI	NEL, long-term	inhalation	systemic	80 mg/m³
Consumer DI	NEL, long-term	dermal	systemic	81 mg/kg bw/day
Worker DNEL	_, long-term	inhalation	systemic	268 mg/m³
Consumer DI	NEL, acute	inhalation	systemic	1036 mg/m³
Worker DNEL	_, long-term	dermal	systemic	136 mg/kg bw/day
Worker DNEL	_, acute	inhalation	systemic	1723 mg/m³
Consumer D	NEL, long-term	oral	systemic	61 mg/kg bw/day
78-93-3	butanone; ethyl methyl ketone			
Worker DNEL	, long-term	inhalation	systemic	600 mg/m³
Consumer DI	NEL, long-term	oral	systemic	31 mg/kg bw/day
Consumer DI	NEL, long-term	dermal	systemic	412 mg/kg bw/day
Worker DNEL	., long-term	dermal	systemic	1161 mg/kg bw/day
Consumer DI	NEL, long-term	inhalation	systemic	106 mg/m <sup>3</sup>
141-78-6	ethyl acetate			
Worker DNEL	., long-term	dermal	systemic	63 mg/kg bw/day
Worker DNEL	_, acute	inhalation	systemic	1468 mg/m <sup>3</sup>
Consumer DI	NEL, long-term	inhalation	systemic	367 mg/m³
Consumer DI	NEL, long-term	dermal	systemic	37 mg/kg bw/day
Consumer DI	NEL, long-term	oral	systemic	4,5 mg/kg bw/day
Consumer Di	NEL, long-term	inhalation	local	734 mg/m³
Worker DNEL	_, long-term	inhalation	systemic	734 mg/m³
Worker DNEL	_, acute	inhalation	local	1468 mg/m³

according to Regulation (EC) No 1907/2006

**Cleaner "Mango Flavour"** 

Revision date: 26.02.2019

Product code: 1501180

Page 7 of 13

### **PNEC** values

CAS No	Substance	
Environmen	tal compartment	Value
71-23-8	propan-1-ol; n-propanol	
Freshwater		10 mg/l
Marine wate	r	1 mg/l
Freshwater	sediment	22,8 mg/kg
Marine sedir	ment	2,28 mg/kg
Soil		2,2 mg/kg
78-93-3	butanone; ethyl methyl ketone	
Freshwater	sediment	284,74 mg/kg
Freshwater		55,8 mg/l
Soil		22,5 mg/kg
Marine sedir	ment	284,7 mg/kg
Marine wate	r	55,8 mg/l
Micro-organ	isms in sewage treatment plants (STP)	709 mg/l
Secondary p	poisoning	1000 mg/kg
141-78-6	ethyl acetate	
Marine wate	r	0,026 mg/l
Marine sedir	ment	0,034 mg/kg
Freshwater	sediment	0,34 mg/kg
Soil		0,22 mg/kg
Freshwater		0,26 mg/l

### 8.2. Exposure controls



### Appropriate engineering controls

Information about special precautions needed for bulk handling is available on request. Handle in accordance with good industrial hygiene and safety practice. To avoid risks to man and the environment, comply with the instructions for use.

### Protective and hygiene measures

Take off all contaminated clothing immediately. Avoid contact with the skin and the eyes. Ensure adequate ventilation, especially in confined areas. Avoid breathing vapors, mist or gas. When using, do not eat, drink or smoke. Wash hands before breaks and at the end of workday.

### Eye/face protection

Tightly fitting safety goggles

### Hand protection

Use protective skin cream before handling the product.

Solvent-resistant gloves (butyl-rubber)

Break through time: >= 1 h

Glove thickness: 0,5 mm

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Replace when worn.

according to Regulation (EC) No 1907/2006

# Cleaner "Mango Flavour"

Revision date: 26.02.2019

Product code: 1501180

Page 8 of 13

### Skin protection

# impervious clothing

# Respiratory protection

Use only with adequate ventilation. In case of insufficient ventilation wear suitable respiratory equipment. Respiratory protection complying with EN 141.

### **Environmental exposure controls**

The product should not be allowed to enter drains, water courses or the soil. Inform the responsible authorities in case of gas leakage, or of entry into waterways, soil or drains.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Colour: Odour:	liquid colourless characteristic	
Changes in the physical state		
Melting point:		<-60 °C
Initial boiling point and boiling range:		77 °C
Flash point:		-9 °C
Lower explosion limits:		1,5 vol. %
Upper explosion limits:		13,5 vol. %
Ignition temperature:		385 °C
Vapour pressure: (at 20 °C)		101 hPa
Vapour pressure: (at 50 °C)		385 hPa
Density (at 20 °C):		0,81 g/cm³
Water solubility: (at 20 °C)		completely miscible
Solvent content:		99,80 %

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data is available on the product itself.

### 10.2. Chemical stability

Keep containers tightly closed in a cool, well-ventilated place.

### 10.3. Possibility of hazardous reactions

Vapours may form explosive mixtures with air.

### 10.4. Conditions to avoid

Keep away from direct sunlight. Keep away from heat and sources of ignition. Do not smoke. Take measures to prevent the build up of electrostatic charge. Do not expose to temperatures above 40 °C.

### 10.5. Incompatible materials

Oxidizing agents, Alkali metals, Alkaline earth metals

### 10.6. Hazardous decomposition products

acetic acid. In case of fire hazardous decomposition products may be produced such as: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke. Oxidizing and spontaneously flammable products.

according to Regulation (EC) No 1907/2006

# **Cleaner "Mango Flavour"**

Revision date: 26.02.2019

Product code: 1501180

Page 9 of 13

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

No data is available on the product itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
71-23-8	propan-1-ol; n-propanol					
	oral	LD50 mg/kg	8000	rat		OECD 401
	dermal	LD50 mg/kg	4032	rabbit		OECD 402
	inhalation (4 h) vapour	LC50 mg/l	>33,8	rat		OECD 403
78-93-3	butanone; ethyl methyl k	etone				
	oral	LD50 mg/kg	>2193	rat		
	dermal	LD50 mg/kg	>5000	rabbit		
141-78-6	ethyl acetate					
	oral	LD50 mg/kg	5600	Ratte		
	dermal	LD50 mg/kg	18000	Kaninchen		

### Irritation and corrosivity

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness. (propan-1-ol; n-propanol; butanone; ethyl methyl ketone)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

### Specific effects in experiment on an animal

No data is available on the product itself.

### Practical experience

### Other observations

Health injuries are not known or expected under normal use.

### Further information

Harmful if swallowed. Effects due to ingestion may include: Nausea, narcosis, Weakness, Dizziness, Unconsciousness. If inhaled: Irritation of mucous membranes, Dizziness. Repeated exposure may cause skin dryness or cracking.

according to Regulation (EC) No 1907/2006

# Cleaner "Mango Flavour"

Revision date: 26.02.2019

Product code: 1501180

Page 10 of 13

### **SECTION 12: Ecological information**

# 12.1. Toxicity

No data is available on the product itself.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
71-23-8	propan-1-ol; n-propanol							
	Acute fish toxicity	LC50 mg/l	4555	96 h	Pimephales promelas (fathead minnow)		OECD Test Guideline 203	
	Acute crustacea toxicity	EC50 mg/l	3644	48 h	Daphnia magna (Water flea)		DIN 38412	
	Algea toxicity	NOEC mg/l	2000	2 d	Selenastrum capricornutum			
	Crustacea toxicity	NOEC mg/l	>100	21 d	Daphnia magna (Water flea)			
78-93-3	butanone; ethyl methyl ketone							
	Acute fish toxicity	LC50 mg/l	2990	96 h	Pimephales promelas (fathead minnow)			
	Acute algae toxicity	ErC50 mg/l	1972	72 h	Selenastrum capricornutum (green algae)			
	Acute crustacea toxicity	EC50	308 mg/l	48 h	Daphnia magna (Water flea)			
141-78-6	ethyl acetate							
	Acute fish toxicity	LC50	230 mg/l	96 h	Pimephales promelas (fathead minnow)			
	Algea toxicity	NOEC mg/l	>100	3 d				

# 12.2. Persistence and degradability

No data is available on the product itself.

CAS No	Chemical name								
	Method	Value	d	Source					
	Evaluation		-	-					
71-23-8	propan-1-ol; n-propanol								
	OECD 301D/ EEC 92/69/V, C.4-E	81%	15						
	Readily biodegradable.								
78-93-3	butanone; ethyl methyl ketone								
		98%	28						
	Readily biodegradable, according to appropriate	e OECD test.							
141-78-6	ethyl acetate								
		93,9%	28						
	Readily biodegradable.								

# 12.3. Bioaccumulative potential

No data is available on the product itself.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
71-23-8	propan-1-ol; n-propanol	0,25
78-93-3	butanone; ethyl methyl ketone	0,3

according to Regulation (EC) No 1907/2006

# Cleaner "Mango Flavour"

Revision date: 26.02.2019

Product code: 1501180

Page 11 of 13

BCF

CAS No	Chemical name	BCF	Species	Source
71-23-8	propan-1-ol; n-propanol	0,88		
141-78-6	ethyl acetate	30		

### 12.4. Mobility in soil

No data is available on the product itself.

#### 12.5. Results of PBT and vPvB assessment

This preparation contains no substance considered to be persistent, bioaccumulating nor toxic (PBT). This preparation contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

### 12.6. Other adverse effects

No data is available on the product itself.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### Advice on disposal

Dispose of contents/container in accordance with local regulation.

### Waste disposal number of waste from residues/unused products

200113 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); Solvents; hazardous waste

#### Waste disposal number of contaminated packaging

200113 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); Solvents; hazardous waste

#### Contaminated packaging

Dispose of contents/container in accordance with local regulation.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN 2924
14.2. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S.
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3+8
Classification code:	FC
Special Provisions:	274
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	338
Tunnel restriction code:	D/E
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN 2924
14.2. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S.
14.3. Transport hazard class(es):	3

according to Regulation (EC) No 1907/2006

Cleaner "Mango Flavour"		
Revision date: 26.02.2019	Product code: 1501180	Page 12 of 13
14.4. Packing group:	II	
Hazard label:	3+8	
	3 8	
Classification code:	FC	
Special Provisions:	274	
Limited quantity:	1 L	
Excepted quantity:	E2	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	UN 2924	
14.2. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3+8	
	3 8	
Special Provisions:	274	
Limited quantity:	1 L	
Excepted quantity:	E2	
EmS:	F-E, S-C	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	UN 2924	
14.2. UN proper shipping name:	FLAMMABLE LIQUID, CORROSIVE, N.O.S.	
<u>14.3. Transport hazard class(es):</u>	3	
14.4. Packing group:	II	
Hazard label:	3+8	
	3 8	
Special Provisions:	A3	
Limited quantity Passenger:	0.5 L	
Passenger LQ:	Y340	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	352	
IATA-max. quantity - Passenger:	1 L	
IATA-packing instructions - Cargo:	363	
IATA-max. quantity - Cargo:	5 L	
14.6. Special precautions for user		

Handle in accordance with good industrial hygiene and safety practice. To avoid risks to man and the environment, comply with the instructions for use.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### EU regulatory information

2010/75/EU (VOC):

99,8 % (808,38 g/l)

according to Regulation (EC) No 1907/2006

	Cleaner "Mango Flavour"	
Revision date: 26.02.2019	Product code: 1501180	Page 13 of 13
2004/42/EC (VOC): Subcategory according to Directive 2004/42/EC:	99,8 % (808,38 g/l) Preparatory and cleaning - Preparatory, VOC limit value: 850 g/l	
Additional information Other labelling like: Kosmetikverordnu	ng	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juve work protection guideline' (94/33/EC). Observe employment restriction under the Maternity Protection Directive (92/85/EEC) for expectant of nursing mothers.	ons
Water contaminating class (D):	1 - slightly water contaminating	
SECTION 16: Other information		

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Dam. 1; H318	Calculation method
STOT SE 3; H336	Calculation method

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

### **Further Information**

All data refer to the product upon delivery

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. In case of emergency call CHEMTREC 1-800-424-9300.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)