L'ORÉAL PROFESSIONNEL PARIS

SAFETY DATA SHEET

1. Identification

Product identifier L'ORÉAL PROFESSIONNEL SERIE EXPERT DERMO REGULATOR SHAMPOO

Other means of identification

SDS number 00-11-0000946

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc

133 Terminal Avenue Clark, NJ 07066

USA

Canadian Address: L'Oreal Canada

4895 rue Hickmore

Ville St-Laurent, H4T 1K5

Canada

Emergency Phone #: 1-800-535-5053 (International: 352-323-3500)

In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control #: 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1
Reproductive toxicity Category 2

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage. Suspected of damaging fertility or the unborn

child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye

protection/face protection.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated

clothing and wash it before reuse.

Storage Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	<u></u>
SODIUM LAURETH SULFATE		68891-38-3	11.2
CITRIC ACID		5949-29-1	3
SODIUM HYDROXIDE		1310-73-2	1.3
SALICYLIC ACID		69-72-7	0.2

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed **General information** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in

attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters Fire fighting

equipment/instructions

Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

ComponentsTypeValueSODIUM HYDROXIDE
(CAS 1310-73-2)PEL2 mg/m3

US. ACGIH Threshold Limit Values

ComponentsTypeValueSODIUM HYDROXIDE
(CAS 1310-73-2)Ceiling2 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards
Components
Type

SODIUM HYDROXIDE Ceiling 2 mg/m3 (CAS 1310-73-2)

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Value

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full

facepiece.

Skin protection

Hand protection Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an

impervious apron is recommended.

Respiratory protection Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full

facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form
Color
Color
Characteristic.
Odor threshold
PH
5 - 5.6
Melting point/freezing point
Viscous Liquid
Light yellow.
Characteristic.
Not available.

Material name: L'ORÉAL PROFESSIONNEL SERIE EXPERT DERMO REGULATOR SHAMPOO 1239920 A Version #: 01 Issue date: 01-11-2022

Initial boiling point and boiling > 212 °F (> 100 °C)

range

Flash point > 199.9 °F (> 93.3 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Density >= 1.05 g/cm³
Explosive properties Not explosive.
Oxidizing properties Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong acids.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause

redness and pain.

Information on toxicological effects

Acute toxicity Not known.

Product Species Test Results L'ORÉAL PROFESSIONNEL SERIE EXPERT DERMO REGULATOR SHAMPOO **Acute Dermal ATEmix** 66710 mg/kg Oral **ATEmix** 63310 mg/kg Components **Species Test Results** CITRIC ACID (CAS 5949-29-1) Acute **Dermal** LD50 Rat > 2000 mg/kg, 24 Hours Oral LD50 Mouse 5400 mg/kg Rat 6730 mg/kg SALICYLIC ACID (CAS 69-72-7) **Acute Dermal** LD50 Rat > 2000 mg/kg OECD 402 Oral LD50 Rat 891 mg/kg OECD 401 SODIUM HYDROXIDE (CAS 1310-73-2) Acute **Dermal** LD50 Rabbit 1350 mg/kg SODIUM LAURETH SULFATE (CAS 68891-38-3) **Acute Dermal** LD50 > 2000 mg/kg OECD 402 Oral LD50 2870 mg/kg OECD 401 Skin corrosion/irritation Causes skin irritation. Irritation Corrosion - Skin **OECD 404** SODIUM LAURETH SULFATE Result: Irritating Species: Rabbit SALICYLIC ACID **OECD 404** Result: Not Irritating Species: Rabbit CITRIC ACID **OECD 404** Result: Slightly Irritating Species: Rabbit SODIUM HYDROXIDE Result: Corrosive Species: Rabbit Serious eye damage/eye Causes serious eye damage. irritation Irritation Corrosion - Eye SODIUM HYDROXIDE **OECD 405** Result: Corrosive Species: Rabbit CITRIC ACID **OECD 405** Result: Irritating

Species: Rabbit

Species: Rabbit

OECD 405, (≥ 10%) Result: Serious eye damage

Material name: L'ORÉAL PROFESSIONNEL SERIE EXPERT DERMO REGULATOR SHAMPOO 1239920 A Version #: 01 Issue date: 01-11-2022

SODIUM LAURETH SULFATE

Irritation Corrosion - Eye

SODIUM LAURETH SULFATE OECD 405, (≥5% - <10%)

Result: Irritating Species: Rabbit

SALICYLIC ACID Result: Severely Irritating

Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

CITRIC ACID OECD 406

Result: Not Sensitizing

Species: Guinea pig

SODIUM LAURETH SULFATE OECD 406

Result: Not Sensitizing Species: Guinea pig

SALICYLIC ACID OECD 429

Result: Not Sensitizing

Species: Mouse

SODIUM HYDROXIDE Result: Not Sensitizing

Species: Human

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Mutagenicity

CITRIC ACID Result: In vitro and in vivo tests did not show mutagenic

effects.

SODIUM HYDROXIDE Result: In vitro and in vivo tests did not show mutagenic

effects.

SODIUM LAURETH SULFATE Result: In vitro and in vivo tests did not show mutagenic

effects.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Developmental effects

CITRIC ACID > 295 mg/kg bw/d, No effects on development

Result: NOAEL

Species: Rat

SODIUM LAURETH SULFATE 1000 mg/kg bw/d OECD 414

Result: NOAEL Species: Rat

SALICYLIC ACID 75 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

Reproductivity

CITRIC ACID > 2500 mg/kg bw/d, No effects on fertility

Result: NOAEL

Species: Rat

SALICYLIC ACID 250 mg/kg bw/d OECD 416, Based on test data for

structurally similar materials.

Result: NÓAEL Species: Rat

SODIUM LAURETH SULFATE 300 mg/kg bw/d OECD 416

Result: NOAEL Species: Rat

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity - Not classified.

repeated exposure

Specific target organ toxicity - repeated exposure

SODIUM LAURETH SULFATE >= 225 mg/kg bw/d OECD 408

Result: NOAEL Species: Rat Test Duration: 90 d

CITRIC ACID 4000 mg/kg bw/d, Oral

Result: NOAEL Species: Rat Test Duration: 10 d

SALICYLIC ACID 700 mg/m3 air OECD 412, Based on test data for structurally

similar materials. Result: NOEC Species: Rat Test Duration: 28 d

Aspiration hazard Not an aspiration hazard.

Further information The reference to any animal testing for individual constituents mentioned in this document is

based on public, third-party data.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
CITRIC ACID (CAS 59	949-29-1)		
Aquatic			
Acute			
Algae	LOEC	Microcystis aeruginosa	80 mg/l, 7 d
Crustacea	EC50	Daphnia magna	1535 mg/l, 24 h
Fish	LC50	Leuciscus idus	440 - 760 mg/l, 96 h
Other	NOAEC	Pseudomonas putida	18 h
SALICYLIC ACID (CA	S 69-72-7)		
Aquatic			
Acute			
Algae	EC50	Desmodesmus subspicatus	> 100 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	870 mg/l, 48 h OECD 202
Fish	LC50	Pimephales promelas	1370 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	10 mg/l, 21 d OECD 202
SODIUM HYDROXIDI	E (CAS 1310-73-2)		
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	125 mg/l, 96 hours
Acute			
Crustacea	EC50	Ceriodaphnia dubia	40 mg/l, 48 h
Fish	LC50	Leuciscus idus	189 mg/l, 48 h
Other	EC50	Photobacterium phosphoreum	22 mg/l, 15 min
SODIUM LAURETH S	SULFATE (CAS 688	91-38-3)	
Aquatic			
Acute			
Algae	EC50	Desmodesmus subspicatus	27 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	7.2 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	7.1 mg/l, 96 h OECD 203
Other	EC50	Pseudomonas putida	> 10000 mg/l, 16 h DIN 38412 - 8

Components Species Test Results

Chronic

Crustacea NOEC Daphnia magna 0.27 mg/l, 21 d OECD 211
Fish NOEC Oncorhynchus mykiss 0.14 mg/l, 28 d OECD 204

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

SALICYLIC ACID 100 % OECD 301 C

Result: Readily Biodegradable

Test Duration: 28 d 100 % EU C.4-A

Result: Readily Biodegradable

Test Duration: 28 d

Percent degradation (Aerobic biodegradation-ready)

CITRIC ACID 97 %

Result: Readily Biodegradable

Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

SODIUM LAURETH SULFATE

SALICYLIC ACID 2.26

SODIUM LAURETH SULFATE 0.3 OECD 123

Bioaccumulation
CITRIC ACID

Result: Bioaccumulation is unlikely.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulationsDispose in accordance with all applicable regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

SODIUM HYDROXIDE (CAS 1310-73-2) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No (Exempt)

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

16. Other information, including date of preparation or last revision

Issue date 01-11-2022

Version # 01

NFPA ratings Health: 3

Flammability: 1 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.