MATRIX MBIOLAGE

SAFETY DATA SHEET

1. Identification

Product identifier BIOLAGE BOND THERAPY FOAMING CONDITIONER

Other means of identification

SDS number 00-12-0001365

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc

133 Terminal Avenue Clark, NJ 07066

USA

Canadian Address: L'Oreal Canada

4895 rue Hickmore

Ville St-Laurent, H4T 1K5

Canada

Emergency Phone #: 1-800-535-5053 (International: 352-323-3500)

In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control #: 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 1

Reproductive toxicity (the unborn child) Category 2

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes serious eye damage. Suspected of damaging the unborn child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center/doctor.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Material name: BIOLAGE BOND THERAPY FOAMING CONDITIONER

1218378MX4 Version #: 01 Issue date: 01-30-2023

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
GLYCERIN		56-81-5	5
LAURETH-5 CARBOXYLIC ACID		27306-90-7	4.14
SALICYLIC ACID		69-72-7	0.2

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special

treatment needed **General information** Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

2/8 1218378MX4 Version #: 01 Issue date: 01-30-2023

7. Handling and storage

Precautions for safe handling Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not get this material in contact with eyes. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 1910.1000)			
Components	Туре	Value	Form
GLYCERIN (CAS 56-81-5)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full

facepiece.

Skin protection

Hand protection Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an

impervious apron is recommended.

Respiratory protection Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full

facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Color Not available.
Odor Characteristic.
Odor threshold Not available.
pH 4.8 - 5.2
Melting point/freezing point Not available.

Initial boiling point and boiling

range

> 212 °F (> 100 °C)

Flash point > 199.4 °F (> 93.0 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure Not available. Not available. Vapor density Relative density Not available.

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available. Not available. **Decomposition temperature Viscosity** Not available.

Other information

Density >= 1 g/cm3 **Explosive properties** Not explosive. Oxidizing properties Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid

temperatures exceeding the flash point. Contact with incompatible materials.

Strong oxidizing agents. Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

No adverse effects due to skin contact are expected. Skin contact

Eye contact Causes serious eye damage.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity Not known.

Test Results Product Species

BIOLAGE BOND THERAPY FOAMING CONDITIONER

Acute Dermal

ATEmix 267400 mg/kg

Oral

ATEmix 84750 mg/kg

Material name: BIOLAGE BOND THERAPY FOAMING CONDITIONER

SDS US 1218378MX4 Version #: 01 Issue date: 01-30-2023

Components Species Test Results

GLYCERIN (CAS 56-81-5)

<u>Acute</u>

Dermal

LD50 Rabbit > 18700 mg/kg bw

Inhalation

LC50 Rat > 570 mg/L air, 1 h

Oral

LD50 Rat 27200 mg/kg bw

LAURETH-5 CARBOXYLIC ACID (CAS 27306-90-7)

Acute Oral

LD50 Rat > 2000 mg/kg OECD 401

SALICYLIC ACID (CAS 69-72-7)

Acute

Dermal

LD50 Rat > 2000 mg/kg OECD 402

Oral

LD50 Rat 891 mg/kg OECD 401

Skin corrosion/irritation No adverse effects due to skin contact are expected.

Irritation Corrosion - Skin

SALICYLIC ACID OECD 404

Result: Not Irritating Species: Rabbit

LAURETH-5 CARBOXYLIC ACID OECD 404

Result: Slightly Irritating Species: Rabbit

GLYCERIN Result: Not Irritating

Species: Rabbit

Serious eye damage/eye

irritation

Causes serious eye damage.

Irritation Corrosion - Eye

SALICYLIC ACID

LAURETH-5 CARBOXYLIC ACID OECD 405

Result: Corrosive Species: Rabbit

GLYCERIN Result: Not Irritating Species: Rabbit

Result: Severely Irritating

Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

GLYCERIN 167 mg/m3 air OECD 413, Inhalation

Result: NOAEL Species: Rat Test Duration: 90 d

I AURETH-5 CARBOXYLIC ACID OFCD 406

Result: Not Sensitizing Species: Guinea pig

SALICYLIC ACID OECD 429

Result: Not Sensitizing

GLYCERIN Species: Mouse Result: Not Sensitizing

Species: Guinea pig

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Mutagenicity

GLYCERIN Result: In vitro and in vivo tests did not show mutagenic

effects.

LAURETH-5 CARBOXYLIC ACID Result: In vitro tests did not show mutagenic effects

Carcinogenicity

Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Suspected of damaging the unborn child.

Developmental effects

GLYCERIN 1310 mg/kg bw/d, No effects on development

Result: NOAEL Species: Rat

SALICYLIC ACID 75 mg/kg bw/d OECD 414

Result: NOAEL Species: Rat

Reproductivity

GLYCERIN 2000 mg/kg bw/d, No effects on fertility

Result: NOAEL Species: Rat

SALICYLIC ACID 250 mg/kg bw/d OECD 416, Based on test data for

structurally similar materials.

Result: NOAEL Species: Rat

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

GLYCERIN

SALICYLIC ACID

Not classified.

700 mg/m3 air OECD 412, Based on test data for structurally

similar materials. Result: NOEC Species: Rat Test Duration: 28 d 8000 mg/kg bw/d, Oral Result: NOAEL

Species: Rat Test Duration: 2 yr

Aspiration hazard Not an aspiration hazard.

Further information The reference to any animal testing for individual constituents mentioned in this document is

based on public, third-party data.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Test Results Components **Species GLYCERIN (CAS 56-81-5) Aquatic** Acute Algae EC0 Scenedesmus quadricauda > 10000 mg/l, 192 h EC50 Daphnia magna 1955 mg/l, 48 h Crustacea Fish LC50 Oncorhynchus mykiss 54000 mg/l, 96 h Other NOEC Pseudomonas putida > 10000 mg/l, 16 h LAURETH-5 CARBOXYLIC ACID (CAS 27306-90-7) **Aquatic** Acute Fish LC50 Oncorhynchus mykiss 7.5 mg/l, 96 h

Material name: BIOLAGE BOND THERAPY FOAMING CONDITIONER

1218378MX4 Version #: 01 Issue date: 01-30-2023 6 /

Components		Species	Test Results
SALICYLIC ACID (CA	S 69-72-7)		
Aquatic			
Acute			
Algae	EC50	Desmodesmus subspicatus	> 100 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	870 mg/l, 48 h OECD 202
Fish	LC50	Pimephales promelas	1370 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	10 mg/l, 21 d OECD 202

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

GLYCERIN OECD 301

Result: Readily Biodegradable LAURETH-5 CARBOXYLIC ACID 78 % OECD 301 B

78 % OECD 301 B Result: Readily Biodegradable

Test Duration: 28 d SALICYLIC ACID 100 % OECD 301 C

100 % OECD 301 C Result: Readily Biodegradable

Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

GLYCERIN -1.76 SALICYLIC ACID 2.26

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No (Exempt)

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

GLYCERIN (CAS 56-81-5) Other Flavoring Substances with OSHA PEL's

16. Other information, including date of preparation or last revision

Issue date 01-30-2023

Version # 01

NFPA ratings Health: 3

Flammability: 1 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: BIOLAGE BOND THERAPY FOAMING CONDITIONER

1218378MX4 Version #: 01 Issue date: 01-30-2023