SAFETY DATA SHEET

1. Identification

Product identifier MATRIX CURLS CAN DREAM ACCELERATOR CRÈME - STEP 2

Other means of identification

SDS number 42-25-0000006

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products. Inc

> 133 Terminal Avenue Clark, NJ 07066

USA

Canadian Address: L'Oreal Canada

4895 rue Hickmore

Ville St-Laurent, H4T 1K5

Canada

Emergency Phone #: 1-800-535-5053 (International: 352-323-3500)

In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control #: 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 1 Sensitization, respiratory Category 1 Category 1 Sensitization, skin

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Not classified. **OSHA** defined hazards

Label elements



Signal word Danger

Hazard statement Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May

cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause respiratory

irritation.

Precautionary statement

Prevention Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Use only

outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves. In case of inadequate

ventilation wear respiratory protection.

Material name: MATRIX CURLS CAN DREAM ACCELERATOR CRÈME - STEP 2

SDS US 92609 MX Version #: 01 Issue date: 10-09-2020

If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable Response

for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it

before reuse.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

Classified as Self-Heating Substances and Mixtures - Category 2 only if packed in packages with

a volume of more than 450 liters.

Supplemental information This product is formulated such that exposure by inhalation is negligible and is intended for

application on the skin only.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	<u></u>
POTASSIUM PERSULFATE		7727-21-1	36.72
SODIUM SILICATE		1344-09-8	13.12
SODIUM PERSULFATE		7775-27-1	5.25
SODIUM LAURYL SULFATE		68585-47-7	3.5
MAGNESIUM OXIDE		1309-48-4	1.75
MAGNESIUM STEARATE		557-04-0	1.75
SILICA		7631-86-9	1.63

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

> artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If experiencing respiratory symptoms: Call a poison center or

doctor/physician.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions. Wash

contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and

delaved

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin

Provide general supportive measures and treat symptomatically. Keep victim under observation.

reaction. Dermatitis. Rash.

Indication of immediate medical attention and special treatment needed

Symptoms may be delayed.

General information If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Water spray. Foam. Powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

Use water spray to cool unopened containers.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Store in a well-ventilated place. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Occupational exposure limits

Biological limit values

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре `	Value	Form
MAGNESIUM OXIDE (CAS 1309-48-4)	PEL	15 mg/m3	Total particulate.
US. OSHA Table Z-3 (29 CFR 1910.10	000)		
Components	Туре	Value	Form
MAGNESIUM OXIDE (CAS 1309-48-4)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
SILICA (CAS 7631-86-9)	TWA	0.8 mg/m3	
		20 mppcf	
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
MAGNESIUM OXIDE (CAS 1309-48-4)	TWA	10 mg/m3	Inhalable fraction.
MAGNESIUM STEARATE (CAS 557-04-0)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
POTASSIUM PERSULFATE (CAS 7727-21-1)	TWA	0.1 mg/m3	
SODIUM PERSULFATE (CAS 7775-27-1)	TWA	0.1 mg/m3	
US. NIOSH: Pocket Guide to Chemic	al Hazards		
Components	Туре	Value	
SILICA (CAS 7631-86-9)	TWA	6 mg/m3	

No biological exposure limits noted for the ingredient(s).

Material name: MATRIX CURLS CAN DREAM ACCELERATOR CRÈME - STEP 2 92609 MX Version #: 01 Issue date: 10-09-2020

Exposure guidelines

Occupational Exposure Limits are not relevant to the current physical form of the product.

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. General ventilation normally adequate. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Wear safety glasses with side shields (or goggles) and a

face shield.

Skin protection

Applicable for industrial settings only. Wear appropriate chemical resistant gloves. Hand protection

Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Other

Respiratory protection Applicable for industrial settings only. Wear positive pressure self-contained breathing apparatus

(SCBA).

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Solid. **Physical state**

Cream. Paste. **Form** Light pink. Color Odor Not available. Odor threshold Not available. 10.6 - 11.2 Ηq Not available. Melting point/freezing point > 212 °F (> 100 °C) Initial boiling point and boiling

range

> 212.0 °F (> 100.0 °C) Closed Cup Flash point

Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Not available. Vapor density Not available. Relative density

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. Not available. **Decomposition temperature Viscosity** Not available.

Other information

Explosive properties Not explosive. Oxidizing properties Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. May cause allergy or asthma symptoms or

breathing difficulties if inhaled.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye damage.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Difficulty in breathing. Skin irritation. May cause redness and pain. May cause an allergic skin

reaction. Dermatitis. Rash. None expected

Information on toxicological effects

Acute toxicity Not known.

Product Species Test Results

MATRIX CURLS CAN DREAM ACCELERATOR CRÈME - STEP 2

Acute Oral

ATEmix 2271 mg/kg

Components Species Test Results

MAGNESIUM STEARATE (CAS 557-04-0)

Acute

Inhalation

LC50 Rat > 2 mg/L air

Oral

LD50 Rat > 10000 mg/kg bw

POTASSIUM PERSULFATE (CAS 7727-21-1)

Acute

Dermal

LD50 Rabbit > 10000 mg/kg

Inhalation

LC50 Rat > 42.9 mg/l, 1 h

Oral

LD50 Rat 1130 mg/kg OECD 401

SILICA (CAS 7631-86-9)

Acute

Dermal

LD50 Rabbit > 5000 mg/kg bw

Inhalation

Dust

LC0 Rat > 0.139 mg/L air, 4 h OECD 403

Material name: MATRIX CURLS CAN DREAM ACCELERATOR CRÈME - STEP 2 92609 MX Version #: 01 Issue date: 10-09-2020

Components **Species Test Results** Oral LD50 Rat > 5000 mg/kg bw OECD 401 SODIUM LAURYL SULFATE (CAS 68585-47-7) Acute **Dermal** LD50 Rat > 2000 mg/kg OECD 402 Oral LD50 Rat 1800 mg/kg SODIUM PERSULFATE (CAS 7775-27-1) **Acute Dermal** LD50 Rabbit > 10000 mg/kg Inhalation Dust LC50 Rat > 5.1 mg/l, 4 h OECD 403 Oral LD50 Rat 920 mg/kg OECD 401 SODIUM SILICATE (CAS 1344-09-8) **Acute Dermal** LD50 Rabbit > 5000 mg/kg bw EPA OPPTS 870.1200 Inhalation LC50 Rat > 2.06 mg/L air, 4.4 h EPA OPPTS 870.1300 Oral LD50 Rat 3400 mg/kg bw OECD 401 Causes skin irritation. Skin corrosion/irritation Irritation Corrosion - Skin SODIUM LAURYL SULFATE **OECD 404** Result: Irritating Species: Rabbit SODIUM SILICATE **OECD 404** Result: Irritating Species: Rabbit **SILICA OECD 404** Result: Not Irritating Species: Rabbit Result: Irritating POTASSIUM PERSULFATE Species: Human SODIUM PERSULFATE Result: Irritating Species: Human MAGNESIUM STEARATE Result: Not Irritating Serious eye damage/eye Causes serious eye damage. irritation **Irritation Corrosion - Eye** SODIUM LAURYL SULFATE OECD 405 Result: Corrosive Species: Rabbit **SILICA OECD 405** Result: Not Irritating Species: Rabbit SODIUM SILICATE Result: Corrosive Species: Rabbit POTASSIUM PERSULFATE Result: Irritating Species: Human SODIUM PERSULFATE Result: Irritating Species: Human

Irritation Corrosion - Eye MAGNESIUM STEARATE

Respiratory or skin sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Respiratory sensitization

POTASSIUM PERSULFATE Result: Sensitizing

Species: Human Result: Sensitizing Species: Human

Result: Not Irritating

Skin sensitization May cause an allergic skin reaction.

Sensitization

SODIUM PERSULFATE

SODIUM PERSULFATE **OECD 406**

> Result: Sensitizing Species: Guinea pig

SODIUM SILICATE **OECD 429**

Result: Not Sensitizing

Species: Mouse

POTASSIUM PERSULFATE **OECD 429**

Result: Sensitizing Species: Mouse

Skin sensitization

SODIUM LAURYL SULFATE **OECD 406**

Result: Not Sensitizing Species: Guinea pig

OECD 406 SODIUM PERSULFATE

> Result: Sensitizing Species: Guinea pig

POTASSIUM PERSULFATE **OECD 429**

> Result: Sensitizing Species: Guinea pig

SILICA Result: Not Sensitizing

Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity

Mutagenicity

SILICA Result: In vitro and in vivo tests did not show mutagenic

effects.

SODIUM PERSULFATE Result: In vitro and in vivo tests did not show mutagenic

effects.

SODIUM SILICATE Result: In vitro and in vivo tests did not show mutagenic

effects.

MAGNESIUM STEARATE Result: In vitro tests did not show mutagenic effects Result: In vitro tests did not show mutagenic effects POTASSIUM PERSULFATE SODIUM LAURYL SULFATE Result: In vitro tests did not show mutagenic effects

Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the Carcinogenicity

classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Developmental effects

SODIUM SILICATE > 200 mg/kg bw/d

> Result: NOAEL Species: Rat

1350 mg/kg bw/d OECD 414 SILICA

Result: NOAEL Species: Rat

SODIUM LAURYL SULFATE 250 mg/kg bw/d OECD 414

Result: NOAEL Species: Rat

Material name: MATRIX CURLS CAN DREAM ACCELERATOR CRÈME - STEP 2

SDS US 7 / 10 92609 MX Version #: 01 Issue date: 10-09-2020

Reproductivity

SODIUM SILICATE > 159 mg/kg bw/d, Oral

Result: NOAEL Species: Rat

2000 mg/kg bw/d OECD 422 SODIUM LAURYL SULFATE

> Result: NOAEL Species: Rat

MAGNESIUM STEARATE 4000 mg/kg bw/d OECD 408, Oral

> Result: NOAEL Species: Rat

497 mg/kg bw/d OECD 415 **SILICA**

Result: NOAEL Species: Rat

Specific target organ toxicity -

May cause respiratory irritation.

single exposure

SODIUM SILICATE Result: Irritating Result: Irritating POTASSIUM PERSULFATE Species: Human SODIUM PERSULFATE Result: Irritating Species: Human

Specific target organ toxicity -

Due to partial or complete lack of data the classification is not possible.

repeated exposure

SILICA 1.3 mg/m3 air OECD 413, Inhalation

Result: NOAEL Species: Rat Test Duration: 13 wk

POTASSIUM PERSULFATE 131.5 mg/kg bw/d OECD 407

Result: NOAEL Species: Rat Test Duration: 28 d

SODIUM PERSULFATE 200 mg/kg bw/d OECD 408

Result: LOAEL Species: Rat

2400 mg/kg bw/d OECD 407 SODIUM SILICATE

Result: NOAEL Species: Rat Test Duration: 28 d

MAGNESIUM STEARATE 4000 mg/kg bw/d OECD 408, Oral

> Result: NOAEL Species: Rat

488 mg/kg bw/d OECD 408 SODIUM LAURYL SULFATE

> Result: NOAEL Species: Rat Test Duration: 90 d

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard**

Species

Further information May cause allergic respiratory and skin reactions. The reference to any animal testing for

individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Test Results

SILICA (CAS 7631-86-9) Aquatic Acute Crustacea EL0 Daphnia magna > 1000 mg/l, 48 h OECD 202 LL0 Danio rerio > 10000 mg/l, 96 h OECD 203 Fish SODIUM LAURYL SULFATE (CAS 68585-47-7)

Aquatic

Acute

Components

Algae EC50 Desmodesmus subspicatus > 20 mg/l, 72 h EU C.3 Crustacea EC50 Daphnia magna 4.7 mg/l, 48 h EU C.2

Material name: MATRIX CURLS CAN DREAM ACCELERATOR CRÈME - STEP 2

SDS US 92609 MX Version #: 01 Issue date: 10-09-2020

Components		Species	Test Results
Fish	LC50	Oncorhynchus mykiss	3.6 mg/l, 96 h OECD 203
Other	EC10	Pseudomonas putida	1084 mg/l, 16 h DIN 38412, 8
Chronic			
Algae	NOEC	Desmodesmus subspicatus	0.6 mg/l, 72 h EU C.3
Crustacea	NOEC	Daphnia magna	0.508 mg/l, 7 d
Fish	NOEC	Pimephales promelas	0.11 - 0.35 mg/l, 34 d OECD 210
ODIUM PERSULFAT	E (CAS 7775-27-1)	
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	116 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	133 mg/l, 48 h EPA OPP 72-2
Fish	LC50	Oncorhynchus mykiss	163 mg/l, 96 h EPA OPP 72-1
SODIUM SILICATE (C.	AS 1344-09-8)		
Aquatic			
Acute			
Algae	EC50	Desmodesmus subspicatus	> 345.4 mg/l, 72 h DIN 38412 Part 9
Crustacea	EC50	Daphnia magna	1700 mg/l, 48 h EU C.2
Fish	LC50	Danio rerio	1108 mg/l, 96 h OECD 203
Other	EC0	Pseudomonas putida	3454 mg/l, 30 min DIN 38412 Part 27

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

POTASSIUM PERSULFATE Result: Not expected to bioaccumulate

SODIUM LAURYL SULFATE 75.7 % OECD 301 B

Result: Readily Biodegradable

Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

SODIUM LAURYL SULFATE < -2.42

No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations. Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

General information REGULATED IN TRANSPORT for packages of greater than 450 litres volume. EXEMPT if

transported in packages of not more than 450 litres volume per UN Manual of Tests and Criteria

(33.3.1.3.3.1).

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No (Exempt)

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

16. Other information, including date of preparation or last revision

Issue date 10-09-2020

Version # 0°

NFPA ratings Health: 3

Flammability: 1 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge.

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

sps us 10 / 10