SAFETY DATA SHEET



1. Identification

Product identifier MATRIX COLOR SYNC ACIDIC OPAL TONERS - GROUP 10

Other means of identification

SDS number 00-21-0000379

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc

> 133 Terminal Avenue Clark, NJ 07066

USA

Canadian Address: L'Oreal Canada

4895 rue Hickmore

Ville St-Laurent, H4T 1K5

Canada

Emergency Phone #: 1-800-535-5053 (International: 352-323-3500)

In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control #: 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation

Not classified.

Label elements

OSHA defined hazards



Signal word Danger

Hazard statement Causes serious eye damage.

Precautionary statement

Prevention Wear eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center/doctor. Take off contaminated

Category 1

clothing and wash it before reuse.

Store away from incompatible materials. **Storage**

Dispose of waste and residues in accordance with local authority requirements. **Disposal**

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Material name: MATRIX COLOR SYNC ACIDIC OPAL TONERS - GROUP 10

SDS US 42837 Version #: 01 Issue date: 11-17-2020

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
LAURETH-2		68439-50-9	8
PEG-4 RAPESEEDAMIDE		85536-23-8	7.39
GLYCERIN		56-81-5	3
LAURETH-12		68439-50-9	3

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special

treatment needed
General information

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazardsNo unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Wear safety glasses with side shields (or goggles) and a

face shield.

Skin protection

Respiratory protection

Hand protection Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other Applicable for industrial settings only. Wear appropriate chemical resistant clothing.

Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory

equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Liquid. Physical state Gel. / Cream. **Form** Color Not available. Odor Characteristic. **Odor threshold** Not available. 8.3 - 8.7 Ha Melting point/freezing point Not available. Initial boiling point and boiling > 212 °F (> 100 °C) range

Flash point > 212.0 °F (> 100.0 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies)

Not available. Solubility (water) Not available. Partition coefficient

(n-octanol/water) **Auto-ignition temperature**

Not available. **Decomposition temperature** Not available. Not available. **Viscosity**

Other information

Density 0.96 - 1.02 g/cm³ Not explosive. **Explosive properties Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with Conditions to avoid

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye damage.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

27200 mg/kg bw

vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results	
MATRIX COLOR SYNC A	CIDIC OPAL TONERS - GROUP 10		
<u>Acute</u>			
Dermal			
ATEmix		781300 mg/kg	
Oral			
ATEmix		29240 mg/kg	
Components	Species	Test Results	
GLYCERIN (CAS 56-81-5)			
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 18700 mg/kg bw	
Inhalation			
LC50	Rat	> 570 mg/L air, 1 h	
Oral			

Rat

SDS US

LD50

 Components
 Species
 Test Results

 LAURETH-12 (CAS 68439-50-9)
 Acute

 Dermal
 LD50
 Rabbit
 > 2000 mg/kg, 24 Hours

 Rat
 > 2000 mg/kg OECD 402

Inhalation Aerosol

LC50 Rat > 1.6 mg/l, 4 h OECD 403

Oral

LD50 Rat > 1000 mg/kg

LAURETH-2 (CAS 68439-50-9)

Acute Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat > 2000 mg/kg OECD 401

PEG-4 RAPESEEDAMIDE (CAS 85536-23-8)

Acute Dermal

LD50 Rat > 2000 mg/kg OECD 402

Inhalation

LC50 Rat 6 mg/L air, 4 h OECD 436

Oral

LD50 Rat > 2000 mg/kg OECD 401

Skin corrosion/irritationDue to partial or complete lack of data the classification is not possible. No adverse effects due to

skin contact are expected.

Irritation Corrosion - Skin

PEG-4 RAPESEEDAMIDE OECD 404

Result: Irritating Species: Rabbit

LAURETH-12 OECD 404

Result: Not Irritating Species: Rabbit

LAURETH-2 OECD 404

Result: Not Irritating Species: Rabbit

GLYCERIN Result: Not Irritating

Species: Rabbit

Serious eye damage/eye Causes serious eye damage.

irritation

Irritation Corrosion - Eye

LAURETH-12 OECD 405

Result: Corrosive Species: Rabbit

LAURETH-2 OECD 405

Result: Severely Irritating Species: Rabbit

PEG-4 RAPESEEDAMIDE OECD 405

Result: Slightly Irritating

Species: Rabbit Result: Not Irritating

Species: Rabbit

Respiratory or skin sensitization

GLYCERIN

Respiratory sensitizationDue to partial or complete lack of data the classification is not possible. **Skin sensitization**Due to partial or complete lack of data the classification is not possible.

Skin sensitization

GLYCERIN 167 mg/m3 air OECD 413, Inhalation

Result: NOAEL Species: Rat Test Duration: 90 d

LAURETH-12 OECD 406

Result: Not Sensitizing Species: Guinea pig

LAURETH-2 OECD 406

Result: Not Sensitizing Species: Guinea pig

PEG-4 RAPESEEDAMIDE OECD 406

Result: Not Sensitizing Species: Guinea pig

GLYCERIN Result: Not Sensitizing

Species: Guinea pig

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Mutagenicity

GLYCERIN Result: In vitro and in vivo tests did not show mutagenic

effects.

LAURETH-12 Result: In vitro and in vivo tests did not show mutagenic

effects.

LAURETH-2 Result: In vitro and in vivo tests did not show mutagenic

effects.

PEG-4 RAPESEEDAMIDE Result: In vitro and in vivo tests did not show mutagenic

effects.

Carcinogenicity Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the

classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityDue to partial or complete lack of data the classification is not possible.

Developmental effects

LAURETH-12 >= 250 mg/kg bw/d OECD 416

Result: NOAEL Species: Rat

GLYCERIN 1310 mg/kg bw/d, No effects on development

Result: NOAEL Species: Rat

PEG-4 RAPESEEDAMIDE 500 mg/kg bw/d OECD 421, No effects on development

Result: NOEL Species: Rat

Reproductivity

LAURETH-12 >= 250 mg/kg bw/d OECD 416

Result: NŎAĔL Species: Rat

LAURETH-2 1000 mg/kg bw/d OECD 421

Result: NOAEL Species: Rat

GLYCERIN 2000 mg/kg bw/d, No effects on fertility

Result: NOAEL

Species: Rat

PEG-4 RAPESEEDAMIDE 500 mg/kg bw/d OECD 421, No effects on fertility

Result: NOEL Species: Rat

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - Due to partial or complete lack of data the classification is not possible.

repeated exposure

SDS US

Specific target organ toxicity repeated exposure

LAURETH-12 >= 500 mg/kg bw/d OECD 408

Result: NOAEL Species: Rat Test Duration: 90 d

100 mg/kg bw/d OECD 407, Based on test data for structurally LAURETH-2

similar materials. Result: NOAEL Species: Rat Test Duration: 28 d

PEG-4 RAPESEEDAMIDE 150 mg/kg bw/d OECD 407, Oral

Result: NOAEL Species: Rat

8000 mg/kg bw/d, Oral **GLYCERIN**

Result: NOAEL Species: Rat Test Duration: 2 yr

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

The reference to any animal testing for individual constituents mentioned in this document is **Further information**

based on public, third-party data.

12. Ecological information

The product is not classified as environmentally hazardous. However, this does not exclude the **Ecotoxicity**

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
GLYCERIN (CAS 56-8	1-5)		
Aquatic			
Acute			
Algae	EC0	Scenedesmus quadricauda	> 10000 mg/l, 192 h
Crustacea	EC50	Daphnia magna	1955 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	54000 mg/l, 96 h
Other	NOEC	Pseudomonas putida	> 10000 mg/l, 16 h
_AURETH-12 (CAS 68	3439-50-9)		
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	0.29 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.53 mg/l, 48 h
Fish	LC50	Danio rerio	1.2 mg/l, 96 h EU C.1
Other	EC50	Pseudomonas putida	> 10000 mg/l, 16.9 h DIN 38412, 8
Chronic			
Crustacea	NOEC	Daphnia magna	0.77 mg/l, 21 d
_AURETH-2 (CAS 684	139-50-9)		
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	0.32 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.53 mg/l, 48 h
Fish	LC50	Leuciscus idus	2.1 mg/l, 48 h OECD 203
Other	EC50	Pseudomonas putida	> 10000 mg/l, 30 min OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	0.77 mg/l, 21 d
Fish	NOEC	Lepomis macrochirus	0.16 mg/l, 10 d

Material name: MATRIX COLOR SYNC ACIDIC OPAL TONERS - GROUP 10

SDS US 42837 Version #: 01 Issue date: 11-17-2020

Components **Test Results Species**

PEG-4 RAPESEEDAMIDE (CAS 85536-23-8)

Aquatic

Acute

EC50 Algae Desmodesmus subspicatus 410 mg/l, 72 h OECD 201 Crustacea EC50 Daphnia magna 3.8 mg/l, 48 h OECD 202 Fish LC50 Oncorhynchus mykiss 2.9 mg/l, 96 h OECD 203 Other EC50 Activated sludge of a predominantly > 1000 mg/l, 3 h OECD 209

domestic sewage

Chronic

NOEC Crustacea Daphnia magna 0.39 mg/l, 21 d OECD 211

Persistence and degradability

LAURETH-12

Biodegradability

Percent degradation (Aerobic biodegradation)

GLYCERIN OFCD 301

Result: Readily Biodegradable

95 % OECD 301 F

Result: Readily Biodegradable Test Duration: 28 d

78 - 79 % OECD 301 D

I AURFTH-2

Result: Readily Biodegradable

Test Duration: 28 d 96 % OECD 203

Result: Readily Biodegradable

Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

-1.76 **GLYCERIN**

LAURETH-12 6.1 OECD 117

PEG-4 RAPESEEDAMIDE

No data available. Mobility in soil

PEG-4 RAPESEEDAMIDE

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

Dispose in accordance with all applicable regulations.

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Since emptied containers may retain product residue, follow label warnings even after container is Contaminated packaging

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

ΙΔΤΔ

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No (Exempt)

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

GLYCERIN (CAS 56-81-5)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace Other Flavoring Substances with OSHA PEL's

16. Other information, including date of preparation or last revision

Issue date 11-17-2020

Version # 01

NFPA ratings Health: 3

> Flammability: 1 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge.

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: MATRIX COLOR SYNC ACIDIC OPAL TONERS - GROUP 10

SDS US 42837 Version #: 01 Issue date: 11-17-2020