

SAFETY DATA SHEET

1. Identification

Product identifier MATRIX COLOR SYNC ACIDIC BRONDE TONERS - GROUP 6

Other means of identification

SDS number 00-21-0000402

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 1
Sensitization, skin Category 1A

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May cause an allergic skin reaction. Causes serious eye damage.

Precautionary statement

Prevention Contaminated work clothing must not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
LAURETH-2		68439-50-9	8
PEG-4 RAPESEEDAMIDE		85536-23-8	7.39
GLYCERIN		56-81-5	3
LAURETH-12		68439-50-9	3
TOLUENE-2,5-DIAMINE		95-70-5	< 0.2

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Do not get this material in contact with eyes. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m ³	Respirable fraction.
		15 mg/m ³	Total dust.

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
TOLUENE-2,5-DIAMINE (CAS 95-70-5)	TWA	0.025 mg/m ³
		0.005 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US WEEL Guides: Skin designation

TOLUENE-2,5-DIAMINE (CAS 95-70-5) Can be absorbed through the skin.

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Wear safety glasses with side shields (or goggles) and a face shield. Face shield is recommended.

Skin protection

Hand protection Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state Liquid.

Form Gel. / Cream.

Color Not available.

Odor Characteristic.

Odor threshold Not available.

pH 8.3 - 8.7

Melting point/freezing point Not available.

Initial boiling point and boiling range > 212 °F (> 100 °C)

Flash point	> 199.9 °F (> 93.3 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.96 - 1.02 g/cm ³
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
MATRIX COLOR SYNC ACIDIC BRONDE TONERS - GROUP 6		
<u>Acute</u>		
Dermal		
ATEmix		465100 mg/kg

Product	Species	Test Results
Oral ATEmix		28930 mg/kg
Components	Species	Test Results
GLYCERIN (CAS 56-81-5)		
Acute		
Dermal		
LD50	Rabbit	> 18700 mg/kg bw
Inhalation		
LC50	Rat	> 570 mg/L air, 1 h
Oral		
LD50	Rat	27200 mg/kg bw
LAURETH-12 (CAS 68439-50-9)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg, 24 Hours
	Rat	> 2000 mg/kg OECD 402
Inhalation		
<i>Aerosol</i>		
LC50	Rat	> 1.6 mg/l, 4 h OECD 403
Oral		
LD50	Rat	> 1000 mg/kg
LAURETH-2 (CAS 68439-50-9)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg
Oral		
LD50	Rat	> 2000 mg/kg OECD 401
PEG-4 RAPESEEDAMIDE (CAS 85536-23-8)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg OECD 402
Inhalation		
LC50	Rat	6 mg/L air, 4 h OECD 436
Oral		
LD50	Rat	> 2000 mg/kg OECD 401
TOLUENE-2,5-DIAMINE (CAS 95-70-5)		
Oral		
LD50	Rat	102 mg/kg OECD 401
Acute		
Dermal		
LD50	Rabbit	3520 mg/kg
Inhalation		
<i>Dust</i>		
LC50	Rat	0.99 mg/l, 4 h
Skin corrosion/irritation	No adverse effects due to skin contact are expected.	
Irritation Corrosion - Skin		
PEG-4 RAPESEEDAMIDE	OECD 404 Result: Irritating Species: Rabbit	

Irritation Corrosion - Skin

LAURETH-12

OECD 404
Result: Not Irritating
Species: Rabbit

LAURETH-2

OECD 404
Result: Not Irritating
Species: Rabbit

TOLUENE-2,5-DIAMINE

OECD 439
Result: Not Irritating
Species: In vitro

GLYCERIN

Result: Not Irritating
Species: Rabbit**Serious eye damage/eye irritation**

Causes serious eye damage.

Irritation Corrosion - Eye

LAURETH-12

OECD 405
Result: Corrosive
Species: Rabbit

TOLUENE-2,5-DIAMINE

OECD 405
Result: Corrosive
Species: Rabbit

LAURETH-2

OECD 405
Result: Severely Irritating
Species: Rabbit

PEG-4 RAPESEEDAMIDE

OECD 405
Result: Slightly Irritating
Species: Rabbit

GLYCERIN

Result: Not Irritating
Species: Rabbit**Respiratory or skin sensitization****Respiratory sensitization**

Not a respiratory sensitizer.

Skin sensitization

May cause an allergic skin reaction.

Skin sensitization

GLYCERIN

167 mg/m³ air OECD 413, Inhalation
Result: NOAEL
Species: Rat
Test Duration: 90 d

LAURETH-12

OECD 406
Result: Not Sensitizing
Species: Guinea pig

LAURETH-2

OECD 406
Result: Not Sensitizing
Species: Guinea pig

PEG-4 RAPESEEDAMIDE

OECD 406
Result: Not Sensitizing
Species: Guinea pig

TOLUENE-2,5-DIAMINE

OECD 429
Result: Sensitizing
Species: Mouse

GLYCERIN

Result: Not Sensitizing
Species: Guinea pig**Germ cell mutagenicity**

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

GLYCERIN

Result: In vitro and in vivo tests did not show mutagenic effects.

LAURETH-12

Result: In vitro and in vivo tests did not show mutagenic effects.

LAURETH-2

Result: In vitro and in vivo tests did not show mutagenic effects.

PEG-4 RAPESEEDAMIDE

Result: In vitro and in vivo tests did not show mutagenic effects.

TOLUENE-2,5-DIAMINE

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

Carcinogenicity

Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

TOLUENE-2,5-DIAMINE (CAS 95-70-5)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.**Developmental effects**

LAURETH-12

>= 250 mg/kg bw/d OECD 416

Result: NOAEL

Species: Rat

GLYCERIN

1310 mg/kg bw/d, No effects on development

Result: NOAEL

Species: Rat

TOLUENE-2,5-DIAMINE

50 mg/kg bw/d OECD 414, Based on test data for structurally similar materials.

Result: NOAEL

Species: Rat

PEG-4 RAPESEEDAMIDE

500 mg/kg bw/d OECD 421, No effects on development

Result: NOEL

Species: Rat

Reproductivity

LAURETH-12

>= 250 mg/kg bw/d OECD 416

Result: NOAEL

Species: Rat

TOLUENE-2,5-DIAMINE

>= 45 mg/kg bw/d OECD 416, Based on test data for structurally similar materials.

Result: NOAEL

Species: Rat

LAURETH-2

1000 mg/kg bw/d OECD 421

Result: NOAEL

Species: Rat

GLYCERIN

2000 mg/kg bw/d, No effects on fertility

Result: NOAEL

Species: Rat

PEG-4 RAPESEEDAMIDE

500 mg/kg bw/d OECD 421, No effects on fertility

Result: NOEL

Species: Rat

Specific target organ toxicity - single exposure Not classified.**Specific target organ toxicity - repeated exposure** Not classified.

LAURETH-12

>= 500 mg/kg bw/d OECD 408

Result: NOAEL

Species: Rat

Test Duration: 90 d

TOLUENE-2,5-DIAMINE

10 mg/kg bw/d OECD 408, Oral

Result: NOEAL

Species: Rat

Test Duration: 90 d

LAURETH-2

100 mg/kg bw/d OECD 407, Based on test data for structurally similar materials.

Result: NOAEL

Species: Rat

Test Duration: 28 d

PEG-4 RAPESEEDAMIDE

150 mg/kg bw/d OECD 407, Oral

Result: NOAEL

Species: Rat

GLYCERIN

8000 mg/kg bw/d, Oral

Result: NOAEL

Species: Rat

Test Duration: 2 yr

Aspiration hazard Not an aspiration hazard.**Further information** May cause allergic respiratory and skin reactions. The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
GLYCERIN (CAS 56-81-5)			
Aquatic			
<i>Acute</i>			
Algae	EC0	Scenedesmus quadricauda	> 10000 mg/l, 192 h
Crustacea	EC50	Daphnia magna	1955 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	54000 mg/l, 96 h
Other	NOEC	Pseudomonas putida	> 10000 mg/l, 16 h
LAURETH-12 (CAS 68439-50-9)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	0.29 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.53 mg/l, 48 h
Fish	LC50	Danio rerio	1.2 mg/l, 96 h EU C.1
Other	EC50	Pseudomonas putida	> 10000 mg/l, 16.9 h DIN 38412, 8
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.77 mg/l, 21 d
LAURETH-2 (CAS 68439-50-9)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	0.32 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.53 mg/l, 48 h
Fish	LC50	Leuciscus idus	2.1 mg/l, 48 h OECD 203
Other	EC50	Pseudomonas putida	> 10000 mg/l, 30 min OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.77 mg/l, 21 d
Fish	NOEC	Lepomis macrochirus	0.16 mg/l, 10 d
PEG-4 RAPESEEDAMIDE (CAS 85536-23-8)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	410 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	3.8 mg/l, 48 h OECD 202
Fish	LC50	Oncorhynchus mykiss	2.9 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.39 mg/l, 21 d OECD 211
TOLUENE-2,5-DIAMINE (CAS 95-70-5)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	1.02 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.491 mg/l, 48 h OECD 202
Fish	LC50	Oryzias latipes	0.05 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	3.75 mg/l, 3 h OECD 209
<i>Chronic</i>			
Algae	NOEC	Pseudokirchneriella subcapitata	0.11 mg/l, 72 h OECD 201

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

GLYCERIN	OECD 301 Result: Readily Biodegradable
LAURETH-12	95 % OECD 301 F Result: Readily Biodegradable Test Duration: 28 d
LAURETH-2	78 - 79 % OECD 301 D Result: Readily Biodegradable Test Duration: 28 d
PEG-4 RAPESEEDAMIDE	96 % OECD 203 Result: Readily Biodegradable Test Duration: 28 d
TOLUENE-2,5-DIAMINE	17 % OECD 301 D Result: Not Readily Biodegradable Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

GLYCERIN	-1.76
LAURETH-12	6.1 OECD 117
PEG-4 RAPESEEDAMIDE	5
TOLUENE-2,5-DIAMINE	-0.321 OECD 107

Bioaccumulation

TOLUENE-2,5-DIAMINE	Result: Bioaccumulation is unlikely.
---------------------	--------------------------------------

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

TOLUENE-2,5-DIAMINE (CAS 95-70-5) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No (Exempt)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
TOLUENE-2,5-DIAMINE	95-70-5	< 0.2

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

GLYCERIN (CAS 56-81-5) Other Flavoring Substances with OSHA PEL's

16. Other information, including date of preparation or last revision

Issue date 12-02-2021
Version # 01
NFPA ratings Health: 3
Flammability: 1
Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.