

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

SECTION 1. IDENTIFICATION

Product name : MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Manufacturer or supplier's details

Address : L'Oreal USA Products, Inc
133, Terminal Avenue
Clark, NJ 07066
USA

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

Emergency telephone

INFOTRAC : 1-800-535-5053 (International: +1 352-323-3500) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)


Skin irritation : Category 2
Serious eye damage : Category 1
Skin sensitization : Category 1
Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS label elements

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.

Precautionary Statements : P102 Keep out of reach of children.
P103 Read label before use.

Prevention:

P261 Avoid breathing mist or vapors.
P264 Wash skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute toxicity: 5.5 %

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|--|--------------|-----------------------|
| ETHANOLAMINE | 141-43-5 | $\geq 5 - < 10$ |
| 1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE | 155601-30-2 | $\geq 1 - < 5$ |
| HYDROXYBENZOMORPHOLINE | 26021-57-8 | $\geq 1 - < 5$ |
| 4-AMINO-2-HYDROXYTOLUENE | 2835-95-2 | $\geq 1 - < 5$ |
| 2,4-DIAMINOPHENOXYETHANOL HCL | 66422-95-5 | $\geq 1 - < 5$ |
| m-AMINOPHENOL | 591-27-5 | $\geq 1 - < 5$ |
| HYDROXYETHOXY AMINOPYRAZOLOPYRIDINE HCL | 1079221-49-0 | $\geq 1 - < 5$ |
| TOLUENE-2,5-DIAMINE | 95-70-5 | $\geq 0.1 - < 1$ |
| HYDROXYETHYL-3,4- METHYLENEDIOXYANILINE HCL | 94158-14-2 | $\geq 0.1 - < 1$ |
| N,N-BIS(2-HYDROXYETHYL)-p- PHENYLENEDIAMINE SULFATE | 54381-16-7 | $\geq 0.1 - < 1$ |
| p-AMINOPHENOL | 123-30-8 | $\geq 0.1 - < 1$ |
| 6-HYDROXYINDOLE | 2380-86-1 | $\geq 0.1 - < 1$ |

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Consult a physician.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty
of water and seek medical advice.
Remove contact lenses.
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.
Induce vomiting immediately and call a physician.
If symptoms persist, call a physician.
- Most important symptoms
and effects, both acute and : Causes skin irritation.
May cause an allergic skin reaction.

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

| | | | |
|---------|----------------|------------------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 03/29/2024 |
| 1.1 | 04/16/2024 | 00-21- 410000001508 | Date of first issue: 03/29/2024 |

delayed : Causes serious eye damage.
May cause respiratory irritation.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.
Standard procedure for chemical fires.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid contact with eyes.
Avoid formation of aerosol.
Avoid exposure - obtain special instructions before use.
For personal protection see section 8.

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Provide sufficient air exchange and/or exhaust in work rooms. Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|---------------------|----------|-------------------------------|--|-----------|
| ETHANOLAMINE | 141-43-5 | TWA | 3 ppm | ACGIH |
| | | STEL | 6 ppm | ACGIH |
| | | TWA | 3 ppm 8 mg/m ³ | NIOSH REL |
| | | ST | 6 ppm 15 mg/m ³ | NIOSH REL |
| | | TWA | 3 ppm 6 mg/m ³ | OSHA Z-1 |
| TOLUENE-2,5-DIAMINE | 95-70-5 | TWA | 0.005 ppm | US WEEL |

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only.
Tightly fitting safety goggles

Skin and body protection : Applicable for industrial settings only.
Work uniform or laboratory coat.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Physical state : liquid

Form : cream

Color : No data available

Odor : characteristic

pH : 9.5 - 10.5

Melting point/freezing point : No data available

Boiling point/boiling range : Not available

Flash point : > 199 °F / > 93 °C
Method: ISO 3679

Fire Point : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 0.957 - 0.963 (68 °F / 20 °C)

Solubility(ies)
Water solubility : partly soluble

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : Not applicable

Viscosity
Viscosity, kinematic : No data available

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Dust explosion class : Not applicable

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Not applicable

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: 3,575 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 34.69 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

ETHANOLAMINE:

Acute oral toxicity : LD50 (Rat, male and female): 1,089 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): 520 ppm
Exposure time: 6 h
Test atmosphere: vapor

Acute dermal toxicity : LD50 (Rabbit, male and female): 2,504 mg/kg

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Method: OECD Test Guideline 402

1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE:

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): > 5.24 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

HYDROXYBENZOMORPHOLINE:

Acute oral toxicity : LD50 (Rat, male and female): > 1,000 mg/kg
Method: OECD Test Guideline 401

4-AMINO-2-HYDROXYTOLUENE:

Acute oral toxicity : LD50 (Rat, male and female): 3,600 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 42.57 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): 5,688 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

2,4-DIAMINOPHENOXYETHANOL HCL:

Acute oral toxicity : LD50 (Rat, male and female): 1,000 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): >= 45,450 mg/kg

m-AMINOPHENOL:

Acute oral toxicity : LD50 (Rat, male and female): > 500 - 2,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 1.162 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 8,112 mg/kg

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Assessment: The substance or mixture has no acute dermal toxicity

HYDROXYETHOXY AMINOPYRAZOLOPYRIDINE HCL:

Acute oral toxicity : LD0 (Rat, female): 500 mg/kg
Method: OECD Test Guideline 420
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute dermal toxicity : LD0 (Rat, female): 500 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

TOLUENE-2,5-DIAMINE:

Acute oral toxicity : LD50 (Rat, male and female): 102 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50: 0.99 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50: 3,520 mg/kg

HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL:

Acute oral toxicity : LD50 (Rat, male and female): 1,550 mg/kg
Method: OECD Test Guideline 401

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE:

Acute oral toxicity : LD50 (Rat, male): 246 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male and female): 0.90 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50: 428 mg/kg

p-AMINOPHENOL:

Acute oral toxicity : LD50 (Rat, male and female): 671 mg/kg
Method: OPPTS 870.1100

Acute inhalation toxicity : LC50 (Rat, male and female): > 3.42 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Acute dermal toxicity : LD50 (Rabbit): > 8,000 mg/kg
Method: OPPTS 870.1200

6-HYDROXYINDOLE:

Acute oral toxicity : (Rat, male and female): 600 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LD50 (Rat, male and female): > 2 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks : May cause skin irritation in susceptible persons.

Components:

ETHANOLAMINE:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Corrosive after 3 minutes to 1 hour of exposure

1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE:

Species : Rabbit
Result : No skin irritation

HYDROXYBENZOMORPHOLINE:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

4-AMINO-2-HYDROXYTOLUENE:

Species : human skin
Method : OECD Test Guideline 431
Result : No skin irritation

2,4-DIAMINOPHENOXYETHANOL HCL:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

m-AMINOPHENOL:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

HYDROXYETHOXY AMINOPYRAZOLOPYRIDINE HCL:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439
Result : No skin irritation

TOLUENE-2,5-DIAMINE:

Species : Rat
Method : OECD Test Guideline 430
Result : No skin irritation

HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439
Result : No skin irritation

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE:

Species : Rabbit
Result : No skin irritation

p-AMINOPHENOL:

Species : Rabbit
Result : No skin irritation

6-HYDROXYINDOLE:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Components:

ETHANOLAMINE:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE:

Species : Rabbit
Result : Irreversible effects on the eye

HYDROXYBENZOMORPHOLINE:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

4-AMINO-2-HYDROXYTOLUENE:

Species : Non-standard test species
Result : No eye irritation
Method : OECD Test Guideline 438

2,4-DIAMINOPHENOXYETHANOL HCL:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

m-AMINOPHENOL:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

HYDROXYETHOXY AMINOPYRAZOLOPYRIDINE HCL:

Result : Eye irritation

TOLUENE-2,5-DIAMINE:

Species : Rabbit
Result : Eye irritation
Method : OECD Test Guideline 405

HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL:

Result : Eye irritation
Method : OECD Test Guideline 492

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE:

Species : Rabbit
Result : Eye irritation

p-AMINOPHENOL:

Species : Rabbit
Result : No eye irritation

6-HYDROXYINDOLE:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Product:

Remarks : May cause sensitization.

Components:

ETHANOLAMINE:

Routes of exposure : Skin contact
Species : Guinea pig
Result : Does not cause skin sensitization.

1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE:

Routes of exposure : Skin contact
Species : Guinea pig
Result : May cause sensitization by skin contact.

HYDROXYBENZOMORPHOLINE:

Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

4-AMINO-2-HYDROXYTOLUENE:

Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 429

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Result : The product is a skin sensitizer, sub-category 1A.

2,4-DIAMINOPHENOXYETHANOL HCL:

Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : The product is a skin sensitizer, sub-category 1B.

m-AMINOPHENOL:

Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : The product is a skin sensitizer, sub-category 1A.

HYDROXYETHOXY AMINOPYRAZOLOPYRIDINE HCL:

Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : The product is a skin sensitizer, sub-category 1B.

TOLUENE-2,5-DIAMINE:

Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : The product is a skin sensitizer, sub-category 1A.

HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL:

Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : The product is a skin sensitizer, sub-category 1A.

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE:

Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : The product is a skin sensitizer, sub-category 1A.

p-AMINOPHENOL:

Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : May cause sensitization by skin contact.

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

6-HYDROXYINDOLE:

Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : The product is a skin sensitizer, sub-category 1A.

Germ cell mutagenicity

Not classified based on available information.

Components:

HYDROXYETHOXY AMINOPYRAZOLOPYRIDINE HCL:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

p-AMINOPHENOL:

Germ cell mutagenicity - Assessment : In vitro tests showed mutagenic effects which were not observed with in vivo test.

Carcinogenicity

Not classified based on available information.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

HYDROXYETHOXY AMINOPYRAZOLOPYRIDINE HCL:

Effects on fetal development : Species: Rat
Developmental Toxicity: 30
Method: OECD Test Guideline 414

p-AMINOPHENOL:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

STOT-single exposure

May cause respiratory irritation.

Components:

ETHANOLAMINE:

Assessment : May cause respiratory irritation.

STOT-repeated exposure

Not classified based on available information.

Components:

m-AMINOPHENOL:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL:

Routes of exposure : Ingestion
Target Organs : Liver
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

p-AMINOPHENOL:

Routes of exposure : Ingestion
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

m-AMINOPHENOL:

Species : Rat, male and female
NOAEL : 70 mg/kg
Application Route : Oral
Exposure time : 13 Weeks

Species : Rat, male and female
NOAEL : 0.59 mg/kg
Application Route : Dermal
Exposure time : 2 yr

HYDROXYETHOXY AMINOPYRAZOLOPYRIDINE HCL:

Species : Rat, male and female
NOAEL : 30 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Method : OECD Test Guideline 408

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

TOLUENE-2,5-DIAMINE:

Species : Rat, male and female
NOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 91 Days
Method : OECD Test Guideline 408
Target Organs : Skeletal muscle
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL:

Species : Rat, male and female
NOAEL : 20 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Method : OECD Test Guideline 408

p-AMINOPHENOL:

Species : Rat, male and female
NOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Method : OECD Test Guideline 408

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

ETHANOLAMINE:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 349 mg/l

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 27.04 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 2.8 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 1.24 mg/l
Exposure time: 41 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.85 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 202

1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 86.23 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 11.12 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 62.57 mg/l
Exposure time: 72 h

Toxicity to microorganisms : IC50 (activated sludge): 528 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

HYDROXYBENZOMORPHOLINE:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 5.42 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.57 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 8.09 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOELR (Pseudokirchneriella subcapitata (green algae)): 1.66 mg/l

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10 (activated sludge): 3.7 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

4-AMINO-2-HYDROXYTOLUENE:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 25 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.3 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 41 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.24 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

2,4-DIAMINOPHENOXYETHANOL HCL:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 400 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.49 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 37.4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOELR (Pseudokirchneriella subcapitata (green algae)): 11.4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.43 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

m-AMINOPHENOL:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

- Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.267 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 67.7 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- EC10 (Pseudokirchneriella subcapitata (green algae)): 37.8 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 50 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 204
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.05 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 202
- Toxicity to microorganisms : EC10 (activated sludge): 406.4 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Ecotoxicology Assessment

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

HYDROXYETHOXY AMINOPYRAZOLOPYRIDINE HCL:

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.8 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 12 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- NOELR (Pseudokirchneriella subcapitata (green algae)): 0.38 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to microorganisms : IC50 (activated sludge): 189 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

TOLUENE-2,5-DIAMINE:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 0.191 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.491 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 2.03 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.11 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 106 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.67 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 17.9 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOELR (Desmodesmus subspicatus (green algae)): 12.5 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 235 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.381 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.338 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Method: OECD Test Guideline 201

EC10 (Pseudokirchneriella subcapitata (green algae)): 0.272 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.674 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

p-AMINOPHENOL:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 0.82 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.182 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 0.253 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOELR (Pseudokirchneriella subcapitata (green algae)): 0.083 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.049 mg/l
Exposure time: 41 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.206 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 202

6-HYDROXYINDOLE:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 21.7 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.74 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 1.38 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Method: OECD Test Guideline 201

Persistence and degradability

Components:

ETHANOLAMINE:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 90 %
Exposure time: 21 d
Method: OECD Test Guideline 301A

1-HYDROXYETHYL 4,5-DIAMINO PYRAZOLE SULFATE:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 33.3 %
Exposure time: 28 d

HYDROXYBENZOMORPHOLINE:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 11 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

4-AMINO-2-HYDROXYTOLUENE:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: < 0.01 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

2,4-DIAMINOPHENOXYETHANOL HCL:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: < 1 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

m-AMINOPHENOL:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

HYDROXYETHOXY AMINOPYRAZOLOPYRIDINE HCL:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 19.2 %
Exposure time: 28 d

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Method: OECD Test Guideline 301B

TOLUENE-2,5-DIAMINE:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 17 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE HCL:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

N,N-BIS(2-HYDROXYETHYL)-p-PHENYLENEDIAMINE SULFATE:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 14.3 %
Exposure time: 29 d
Method: OECD Test Guideline 301B

p-AMINOPHENOL:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 6 %
Exposure time: 28 d
Method: OECD Test Guideline 301C

6-HYDROXYINDOLE:

Biodegradability : Result: Inherently biodegradable.
Biodegradation: 38.47 %
Exposure time: 42 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

ETHANOLAMINE:

Bioaccumulation : Bioconcentration factor (BCF): 2.50

HYDROXYBENZOMORPHOLINE:

Partition coefficient: n-octanol/water : log Pow: 0.219
pH: 7.45
Method: OECD Test Guideline 117

4-AMINO-2-HYDROXYTOLUENE:

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

Partition coefficient: n-octanol/water : log Pow: 0.53
pH: 7.22
Method: OECD Test Guideline 117

m-AMINOPHENOL:

Bioaccumulation : Bioconcentration factor (BCF): 4

HYDROXYETHOXY AMINOPYRAZOLOPYRIDINE HCL:

Partition coefficient: n-octanol/water : log Pow: -3.1
Method: OECD Test Guideline 117

Mobility in soil

No data available

Other adverse effects

Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Send to a licensed waste management company.

Contaminated packaging : Dispose of as unused product.
Do not reuse empty containers.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

Not regulated as a dangerous good

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

| | | | |
|---------|----------------|------------------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 03/29/2024 |
| 1.1 | 04/16/2024 | 00-21- 410000001508 | Date of first issue: 03/29/2024 |

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization
Serious eye damage or eye irritation
Specific target organ toxicity (single or repeated exposure)
Skin corrosion or irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6


Version 1.1 Revision Date: 04/16/2024 SDS Number: 00-21-410000001508 Date of last issue: 03/29/2024
Date of first issue: 03/29/2024

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).
This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits
OSHA Z-1 : USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA : 8-hour, time-weighted average
ACGIH / STEL : Short-term exposure limit
NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
NIOSH REL / ST : STEL - 15-minute TWA exposure that should not be exceeded at any time during a workday
OSHA Z-1 / TWA : 8-hour time weighted average
US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely

SAFETY DATA SHEET

MATRIX SUPER SYNC PRE-BONDED NO AMMONIA GLOSSING ALKALINE DEMI COLORATION GLOSS - GROUP 6

| | | | |
|---------|----------------|------------------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 03/29/2024 |
| 1.1 | 04/16/2024 | 00-21- 410000001508 | Date of first issue: 03/29/2024 |

Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 04/16/2024

US / EN