according to Regulation (EC) No 1907/2006

Trade name: Broad Spectrum Chelating Treatment

Product No: 98AV-068 Print date: 2022-03-14
Version: 1.0 / EN Revision date: 2022-03-14

**SECTION 1: Identification** 

Product identifier: Olaplex Broad Spectrum Chelating Treatment

**Application of the substance:** Professional Care Product

Product details: Conditioner

Manufacturer:

Name: Lifetech Resources

Address: 700 Science Drive.
Moorpark, CA 93021

Telephone Number: 805.944.1199

## **SECTION 2: Hazards identification**

**OSHA/HCS Status:** "Consumer Products", as defined by the US Consumer Product Safety Act and which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200).

This SDS is being provided for safe handling of large quantities of the product.

This product is classified under 29CFR 1910.1200(d). This product is not classified according to CLP regulation.

As the Consumer follows the direction of use for this product, the material contained in this product is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### GHS Label elements, including precautionary statements

The product does not require a hazard warning label in accordance with GHS criteria.

Hazard pictograms: None

Signal word: None

**Hazard statements: None** 

**Precautionary statements: None** 

## **SECTION 3: Composition/information on ingredients**

Chemical nature: Solution

Hazardous ingredients: N/A

**Additional information:** There are no additional ingredients present which, within the current

knowledge of the supplier and in the concentrations applicable, are classified

as hazardous to health or the environment and hence reporting in this

section.

#### **SECTION 4: First aid measures**

#### **Description of first aid measures**

**General information:** Check vital functions. Prevent cooling by covering the victim. Keep watching

victim. Give physiological aid. Keep victim calm, avoid physical strain. Never

give alcohol to drink.

Following inhalation: If inhaled, remove to fresh air. Get medical attention if symptoms occur.

Page 1 of 8

#### according to Regulation (EC) No 1907/2006

Trade name: Broad Spectrum Chelating Treatment

 Product No: 98AV-068
 Print date: 2022-03-14

 Version: 1.0 / EN
 Revision date: 2022-03-14

Following skin contact: In case of contact, immediately flush skin with plenty of water. Remove

contaminated clothing and shoes.

**Following eye contact:** Flush eyes with water as a precaution. Get medical attention if irritation

develops and persists.

Following ingestion: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms

occur. Rinse mouth thoroughly with water.

#### Most important symptoms and effects, both acute and delayed

## Potential acute health effects

Inhalation:No known effects of critical hazardsSkin contact:No known effects of critical hazardsEye contact:No known effects of critical hazardsIngestion:No known effects of critical hazards

#### Over exposure signs and symptoms

Inhalation:No known effects of critical hazardsSkin contact:No known effects of critical hazardsEye contact:No known effects of critical hazardsIngestion:No known effects of critical hazards

#### **SECTION 5: Firefighting measures**

#### **Extinguishing media**

Suitable extinguishing media: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media: None

Special hazards arising from the mixture: In a fire if heated, a pressure increase may occur and the container

may burst. Vapors may form explosive mixtures with air.

Hazardous combustion products: Carbon Oxides

**Protective equipment for fire fighters:** Fire fighters should wear appropriate protective equipment and self-

contained breathing apparatus (SCBA) with a full-face piece

operated in a positive pressure mode.

Flash point: > 100°C (Calculated)

•

#### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable

training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through the spilled material.

Put on appropriate personal protective equipment.

Protective equipment: None under normal use conditions

Emergency procedures: Keep upwind. Mark the area of release. Consider evacuation if necessary.

Wash any contaminated clothing.

#### according to Regulation (EC) No 1907/2006

Trade name: Broad Spectrum Chelating Treatment

 Product No: 98AV-068
 Print date: 2022-03-14

 Version: 1.0 / EN
 Revision date: 2022-03-14

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any

information in Section 8 on suitable and unsuitable materials. See also the

information in "For non-emergency personnel".

**Environmental precautions:** Avoid dispersal of spilled material and runoff and contact soil, waterways,

drains and sewers. Inform the relevant authorities if the product has caused

environmental pollution (sewers, waterways, soil, air).

Methods and material for containment and cleaning up

**Methods for containment:** Prevent product from entering drains. Prevent further leakage or spillage if

safe to do so.

**Methods for cleaning up:**Contain spillage, and then collect with non-combustible absorbent material,

(e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for

disposal according to local/national regulation.

**Additional information:** See Section 1 for contact information and Section 13 for waste disposal.

**SECTION 7: Handling and storage** 

Precautions for safe handling

Advice on safe handling: Keep container closed when not in use.

Conditions for safe storage, including any incompatibilities

Storage conditions: Keep container closed, dry and at a reasonable temperature.

Materials to avoid: None

Specific end uses: Personal Care/Cosmetics

**SECTION 8: Exposure controls/personal protection** 

**Control parameters** 

Occupational exposure limits:

N/A N/A N/A

Environmental exposure controls: Environmental guidelines are not relevant when product is used as intended

in a household setting.

Consumer exposure control: Exposure guidelines are not relevant when product is used as intended in a

household setting.

Personal protective equipment

Eye Protection:No special protective equipment requiredHand Protection:No special protective equipment requiredSkin and Body Protection:No special protective equipment requiredRespiratory Protection:No special protective equipment required

according to Regulation (EC) No 1907/2006

Trade name: Broad Spectrum Chelating Treatment

 Product No: 98AV-068
 Print date: 2022-03-14

 Version: 1.0 / EN
 Revision date: 2022-03-14

\_\_\_\_\_\_

# **SECTION 9: Physical and chemical properties**

Information on basic physical and chemical properties

Physical/Chemical Property	Value/Range	Remark			
Physical state @ 20°C					
Appearance	Hazy Semi-Viscous Liquid				
Color	Very Light Yellow				
Odor	Unfragranced				
рН	8.5-9.0				
Melting point/freezing point (°C)	N/A				
Boiling point/boiling range (°C)	N/A				
Flash point (°C)	> 100 (calculated)				
Evaporation rate	N/A				
Flammability (solid, gas)	N/A				
Flammability limits					
Upper flammability limits (%)	N/A				
Lower flammability limits (%)	N/A				
Vapor pressure (mmHG)	N/A				
Vapor density (Air)	N/A				
Relative density (SG)	1.00-1.03				
Solubility (H <sub>2</sub> O)	N/A				
Partition coefficient: n-octanol/water	N/A				
Auto-ignition temperature	N/A				
Decomposition temperature	N/A				
Viscosity					

# **SECTION 10: Stability and reactivity**

**Reactivity:** Not classified as a reactivity hazard.

**Chemical stability:** Stable under normal conditions.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not

occur.

Conditions to avoid: Heat, cold, direct sunlight

Incompatible materials: Oxidizing agents

Hazardous decomposition products: Carbon Dioxide, Carbon Monoxide

# **SECTION 11: Toxicological information**

## Information on toxicological effects

**Likely routes of exposure:** Skin and eye contact

**Acute toxicity** 

Classification: Not classified based on available information

Skin corrosion/irritation

**In-vitro skin test:** No information available.

Page 4 of 8

# according to Regulation (EC) No 1907/2006

Trade name: Broad Spectrum Chelating Treatment

Product No: 98AV-068 Print date: 2022-03-14 Version: 1.0 / EN Revision date: 2022-03-14

Classification: Not classified based on available information

Eye damage/irritation

In vitro eye test: No information available.

Not classified based on available information Classification:

Sensitization to the respiratory tract

Classification: Not classified based on available information

Skin sensitization

Classification: Not classified based on available information

**Germ cell mutagenicity** 

In vitro mutagenicity: No information available.

Classification: Not classified based on available information

Carcinogenicity

Classification: Not classified based on available information

Reproductive toxicity

Classification: Not classified based on available information

Specific target organ toxicity (single exposure)

Classification: Not classified based on available information

Specific target organ toxicity (repeated exposure)

Classification: Not classified based on available information

**Aspiration hazard** 

Classification: Not classified based on available information.

Symptoms related to the physical, chemical and toxicological characteristics:

Effects after ingestion: No Known Effects. Effects after skin contact: No Known Effects. No Known Effects. Effects after inhalation: Effects after eye contact: No Known Effects. No Known Effects. Chronic Symptoms:

**SECTION 12: Ecological information** 

**Toxicity** 

Classification: Not classified based on available information

Persistence and degradability

Classification: Not classified based on available information

Bio-accumulative potential

Classification: Not classified based on available information

Mobility in soil

Not classified based on available information Classification:

Page 5 of 8

#### according to Regulation (EC) No 1907/2006

Trade name: Broad Spectrum Chelating Treatment

 Product No: 98AV-068
 Print date: 2022-03-14

 Version: 1.0 / EN
 Revision date: 2022-03-14

# **SECTION 13: Disposal considerations**

## Waste treatment methods

**Product disposal:** Disposal of this product, solutions and any byproducts should at all times

comply with the requirements of the environmental protection and waste disposal legislation and any regional local authority. This material and its

container must be disposed of in a safe way.

Packaging: Waste packaging should be recycled. Empty containers or liners may retain

some product residues.

Waste treatment options: Waste should not be disposed of untreated to the sewer unless fully

compliant with the requirements of all authorities with jurisdiction.

Other disposal recommendations: Dispose of the surplus and non-recyclable products via a licensed waste

disposal contractor. Incineration or landfill should only be considered when

recycling is not feasible.

561

Additional information: The generation of waste should be avoided or minimized wherever possible.

Avoid dispersals of spilled material and runoff and contact with soil,

waterways, drains and sewers.

California Hazardous Waste Codes:

(Non-household setting)

,

# **SECTION 14: Transport information**

	DOT	IMDG	IATA-DGR
UN Number	Not Regulated	Not Regulated	Not Regulated
UN Proper Shipping name			
Transport hazard Class(es)			
Hazard label(s)			
Packing Group			
Environmental Hazards			
Additional Information			

Special precautions for user: None

## SECTION 15: Regulatory information

U.S. Federal regulations:

TSCA 8(d) H and S data reporting: Not applicable

SARA 302/304: Not applicable
SARA 311/312: Not applicable
SARA 313: Not applicable

according to Regulation (EC) No 1907/2006

Trade name: Broad Spectrum Chelating Treatment

Product No: 98AV-068 Print date: 2022-03-14 Version: 1.0 / EN Revision date: 2022-03-14

National regulations: No additional information available No additional information available EU regulations: Other EU regulations: No additional information available

VOC content (% by w/w): Not applicable **US State RTK regulations:** Not applicable California Proposition 65: Not applicable

## **SECTION 16: Other information**

# Classification for mixtures according to regulation (EC) 1207/2008

Risk phrases: None Safety phrases: None

## **Supplemental Hazard information:**

N/A


**Further information:** none Indication of changes: initial

# **Hazardous Materials Identification System** (HMIS)





**National Fire Protection Association** 



Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Blue: Health hazard Red: Fire hazard Yellow: Reactivity hazard White: Special hazard

#### Abbreviations and acronyms:

ADN =	European Agreement concerning the	IBC =	Intermediate Bulk Container
	International Carriage of Dangerous	ICAO =	International Civil Aviation Organization
	Goods by Waterway	IDLH =	Immediately Dangerous
ADR =	European Agreement concerning the	IMDG =	International Marine Dangerous Goods
	International Carriage of Dangerous	LogPow =	Logarithm of the Octanol/Water partition
	Goods by Road		coefficient
ATE =	Acute Toxicity Estimate	MARPOL 7	3/78 = International Convention or the
BCF =	Bio-concentration Factor		Prevention of Pollution from Ships
BEI =	Biological Exposure Limits	PEL =	Permissible Exposure Limits
DOT =	Department of Transportation	REL =	Recommended Exposure Limits
GHS =	Globally Harmonized System of	RID =	European Agreement concerning the
	Classification and Labeling of Chemicals		International Carriage of Dangerous
IATA =	International Air Transport Association		Goods by Rail

according to Regulation (EC) No 1907/2006

Trade name: Broad Spectrum Chelating Treatment

 Product No: 98AV-068
 Print date: 2022-03-14

 Version: 1.0 / EN
 Revision date: 2022-03-14

STEL = Short-Term Exposure Limits UN = United Nations

TLV = Threshold Limit Values
TWA = Time Weighted Average

#### Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or the completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

