$0.6 \cdot 1$

SAFETY DATA SHEET

Page 1 of 6

SDS-362 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 9/29/2016 1. PRODUCT & COMPANY IDENTIFICATION 1.1 Product Name: OPI ProSpa EXFOLIATING CUTICLE CREAM Botanical Mixture 1.2 Chemical Name: NA 1.3 Synonyms: ASE20 14 Trade Names: Product Use: Professional or Sundry Use Only 1.5 Distributor's Name: OPI Products, Inc. 1.6 13034 Saticoy Street, No. Hollywood, CA 91605 USA 1.7 Distributor's Address 1.8 Emergency Phone: CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 16377) +1 (818) 759-2400 / +1 (818) 759-5776 Business Phone / Fax: 1.9 HAZARDS IDENTIFICATION This product is not classified as a hazardous substance or as dangerous goods according to the Hazard Identification: classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia). WARNING! CAUSE MILD SKIN IRRITATION. CAUSES EYE IRRITATON. Classification: Skin Irrit. 3; Eye Irrit. 2B Hazard Statements (H): H316 - Causes mild skin irritation. H320 Causes eye irritation. Precautionary Statements (P): P264 – Wash thoroughly after handling. P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation or rash occurs: Get medical advice / attention. 3. COMPOSITION & INGREDIENT INFORMATION EXPOSURE LIMITS IN AIR (mg/m3) ACGIH NOHSC OSHA ppm ppm ppm ES-ES-ES-CHEMICAL NAME(S) CAS No RTECS No. **EINECS No** TLV STEL **TWA** STEL **PEAK** PEL STEL **IDLH** OTHER 7732-18-5 ZC0110000 WATER (AQUA/EAU) 57-55-6 TY200000 200-338-0 1.0-5.0 NA NA 474 NF NF NA NA NA PROPYLENE GLYCOL Skin Irrit. 3; Eye Irrit. 2; H316, H320 KQ630000 1.0-5.0 NA NF NF NF NA NA NA 26161-33-1 NA POLYQUATERNIUM-37 Aquatic Chronic 3; H412 RT4900000 205-571-1 142-91-6 1.0-5.0 NA NA NF NF NF NA NA NA ISOPROPYL PALMITATE Skin Irrit. 2; Eye Irrit. 2A; H315, H319 68583-51-7 ZC0110000 271-516-3 NF PROPYLENE GLYCOL 1.0-5.0 NA NA NF NF NA NA NA DICAPRYLATE/DICAPRATE **BIS-PEG-18 METHYL ETHER** 67846-47-3 NA NA 1.0-5.0 NA NA NF NF NF NA NA NA DIMETHYL SILANE NA NA NA 1.0-5.0 NA NA NF NF NF NA NA NA FRAGRANCE (PARFUM) 69-72-7 NA 200-712-3 0.1-1.0 NA NA NF NF NF NA NA NA SALICYLIC ACID NA NA NA 0.1-1.0 NA NA NF NF NF NA NA NA PPG-1 TRIDECETH-6 KM0350000 204-589-7 NA NA NF NF NF NA NA NA 122-99-6 0.1 - 1PHENOXYETHANOL Acute Tox. 4 *; Eye Irrit. 2; H302, H319 0.1-1.0 NA NA NF NF NF NA NA NA 1117-86-8 NA 214-254-7 CAPRYL GLYCOL 84082-82-6 NA 282-029-0 0.1-1 NA NA NF NF NF NA NA NA SALIX ALBA (WILLOW) BARK EXTRACT THEOBROMA GRANDIFLORUM 394236-97-6 NA NA 0.1-1.0 NA NA NF NF NF NA NA NA SEED BUTTER 590-00-1 NA 246-376-1 0.0-0.1 NA NA NF NF NF NA NA NA POTASSIUM SORBATE 0.0-0.1 NA NF NA NA NA 54-28-4 NA 200-201-5 NA NF NF TOCOPHEROL Aquatic Chronic 4; H413 NA NA NA ALLERGEN 107-41-5 SA0810000 203-489-0 0.0-0.1 NA NA NF NF NF HEXYLENE GLYCOL NF NF NF 0.1-1.0 NA NA NA NA NA CL2680000 PERSEA GRATISSIMA (AVOCADO) 8024-32-6 232-428-0

NA

0.1-1.0

29806-73-3

ETHYLHEXYL PALMITATE

RT4740000

249-862-1

NA

NF

NF

NF

NA

NA

NA

$\mathbf{0.P\cdot I}$

Page 2 of 6

SAFETY DATA SHEET SDS-362 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 9/29/2016 3. COMPOSITION & INGREDIENT INFORMATION - cont'd EXPOSURE LIMITS IN AIR (mg/m³) **ACGIH** NOHSC **OSHA** ppm ppm ppm ES-ES-IDLH CHEMICAL NAME(S) CAS No. RTECS No. EINECS No. TLV STEL **TWA** STEL PEAK PEL STEL OTHER 8001-22-7 WG4862000 232-274-4 0.0-0.1 NA NA NF NF NF NA NA NA GLYCINE SOJA (SOYBEAN) OIL 8002-43-5 OG7565000 232-307-2 0.0-0.1 NA NA NF NF NF NA NA NA **LECITHIN** CAPRYLIC/CAPRIC 65381-09-1 NA 265-724-3 0.0-0.1 NA NA NF NF NF NA NA NA TRIGLYCERIDE 79-33-4 NA 201-196-2 0.0-0.1 NA NA NF NF NF NA NA NA LACTIC ACID CAMELLIA SINESISS LEAF 84650-60-2 NA 283-935-9 NF 0.0-0.1 NA NA NF NF NA NA NA **FXTRACT** KQ6300000 100 3000 3300 64-17-5 200-578-6 0.0-0.1 1000 3000 1000 1880 NF ALCOHOL Flam. Liq. 2; H225 RG2275000 204-007-1 0.0-0.1 NA NF NF NF NA NA 112-80-1 NA NA OLEIC ACID 11099-07-3 NA 234-325-6 0.0-0.1 NA NA NF NF NF NA NA NA GLYCERYL STEARATE 84082-60-0 NA 282-006-5 0.0-0.1 NA NA NF NF NF NA NA NA CHAMOMILI A RECUTITA (MATRICARIA) LEAF EXTRACT 0.0-0.1 NA NA NF NF NF NA NA NA 84082-79-1 282-025-9 NA SALVIA OFFICINALIS (SAGE) LEAF Flam. Liq. 3; Asp. Tox. 1; Skin Irrit. 2; Skin Sens. 1; STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H226, H304, **FXTRACT** H315, H317, H373, H400, H410 NA NA NF 77-92-9 GE7350000 201-069-1 0.0-0.1 NF NF NA NA NA CITRIC ACID 0.0-0.1 NA NA NF NF NF NA NA NA 97-67-6 NA 2020-601-5 MALIC ACID 137-66-6 NA 205-305-4 0.0-0.1 NA NA NF NF NF NA NA NA ASCORBYL PALMITATE 4. FIRST AID MEASURES 4.1 First Aid: If ingested, do not induce vomiting. Drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, Ingestion: continue to offer plenty of water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time and amount of the substance that was swallowed. If product is in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and Eyes: close eyelid(s) to ensure thorough irrigation. If problem persists, consult a physician. If redness, dryness or other signs of irritation to the skin develop, wash affected skin areas with plenty of Skin: warm water and soap. If irritation persists, consult a physician. Inhalation: Remove victim to fresh air at once. If product is swallowed, may cause nausea, vomiting and/or diarrhea. 4.2 Effects of Exposure: Ingestion: Eyes: Slightly irritating to the eyes. May be irritating to skin in some sensitive individuals, especially after prolonged contact. Skin: Inhalation: Inhalation is unlikely; however, vapors of this product may be slightly irritating to some sensitive 4.3 Symptoms of Overexposure: Symptoms of overexposure may include redness, itching, and irritation. 44 Acute Health Effects: Redness, itching, and irritation of skin at the site of contact for some sensitive individuals. 4.5 Chronic Health Effects: No chronic health effects are known, although symptoms and discomfort may occur for several days following overexposure following ingestion. Components in the fragrance, contained in very small quantities in this product, may be mild allergens to some sensitive individuals. 4.6 Target Organs: Eyes, Skin 47 Medical Conditions None known **HEALTH** 1 Aggravated by Exposure:

FLAMMABILITY

EYES

PHYSICAL HAZARDS

PROTECTIVE EQUIPMENT

0

0

Α

$O \cdot P \cdot I$

SAFETY DATA SHEET

Page 3 of 6 **SDS-362**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.1

SDS Revision Date: 9/29/2016

			FIGHTIN							
5.1	Fire & Explosion Hazards:	This product is non-flammable. When exposed to high temperatures, may produce hazardous decomposition products such as oxides of carbon (e.g., CO, CO ₂) and nitrogen (e.g., NO _x) and smoke.								
5.2	Extinguishing Methods:	Water, Foam, CO ₂ , Dry Chemical								
5.3	Firefighting Procedures:	First responders should wear equipment and MSHA/NIOSH-runoff water from entering storn If necessary, rinse contaminate	approved self- n drains, bodie	contained s of wate	breathin r, or othe	g apparat er environr	us. If p	oossible sensitiv	, prevent	Y
		6 ACCIDEN	ITAI DEI	EVSE	. MEA	CIIDE	<u> </u>			
6.1	Spills:	6. ACCIDEN Before cleaning any spill or I Equipment. For small spills (e.g., < 1 gallon spilled material with absorbent in accordance with local, state warm water and soap. Remove For large spills (e.g., ≥ 1 gallon material (e.g., sand or earth). I containers for proper disposal.	eak, individual (3.8 L)) wear a material and p and federal re any contamin on (3.8 L)), de iransfer liquid	appropriat lace into a gulations. ated cloth ny entry to contain	e persona appropria Wash a hing and v to all un ers for re	I cleanup al protecti te closed Il affected wash thoro protected ecovery or	must ve equipontain areas areas individudisposa	oment (e er(s) for and outs before re lals. Di al and s	e.g., gogg disposal side of co euse. ike and o olid dikin	gles, gloves). Remove Dispose of properly Intainer with plenty of Contain spill with ine In material to separat
		water. Keep spills and cleaning								<u>'</u>
		7. HANDLING	2 & STOD	AGEI	NEOD	NATIO) N			
7.1	Work & Hygiene Practices:	Avoid eye contact.	a STOR	AGLI	INI ON	NIVIA I IV	JIN			
7.2	Storage & Handling:	Use and store in a cool, dry, w unmarked containers or storage								t store in damaged o
7.3	Special Precautions:	Spilled material may present a								
		0 EVB00UBE 00N	TDOL 0.0	DEDC	20114		TEA	FION		
0.4	I Funcauma Limita.	8. EXPOSURE CON		PERS		L PRO	TEC			LOTUED
8.1	Exposure Limits: ppm (mg/m³)	CHEMICAL NAME(S)	ACGIH TLV STEL	ES- TWA	NOHSC ES- STEL	ES- PEAK	PEL	OSHA STEL	IDLH	OTHER
8.1			ACGIH	ES-	NOHSC ES-	ES-		OSHA	IDLH NA NA	OTHER ALLERGEN ALLERGEN
	ppm (mg/m³)	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL	ACGIH TLV STEL NA NA NA NA 1000 3000	ES- TWA 474 NF 1000	NOHSC ES- STEL NF NF NF	ES- PEAK NF NF	PEL NA NA 100	STEL NA NA 3000	NA NA 3300	ALLERGEN ALLERGEN
8.1		CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua	ACGIH TLV STEL NA NA NA NA 1000 3000 ntities of prod	ES- TWA 474 NF 1000 uct, provi	NOHSC ES- STEL NF NF 1880 ide adeq	ES- PEAK NF NF NF uate vent	PEL NA NA 100	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha	ALLERGEN ALLERGEN
8.2	ppm (mg/m³) Ventilation & Engineering Controls:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station	ACGIH TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washl	ES- TWA 474 NF 1000 uct, provi	NOHSC ES- STEL NF NF 1880 ide adeq	ES- PEAK NF NF NF uate vent	PEL NA NA 100	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha	ALLERGEN ALLERGEN
8.2	ppm (mg/m³) Ventilation & Engineering	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washly rentilated area eyewear (e.g.,	ES- TWA 474 NF 1000 uct, provi pasin is av	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir	ES- PEAK NF NF NF uate vent case of e	PEL NA NA 100 illation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 8.4	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washly rentilated area eyewear (e.g., duct. Always i	ES- TWA 474 NF 1000 uct, proviousin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir	ES- PEAK NF NF NF uate vent case of e	PEL NA NA 100 illation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 8.4	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in a conditions of use	ES- TWA 474 NF 1000 uct, proviousin is avo	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir	ES- PEAK NF NF NF uate vent case of e	PEL NA NA 100 illation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 8.4 8.5	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in a conditions of use	ES- TWA 474 NF 1000 uct, proviousin is avo	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir	ES- PEAK NF NF NF uate vent case of e	PEL NA NA 100 illation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 8.4 8.5	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in ditions of use nditions of use	ES- TWA 474 NF 1000 uct, provi pasin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir asses wit	ES- PEAK NF NF NF NF uate vent case of e	PEL NA NA 100 ilation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 8.4 8.5 8.6	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection: Body Protection:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro None required under normal co None required under normal co 9. PHYSICAL Light cream	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in ditions of use nditions of use	ES- TWA 474 NF 1000 uct, provi pasin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir asses wit	ES- PEAK NF NF NF NF uate vent case of e	PEL NA NA 100 ilation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 3.3 3.4 3.5 3.6	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection: Body Protection: Appearance: Odor:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro None required under normal co None required under normal co PHYSICAL Light cream Mild odor	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in ditions of use nditions of use	ES- TWA 474 NF 1000 uct, provi pasin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir asses wit	ES- PEAK NF NF NF NF uate vent case of e	PEL NA NA 100 ilation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 8.4 8.5 8.6 9.1 9.2 9.3	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection: Body Protection: Appearance: Odor: Odor Threshold:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro None required under normal co None required under normal co 9. PHYSICAL Light cream Mild odor NA	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in ditions of use nditions of use	ES- TWA 474 NF 1000 uct, provi pasin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir asses wit	ES- PEAK NF NF NF NF uate vent case of e	PEL NA NA 100 ilation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 3.3 3.4 3.5 3.6 9.1 9.2 9.3 9.4	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection: Body Protection: Appearance: Odor: Odor Threshold: pH:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro None required under normal co None required under normal co PHYSICAL Light cream Mild odor NA NA	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in ditions of use nditions of use	ES- TWA 474 NF 1000 uct, provi pasin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir asses wit	ES- PEAK NF NF NF NF uate vent case of e	PEL NA NA 100 ilation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 3.3 3.4 3.5 3.6 9.1 9.2 9.3 9.4 9.5	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection: Body Protection: Appearance: Odor: Odor Threshold:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro None required under normal co None required under normal co 9. PHYSICAL Light cream Mild odor NA NA NA	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in ditions of use nditions of use	ES- TWA 474 NF 1000 uct, provi pasin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir asses wit	ES- PEAK NF NF NF NF uate vent case of e	PEL NA NA 100 ilation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 8.4 8.5 8.6 9.1 9.2 9.3 9.4 9.5 9.6	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection: Body Protection: Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro None required under normal co None required under normal co 9. PHYSICAL Light cream Mild odor NA NA NA NA	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in ditions of use nditions of use	ES- TWA 474 NF 1000 uct, provi pasin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir asses wit	ES- PEAK NF NF NF NF uate vent case of e	PEL NA NA 100 ilation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 8.4 8.5 8.6 9.1 9.2 9.3 9.4 9.5 9.6	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection: Body Protection: Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro None required under normal co None required under normal co 9. PHYSICAL Light cream Mild odor NA NA NA	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in ditions of use nditions of use	ES- TWA 474 NF 1000 uct, provi pasin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir asses wit	ES- PEAK NF NF NF NF uate vent case of e	PEL NA NA 100 ilation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 8.4 8.5 8.6 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection: Body Protection: Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro None required under normal co None required under normal co PHYSICAL Light cream Mild odor NA	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in ditions of use nditions of use	ES- TWA 474 NF 1000 uct, provi pasin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir asses wit	ES- PEAK NF NF NF NF uate vent case of e	PEL NA NA 100 ilation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.3 8.4 8.5 8.6 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection: Body Protection: Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro None required under normal co None required under normal co PHYSICAL Light cream Mild odor NA	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in ditions of use nditions of use	ES- TWA 474 NF 1000 uct, provi pasin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir asses wit	ES- PEAK NF NF NF NF uate vent case of e	PEL NA NA 100 ilation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 8.4 8.5 8.6 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection: Body Protection: Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro None required under normal co None required under normal co PHYSICAL Light cream Mild odor NA	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in ditions of use nditions of use	ES- TWA 474 NF 1000 uct, provi pasin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir asses wit	ES- PEAK NF NF NF NF uate vent case of e	PEL NA NA 100 ilation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 8.4 8.5 8.6 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection: Body Protection: Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro None required under normal co None required under normal co PHYSICAL Light cream Mild odor NA	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in ditions of use nditions of use	ES- TWA 474 NF 1000 uct, provi pasin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir asses wit	ES- PEAK NF NF NF NF uate vent case of e	PEL NA NA 100 ilation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 8.4 8.5 8.6 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection: Body Protection: Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro None required under normal co None required under normal co PHYSICAL Light cream Mild odor NA	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in ditions of use nditions of use	ES- TWA 474 NF 1000 uct, provi pasin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir asses wit	ES- PEAK NF NF NF NF uate vent case of e	PEL NA NA 100 ilation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 8.4 8.5 8.6 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.10 9.11 9.12 9.13	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection: Body Protection: Appearance: Odor: Odor Threshold: pH: Melting Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow):	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro None required under normal co None required under normal co None required under normal co 9. PHYSICAL Light cream Mild odor NA	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in ditions of use nditions of use	ES- TWA 474 NF 1000 uct, provi pasin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir asses wit	ES- PEAK NF NF NF NF uate vent case of e	PEL NA NA 100 ilation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans
8.2 8.3 8.4 8.5 8.6 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8 9.9 9.1 9.1 9.1 9.1 9.1 9.1 9.1	ppm (mg/m³) Ventilation & Engineering Controls: Respiratory Protection: Eye Protection: Hand Protection: Body Protection: Appearance: Odor: Odor Threshold: pH: Initial Boiling Point/Freezing Point: Initial Boiling Point/Boiling Range: Flashpoint: Upper/Lower Flammability Limits: Vapor Pressure: Vapor Density: Relative Density: Solubility: Partition Coefficient (log Pow): Autoignition Temperature:	CHEMICAL NAME(S) PROPYLENE GLYCOL HEXYLENE GYCOL ALCOHOL When working with large qua Ensure that an eyewash station None required if used in a well- Avoid eye contact. Protective all times when handling this pro None required under normal co None required under normal co PHYSICAL Light cream Mild odor NA	TLV STEL NA NA NA NA 1000 3000 ntities of prod , sink or washle ventilated area eyewear (e.g., duct. Always in ditions of use nditions of use	ES- TWA 474 NF 1000 uct, provi pasin is av safety glause protect	NOHSC ES- STEL NF NF 1880 ide adeq vailable ir asses wit	ES- PEAK NF NF NF NF uate vent case of e	PEL NA NA 100 ilation (exposure	STEL NA NA 3000 (e.g., lo	NA NA 3300 cal exha s. ended at	ALLERGEN ALLERGEN ust ventilation, fans

 $O \cdot P \cdot I$

SAFETY DATA SHEET

Page 4 of 6 **SDS-362**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision Date: 9/29/2016 10. STABILITY & REACTIVITY 10.1 Stability This product is stable 10.2 Oxides of carbon and nitrogen. Hazardous Decomposition Products: 10.3 Hazardous Polymerization: Will not occur. 10.4 Conditions to Avoid: Open flames, sparks, high heat and direct sunlight. None known. 10.5 Incompatible Substances: 11. TOXICOLOGICAL INFORMATION Routes of Entry: Inhalation: NO Absorption: YES Ingestion: YES Toxicity Data: The product has not been tested for specific toxicity data. 11.2 11.3 Acute Toxicity See Section 4.4 11.4 Chronic Toxicity See Section 4.5 Suspected Carcinogen: 11.5 No 11.6 Reproductive Toxicity: This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans Embryotoxicity This product is not reported to produce embryotoxic effects in humans. This product is not reported to produce teratogenic effects in humans. Teratogenicity: Reproductive Toxicity: This product is not reported to produce reproductive effects in humans. 11.7 Irritancy of Product: See Section 4.3 ΝE 118 Biological Exposure Indices: 11.9 Physician Recommendations Treat symptomatically 12. ECOLOGICAL INFORMATION There are no specific data available for this product. 12.1 Environmental Stability: Effects on Plants & Animals: There are no specific data available for this product 12.2 12.3 Effects on Aquatic Life: There are no specific data available for this product. 13. DISPOSAL CONSIDERATIONS 13.1 Waste Disposal: Dispose of in accordance with Federal, state and local regulations 13 2 Special Considerations: NA 14. TRANSPORTATION INFORMATION The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR. 49 CFR (GND): NOT REGULATED 14.2 IATA (AIR): NOT REGULATED IMDG (OCN): NOT REGULATED 14.3 TDGR (Canadian GND): NOT REGULATED 14.4 14.5 ADR/RID (EU): NOT REGULATED SCT (MEXICO): NOT REGULATED 14.6 ADGR (AUS): **NOT REGULATED** 14.7 15. REGULATORY INFORMATION SARA Reporting 15.1 This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements. 15.2 SARA Threshold Planning There are no specific Threshold Planning Quantities for the components of this product. Quantity: 15.3 TSCA Inventory Status: The components of this product are listed on the TSCA Inventory. CERCLA Reportable Quantity 15.4 NA (RQ): 15.5 Other Federal Requirements: This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics) This product has been classified according to the hazard criteria of the CPR and the MSDS 15.6 Other Canadian Regulations: contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS D2B (Other Toxic Effects). None of the ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following 15.7 State Regulatory Information: state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI). Other Requirements: 15.8 NA

 $O \cdot P \cdot I$

SAFETY DATA SHEET

Page 5 of 6 SDS-362

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.1 SDS Revision Date: 9/29/2016 16. OTHER INFORMATION WARNING! HARMFUL IF SWALLOWED. CAUSE MILD SKIN IRRITATION. CAUSES EYE IRRITATION. Use only 16 1 Other Information: as directed. Discontinue use if irritation develops. Wash thoroughly after handling. Do not eat drink or smoke when using this product. IF SWALLOWED: Call a POISON CENTER/doctor, if you feel unwell. Rinse Mouth. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice / attention. KEEP OUT OF REACH OF CHILDREN. 16.2 Terms & Definitions: See last page of this Safety Data Sheet. This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other Disclaimer: government regulations must be reviewed for applicability to this product. To the best of ShipMate's & OPI's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition. OPI Products, Inc. 16.4 Prepared for: 13034 Saticoy Street ()·P·I No. Hollywood, CA 91605 USA Tel: +1 (818) 759-2400 Fax: +1 (818) 759-5776 http://www.opi.com 16.5 ShipMate, Inc. Prepared by: P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700

http://www.shipmate.com

Training & Consulting

SAFETY DATA SHEET

Page 6 of 6 **SDS-362**

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 9/29/2016

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
---------	----------------------------------

EXPOSURE LIMITS IN AIR:

ACGIH	ACGIH American Conference on Governmental Industrial Hygienists		
TLV	TLV Threshold Limit Value		
OSHA	OSHA U.S. Occupational Safety and Health Administration		
PEL	PEL Permissible Exposure Limit		
IDLH Immediately Dangerous to Life and Health			

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has					
	stopped receives manual chest compressions and breathing to circulate					
	blood and provide oxygen to the body.					

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS


HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard			
1	1 Slight Hazard			
2	2 Moderate Hazard			
3	3 Severe Hazard			
4	Extreme Hazard			



PERSONAL PROTECTION RATINGS:

Α		
В		
С		
D		
Ε		
F		









Face Shield & Protective Eyewear





Full Face Respirator

Dust & Vapor Half-Mask Respirator

Respirator

Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:					
Autoignition Minimum temperature required to initiate combustion in air with no other source of ignition						
LEL Lower Explosive Limit - lowest percent of vapor in air, by volume explode or ignite in the presence of an ignition source						
UEL Upper Explosive Limit - highest percent of vapor in air, by volume, the explode or ignite in the presence of an ignition source						

HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals s		
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal		
ppm	Concentration expressed in parts of material per million parts		
TD _{io}	Lowest dose to cause a symptom		
TCLo	Lowest concentration to cause a symptom		
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects		
TC, TC _o , LC _{io} , & LC _o			
IARC	International Agency for Research on Cancer		
NTP	NTP National Toxicology Program		
RTECS	Registry of Toxic Effects of Chemical Substances		
BCF	Bioconcentration Factor		
TL _m	Median threshold limit		
log K _{ow} or log K _{oc}	Coefficient of Oil/Water Distribution		

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
TC	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	(*)	(2)	(3)	\odot	(18)		(R)
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compress ed	Flammabl e	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

L.		M	*		9	×	×
O	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammabl e	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond			\Diamond		Y
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment