Printing date 06/02/2021

Reviewed on 06/02/2021

#### **1 Identification**

- · Product identifier
- · Trade name: OPI Nature Strong Natural Mauvement
- · Article number: 99300019751, ENG103197, 314002000905
- · Application of the substance / the mixture Cosmetic product
- Details of the supplier of the safety data sheet
   Manufacturer/Supplier:
   Wella International Operations Switzerland Sàrl, Chemin Louis-Hubert 1-3, 1213 Petit-Lancy, Switzerland
- · Information department: Wella SDS Info Team
- Emergency telephone number: CHEMTREC Emergency number: +1-703-527-3887 CHEMTREC US/NA Emergency number(toll free): 800-424-9300

#### 2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS07

*Eye Irrit.* 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H336 May cause drowsiness or dizziness.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

- Hazard-determining components of labeling: Butyl acetate ethyl alcohol Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer ethyl acetate
  Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation.
- May cause an allergic skin reaction. May cause drowsiness or dizziness.
- **Precautionary statements** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment.

(Contd. on page 2)

<sup>-</sup> U

Printing date 06/02/2021

Reviewed on 06/02/2021

#### Trade name: OPI Nature Strong Natural Mauvement

(Contd. of page 1) Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. *Call a poison center/doctor if you feel unwell.* Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable.

· **vPvB:** Not applicable.

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
	Butyl acetate	>25-≤50%
141-78-6	ethyl acetate	≥20-≤25%
9004-70-0	Nitrocellulose	>10-≤25%
28407-73-0	Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer	>2.5-≤10%
64-17-5	ethyl alcohol	>2.5-≤10%
13463-67-7	titanium dioxide	≥0.1-≤2.5%

#### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

(Contd. on page 3)

US

Printing date 06/02/2021

Reviewed on 06/02/2021

#### Trade name: OPI Nature Strong Natural Mauvement

· Information for doctor:

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **5** *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### **6** Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

#### · Protective Action Criteria for Chemicals

123-86-4 Butyl acetate	5 ppm
141-78-6 ethyl acetate	1,200 ppn
64-17-5 ethyl alcohol	1,800 ppn
13463-67-7 titanium dioxide	30 mg/m <sup>3</sup>
67-63-0 isopropyl alcohol	400 ppm
123-42-2 4-hydroxy-4-methylpentan-2-one	150 ppm
66-25-1 hexanal	6 ppm
7664-38-2 Phosphoric Acid	3 mg/m <sup>3</sup>
7727-43-7 barium sulfate	15 mg/m <sup>3</sup>
71-36-3 n-Butyl alcohol	60 ppm
7631-86-9 Silica	18 mg/m <sup>3</sup>
1309-37-1 Iron Oxides (CI 77491)	15 mg/m <sup>3</sup>
PAC-2:	
123-86-4 Butyl acetate	200 ppm
141-78-6 ethyl acetate	1,700 ppm
64-17-5 ethyl alcohol	3300* ppn

Printing date 06/02/2021

Reviewed on 06/02/2021

#### Trade name: OPI Nature Strong Natural Mauvement

13463-67-7	titanium dioxide	(Contd. of pag 330 mg/m
67-63-0	isopropyl alcohol	2000* pp
123-42-2	4-hydroxy-4-methylpentan-2-one	350 ppm
66-25-1	hexanal	66 ppm
7664-38-2	Phosphoric Acid	30 mg/m
7727-43-7	barium sulfate	170 mg/n
71-36-3	n-Butyl alcohol	800 ppm
7631-86-9	Silica	740 mg/m
1309-37-1	Iron Oxides (CI 77491)	360 mg/n
PAC-3:		
123-86-4	Butyl acetate	3000* ppm
141-78-6	ethyl acetate	10000** pp
64-17-5	ethyl alcohol	15000* ppm
13463-67-7	titanium dioxide	2,000 mg/m
67-63-0	isopropyl alcohol	12000** pp
123-42-2	4-hydroxy-4-methylpentan-2-one	2100* ppm
66-25-1	hexanal	86 ppm
7664-38-2	Phosphoric Acid	150 mg/m <sup>3</sup>
7727-43-7	barium sulfate	990 mg/m <sup>3</sup>
71-36-3	n-Butyl alcohol	8000** ppn
7631-86-9	Silica	4,500 mg/m
1309-37-1	Iron Oxides (CI 77491)	2,200 mg/m

#### 7 Handling and storage

· Handling:

- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
   Prevent formation of aerosols.
   Information about protection against explosions and fires:
- *The protect of a gainst explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- Conditions for safe storage, including any incompatibilities • Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.

· Storage class: 3

• Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 5)

<sup>-</sup>US

Printing date 06/02/2021

Reviewed on 06/02/2021

#### Trade name: OPI Nature Strong Natural Mauvement

(Contd. of page 4)
· Control parameters
· Components with limit values that require monitoring at the workplace:
The following constituents are the only constituents of the product which have a PEL, TLV or other recommended
exposure limit.
At this time, the other constituents have no known exposure limits.
123-86-4 Butyl acetate
PEL Long-term value: 710 mg/m <sup>3</sup> , 150 ppm
REL Short-term value: 950 mg/m <sup>3</sup> , 200 ppm
Long-term value: 710 mg/m <sup>3</sup> , 150 ppm
TLV Short-term value: 712 mg/m <sup>3</sup> , 150 ppm
Long-term value: 238 mg/m <sup>3</sup> , 50 ppm
141-78-6 ethyl acetate
PEL Long-term value: 1400 mg/m <sup>3</sup> , 400 ppm
REL Long-term value: 1400 mg/m <sup>3</sup> , 400 ppm
TLV Long-term value: 1440 mg/m <sup>3</sup> , 400 ppm
64-17-5 ethyl alcohol
PEL Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
REL Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm
TLV Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm
• Additional information: The lists that were valid during the creation were used as basis.
· Exposure controls
· Personal protective equipment:
· General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes. Avoid contact with the eyes and skin.
· Breathing equipment:
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use
respiratory protective device that is independent of circulating air.
· Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the
chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of

varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US

(Contd. of page 5)

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/02/2021

Reviewed on 06/02/2021

# Trade name: OPI Nature Strong Natural Mauvement

· Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

Appearance:FluidForm:FluidColor:According to product specificationOdor:CharacteristicOdor threshold:Not determined.pH-value:Not determined.pH-value:Undetermined.Change in condition Metting point/Boiling range:Undetermined.Boiling point/Boiling range:T7-78 °C (170.6-172.4 °F)Flash point:-1 °C (30.2 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not selfigniting.Lower:1.2 Vol %Upper:11.5 Vol %Vapor pressure at 20 °C (68 °F):97 hPa (72.8 mm Hg)Density:Not determined.Kelative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic:Not d	<ul> <li>Information on basic physical and c</li> <li>General Information</li> </ul>	chemical properties
Form:FluidColor:According to product specificationOdorCharacteristicOdor threshold:Not determined.pH-value:Not determined.Change in conditionUndetermined.Metting point/Metting range:Undetermined.Boiling point/Metting range:77-78 °C (170.6-172.4 °F)Flash point:-1 °C (30.2 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not selfigniting.Lower:1.2 Vol %Upper:11.5 Vol %Vapor pressure at 20 °C (68 °F):97 hPa (72.8 mm Hg)Density:Not determined.Ketative densityNot determined.Solubility in / Miscibility withFully miscible.Water:Fully miscible.Paratition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Solubility in / Miscibility withNot determined.Water:Fully miscible.Paratition coefficient (n-octanol/water): Not determined.Solubility in / Miscibility withNot determined.Solu		
Color:According to product specificationOdor:CharacteristicOdor threshold:Not determined.pH-value:Not determined.Change in conditionUndetermined.Melting point/Melting range:77-78 °C (170.6-172.4 °F)Flash point:-1 °C (30.2 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Product is not setfigniting.Danger of explosion:Product is not setfigniting.Explosion limits:1.2 Vol %Lower:1.2 Vol %Upper:11.5 Vol %Vapor pressure at 20 °C (68 °F):97 hPa (72.8 mm Hg)Density:Not determined.Kelative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Synamic: Kinematic:Not determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Solubility in / Miscibility with Water:Not determined.Solubility:Not determined.Solubility:Not determined.Viscosity:Not determined.Solubility:Not determined.Solubility:Not determined.Viscosity:Not determined.		Fluid
Odor:       Characteristic         Odor threshold:       Not determined.         PII-value:       Not determined.         PII-value:       Not determined.         Change in condition       Metting point/Meiling range:       Undetermined.         Boiling point/Boiling range:       77-78 °C (170.6-172.4 °F)         Flash point:       -1 °C (30.2 °F)         Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       425 °C (797 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapo mixtures are possible.         Explosion limits:       Lower:         Lower:       1.2 Vol %         Upper:       11.5 Vol %         Vapor pressure at 20 °C (68 °F):       97 hPa (72.8 mm Hg)         Density:       Not determined.         Vapor density       Not determined.         Vapor of ensity       Not determined.         Vapor of ensity       Not determined.         Vapor of ensity       Not determined.         Solubility in / Miscibility with       Yapor the ensity         Water:       Fully miscible. <td< th=""><th></th><th></th></td<>		
Odor threshold:       Not determined.         pH-value:       Not determined.         PH-value:       Undetermined.         Boiling point/Melting range:       77-78 °C (170.6-172.4 °F)         Flash point:       -1 °C (30.2 °F)         Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       425 °C (797 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapo mixtures are possible.         Explosion limits:       1.2 Vol %         Upper:       1.1 S Vol %         Vapor pressure at 20 °C (68 °F):       97 hPa (72.8 mm Hg)         Density:       Not determined.         Kater:       Not determined.         Vapor density       Not determined.	· Odor:	
Change in condition       Melting point/Melting range:       77-78 °C (170.6-172.4 °F)         Flash point:       -1 °C (30.2 °F)         Flash point:       -1 °C (30.2 °F)         Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       425 °C (797 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapo mixtures are possible.         Explosion limits:       1.2 Vol %         Lower:       1.1.5 Vol %         Vapor pressure at 20 °C (68 °F):       97 hPa (72.8 mm Hg)         Density:       Not determined.         Relative density       Not determined.         Vapor pressure at 20 °C (68 °F):       97 hPa (72.8 mm Hg)         Density:       Not determined.         Relative density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Water:         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Dynamic:         Dynamic:       Not determined.         Solvent content:       Not determined.         Solvent content:       70.6 %	· Odor threshold:	
MeIting point/Melting range:Undetermined. 77-78 °C (170.6-172.4 °F)Flash point:-1 °C (30.2 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not explosive. However, formation of explosive air/vapo mixtures are possible.Explosion limits: Lower:1.2 Vol % 11.5 Vol %Vapor pressure at 20 °C (68 °F):97 hPa (72.8 mm Hg)Density:Not determined.Vapor pressure at 20 °C (68 °F):97 hPa (72.8 mm Hg)Density:Not determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Organic solvents:70.6 % 70.6 %	· pH-value:	Not determined.
Boiling point/Boiling range:77-78 °C (170.6-172.4 °F)Flash point:-1 °C (30.2 °F)Flammability (solid, gaseous):Not applicable.Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not selfigniting.Explosion limits:1.2 Vol %Lower:1.2 Vol %Upper:11.5 Vol %Vapor pressure at 20 °C (68 °F):97 hPa (72.8 mm Hg)Density:Not determined.Relative densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Not determined.Viscosity: Dynamic:Not determined.Solvent content: Organic solvents:70.6 % 70.64 %	· Change in condition	
Flash point:       -1 °C (30.2 °F)         Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       425 °C (797 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapo mixtures are possible.         Explosion limits:       Lower:         Lower:       1.2 Vol %         Upper:       11.5 Vol %         Vapor pressure at 20 °C (68 °F):       97 hPa (72.8 mm Hg)         Density:       Not determined.         Kelative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Wate:         Wate:       Fully miscible.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Dynamic:         Dynamic:       Not determined.         Solvent content:       70.6 %         VOC content:       70.64 %	Melting point/Melting range:	Undetermined.
Flammability (solid, gaseous):       Not applicable.         Ignition temperature:       425 °C (797 °F)         Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapo mixtures are possible.         Explosion limits:       Lower:       1.2 Vol %         Upper:       11.5 Vol %         Vapor pressure at 20 °C (68 °F):       97 hPa (72.8 mm Hg)         Density:       Not determined.         Relative density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with       Yuly miscible.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Solvent content:       Not determined.         VOC content:       70.6 %	<b>Boiling point/Boiling range:</b>	77-78 °C (170.6-172.4 °F)
Ignition temperature:425 °C (797 °F)Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.Danger of explosion:Product is not explosive. However, formation of explosive air/vapo mixtures are possible.Explosion limits:Product is not explosive. However, formation of explosive air/vapo mixtures are possible.Explosion limits:I.2 Vol % Upper:Lower:I.2 Vol % 97 hPa (72.8 mm Hg)Vapor pressure at 20 °C (68 °F):97 hPa (72.8 mm Hg)Density:Not determined.Relative densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Organic solvents: VOC content:Not determined.Solvent content: Organic solvents:70.6 % 70.64 %	· Flash point:	-1 °C (30.2 °F)
Decomposition temperature:       Not determined.         Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapo mixtures are possible.         Explosion limits:       Lower:       1.2 Vol %         Upper:       11.5 Vol %         Vapor pressure at 20 °C (68 °F):       97 hPa (72.8 mm Hg)         Density:       Not determined.         Relative density       Not determined.         Vapor density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with       Water:         Water:       Fully miscible.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         Solvent content:       Or.6 %         VOC content:       70.6 %	· Flammability (solid, gaseous):	Not applicable.
Auto igniting:       Product is not selfigniting.         Danger of explosion:       Product is not explosive. However, formation of explosive air/vapo mixtures are possible.         Explosion limits:       I.2 Vol %         Lower:       1.2 Vol %         Upper:       11.5 Vol %         Vapor pressure at 20 °C (68 °F):       97 hPa (72.8 mm Hg)         Density:       Not determined.         Relative density       Not determined.         Vapor density       Not determined.         Solubility in / Miscibility with water:       Fully miscible.         Partition coefficient (n-octanol/water): Not determined.       Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Solvent content:       Not determined.         Organic solvents:       70.6 %         VOC content:       70.64 %	· Ignition temperature:	425 °C (797 °F)
Danger of explosion:Product is not explosive. However, formation of explosive air/vapo mixtures are possible.Explosion limits:I.2 Vol % Upper:I.2 Vol %Upper:11.5 Vol %Vapor pressure at 20 °C (68 °F):97 hPa (72.8 mm Hg)Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Organic solvents:70.6 % 70.64 %	Decomposition temperature:	Not determined.
mixtures are possible.Explosion limits: Lower: Upper:1.2 Vol %I.2 Vol % Upper:11.5 Vol %Vapor pressure at 20 °C (68 °F):97 hPa (72.8 mm Hg)Density: Relative densityNot determined.Relative density Vapor densityNot determined.Vapor density Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Organic solvents: VOC content:70.6 % 70.64 %	• Auto igniting:	Product is not selfigniting.
mixtures are possible.Explosion limits: Lower: Upper:1.2 Vol %I.2 Vol % Upper:11.5 Vol %Vapor pressure at 20 °C (68 °F):97 hPa (72.8 mm Hg)Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Organic solvents:70.6 % 70.64 %	• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo
Lower:1.2 Vol %Upper:11.5 Vol %Vapor pressure at 20 °C (68 °F):97 hPa (72.8 mm Hg)Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity: Dynamic: Kinematic:Not determined.Solvent content: Organic solvents:70.6 % 70.64 %		mixtures are possible.
Upper:11.5 Vol %Vapor pressure at 20 °C (68 °F):97 hPa (72.8 mm Hg)Density:Not determined.Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity: Dynamic:Not determined.Solvent content: Organic solvents:70.6 % 70.64 %	· Explosion limits:	
• Vapor pressure at 20 °C (68 °F):       97 hPa (72.8 mm Hg)         • Density:       Not determined.         • Relative density       Not determined.         • Vapor density in / Miscibility with       Water:         • Vater:       Fully miscible.         • Partition coefficient (n-octanol/water): Not determined.         • Viscosity:       Not determined.         • Viscosity:       Not determined.         • Viscosity:       Not determined.         • Solvent content:       Not determined.         • VOC content:       70.6 %	Lower:	
Density:       Not determined.         Relative density       Not determined.         Vapor density       Not determined.         Vapor density       Not determined.         Evaporation rate       Not determined.         Solubility in / Miscibility with       Water:         Water:       Fully miscible.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Dynamic:         Dynamic:       Not determined.         Kinematic:       Not determined.         Solvent content:       70.6 %         VOC content:       70.64 %	Upper:	11.5 Vol %
Relative densityNot determined.Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity:Not determined.Dynamic: Kinematic:Not determined.Solvent content: Organic solvents:70.6 %VOC content:70.64 %	· Vapor pressure at 20 °C (68 °F):	97 hPa (72.8 mm Hg)
Vapor densityNot determined.Evaporation rateNot determined.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water):Not determined.Viscosity:Not determined.Dynamic: Kinematic:Not determined.Solvent content: Organic solvents:70.6 %VOC content:70.64 %	Density:	Not determined.
Evaporation rate       Not determined.         Solubility in / Miscibility with       Fully miscible.         Water:       Fully miscible.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         Solvent content:       70.6 %         VOC content:       70.64 %	· Relative density	Not determined.
Solubility in / Miscibility with       Fully miscible.         Water:       Fully miscible.         Partition coefficient (n-octanol/water): Not determined.         Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         Solvent content:       70.6 %         VOC content:       70.64 %	· Vapor density	Not determined.
Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent content:70.6 %VOC content:70.64 %	• Evaporation rate	Not determined.
Water:Fully miscible.Partition coefficient (n-octanol/water): Not determined.Viscosity:Not determined.Dynamic:Not determined.Kinematic:Not determined.Solvent content:70.6 %VOC content:70.64 %	· Solubility in / Miscibility with	
Viscosity:       Not determined.         Dynamic:       Not determined.         Kinematic:       Not determined.         Solvent content:       70.6 %         VOC content:       70.64 %	• •	Fully miscible.
Dynamic:Not determined.Kinematic:Not determined.Solvent content:70.6 %Organic solvents:70.64 %	· Partition coefficient (n-octanol/wate	r): Not determined.
Kinematic:Not determined.Solvent content:70.6 %Organic solvents:70.64 %	· Viscosity:	
Solvent content:         Organic solvents:       70.6 %         VOC content:       70.64 %	2	
Organic solvents:70.6 %VOC content:70.64 %	Kinematic:	Not determined.
<b>VOC content:</b> 70.64 %	· Solvent content:	
	Organic solvents:	70.6 %
706.4 g/l / 5.89 lb/gal	VOC content:	70.64 %
		706.4 g/l / 5.89 lb/gal
(Contd. on page		

(Contd. of page 6)

## Safety Data Sheet acc. to OSHA HCS

Printing date 06/02/2021

Reviewed on 06/02/2021

#### Trade name: OPI Nature Strong Natural Mauvement

Solids content:

13.6 %

• Other information

No further relevant information available.

#### **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

• *Incompatible materials:* No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

123-86-4 Butyl acetate

Oral	LD50	13,100 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)

Inhalative LC50/4 h >21 mg/l (rat)

141-78-6 ethyl acetate

 Oral
 LD50
 5,620 mg/kg (rabbit)

 Inhalative
 LC50/4 h
 1,600 mg/l (rat)

# 64-17-5 ethyl alcohol

 Oral
 LD50
 10,470 mg/kg (rat) (bw (OECD 401))

 Inhalative
 LC50/4 h
 116.9 mg/l (rat) (air (//OECD 403))

#### 13463-67-7 titanium dioxide

Oral	LD50	>5,000 mg/kg (rat) (bw (OECD 425))
Dermal	LD50	>10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>3.43 mg/l (rat) (air (OECD 403))

· Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

• Sensitization: Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

#### · Carcinogenic categories

· IARC (Inter	national Agency for Research on Cancer)	
64-17-5	ethyl alcohol	1
13463-67-7	titanium dioxide	2B
67-63-0	isopropyl alcohol	3
	(Contd. on p	age 8)

Printing date 06/02/2021

Reviewed on 06/02/2021

#### Trade name: OPI Nature Strong Natural Mauvement

		(Contd. of page 7)
61790-53-2	Diatomaceous earth (Silica-Amorphous)	3
7631-86-9	Silica	3
1309-37-1	Iron Oxides (CI 77491)	3
· NTP (Natio	nal Toxicology Program)	
None of the	ingredients is listed.	
· OSHA-Ca (	Occupational Safety & Health Administration)	
None of the	ingredients is listed.	

#### **12 Ecological information**

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number		
· DOT, IMDG, IATA	UN1263	
· UN proper shipping name		
$\cdot DOT$	Paint	
· IMDG, IATA	PAINT	

Printing date 06/02/2021

Reviewed on 06/02/2021

#### Trade name: OPI Nature Strong Natural Mauvement

	(Contd. of pag
Transport hazard class(es)	
• DOT	
P. MAUSE F LOOD	
3	
· Class	3 Flammable liquids
· Label	3
· IMDG, IATA	
3	
· Class · Label	3 Flammable liquids 3
	5
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
<ul> <li>Hazard identification number (Kemler code).</li> <li>EMS Number:</li> </ul>	
· EMS Number: · Stowage Category	F-E, <u>S-E</u> B
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
·IMDG	
· Limited quantities (LQ)	5L
$\cdot$ Excepted quantities (EQ)	Code: E2 Maximum act avantity particular packagings 20 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1263 PAINT, 3, II

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

67-63-0 isopropyl alcohol

(Contd. on page 10)

<sup>–</sup> US

Printing date 06/02/2021

Reviewed on 06/02/2021

# Trade name: OPI Nature Strong Natural Mauvement

7664-38-2 1	Phosphoric Acid	(Contd. of pag
	parium sulfate	
	1-Butyl alcohol	
	inc sulphate (hydrous) (mono-, hexa-and hepta hydrate)	
	c Substances Control Act):	
	Butyl acetate	ACTIV
	ethyl acetate	ACTIV
	Nitrocellulose	ACTIV
	Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer	ACTIV
	Tributyl acetylcitrate	ACTIV
	ethyl alcohol	ACTIV
	titanium dioxide	
		ACTIV
	isopropyl alcohol	ACTIV
	Manganese Violet	ACTIV
	4-hydroxy-4-methylpentan-2-one	ACTIV
	hexa-2,4-dienoic acid	ACTIV
66-25-1		ACTIV
	Phosphoric Acid	ACTIV
	D-mannitol	ACTIV
5858-81-1		ACTIV
	barium sulfate	ACTIV
	Diatomaceous earth (Silica-Amorphous)	ACTIV
	Ferric Ammonium Ferrocyanide	ACTIV
	n-Butyl alcohol	ACTIV
7631-86-9		ACTIV
1309-37-1	Iron Oxides (CI 77491)	ACTIV
1934-21-0	CI 19140	ACTIV
10191-41-0	Tocopherol	ACTIV
Hazardous A	Air Pollutants	
None of the	ingredients is listed.	
Proposition	65	
	nown to cause cancer:	
13463-67-7	titanium dioxide	
Chemicals k	nown to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
Chemicals k	nown to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
Chemicals k	nown to cause developmental toxicity:	
64-17-5 eth	yl alcohol	
Carcinogeni	ic categories	
-	onmental Protection Agency)	
7727-43-7 l	barium sulfate	D, CBD(inh), NL(ora
		(Contd. on page

Printing date 06/02/2021

Reviewed on 06/02/2021

#### Trade name: OPI Nature Strong Natural Mauvement

		(Contd. of page	10)
71-36-3	n-Butyl alcohol	D	
7446-19-7	zinc sulphate (hydrous) (mono-, hexa-and hepta hydrate)	D, I, II	
· TLV (Threshold Limit Value)			
64-17-5	ethyl alcohol	A	3
13463-67-7	titanium dioxide	A	4
67-63-0	isopropyl alcohol	A	4
1309-37-1	Iron Oxides (CI 77491)	A	4
NIOSH Ca (National Institute for Occupational Safety and Health)			

 $\cdot$  NIOSH-Ca (National Institute for Occupational Safety and Health)

13463-67-7 titanium dioxide

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling: Butyl acetate ethyl alcohol Adipic Acid/Neopentyl Glycol/Trimellitic Anhydride Copolymer ethyl acetate · Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause an allergic skin reaction. May cause drowsiness or dizziness. · Precautionary statements Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. (Contd. on page 12)

- page 12)

Printing date 06/02/2021

Reviewed on 06/02/2021

Trade name: OPI Nature Strong Natural Mauvement

Store locked up.

- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Umweltschutz
- · Contact: Hr. Dr. Speckbacher
- $\cdot$  Date of preparation / last revision 06/02/2021 / -
- Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

(Contd. of page 11)