

SAFETY DATA SHEET

1. Identification

Product identifier	PUREOLOGY EASY BEACH WAVE TEXTURIZING SPRAY			
Other means of identification				
SDS number	30-31-0000048			
Recommended use	Personal care product used for cosmetic effect.			
Recommended restrictions	None known.			
Manufacturer/Importer/Supplier/Distributor information				
US Address:	L'Oreal USA Products, Inc			
	133 Terminal Avenue			
	Clark, NJ 07066			
	USA			
Canadian Address:	l 'Oreal Canada			
Canadian Address:	4895 rue Hickmore			
	Ville St-Laurent, H4T 1K5			
	Canada			
	Gundu			
Emergency Phone # :	1-800-535-5053 (International: 352-323-3500)			
	In Canada - 1-613-996-6666 (Canutec (*666 Cellular))			
For further Information:	1-732-499-2741			
Poison Control # :	412-390-3326			

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 3
Health hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Warning	
Hazard statement	Flammable liquid and vapor.	
Precautionary statement		
Prevention	Keep away from heat/sparks/open flames/hot closed. Ground/bond container and receiving electrical/ventilating/lighting equipment. Use o measures against static discharge. Wear prote	nly non-sparking tools. Take precautionary
Response	If on skin (or hair): Take off immediately all co In case of fire: Use appropriate media to extin	ntaminated clothing. Rinse skin with water/shower. guish.
Storage	Store in a well-ventilated place. Keep cool.	
Disposal	Dispose of contents/container in accordance	with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ETHANOL		64-17-5	6
GLYCERIN		56-81-5	1

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Not available.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.
General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Flammable liquid and vapor.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling
Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities
Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep out of the reach of children. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form
ETHANOL (CAS 64-17-5)	PEL	1900 mg/m3	
		1000 ppm	
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. ACGIH Threshold Limit	t Values		
Components	Туре	Value	
ETHANOL (CAS 64-17-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide t	o Chemical Hazards		
Components	Туре	Value	
ETHANOL (CAS 64-17-5)	TWA	1900 mg/m3	
		1000 ppm	
ological limit values	No biological exposure limits noted f	or the ingredient(s).	
propriate engineering ntrols	Explosion-proof general and local explosion rates should be matched	to conditions. If applicable, use	
	exposure limits. If exposure limits ha acceptable level.		ne levels below recommend
ividual protection measures	exposure limits. If exposure limits ha	ve not been established, maint	ne levels below recommend
lividual protection measures Eye/face protection	exposure limits. If exposure limits ha acceptable level.	ve not been established, maint	ne levels below recommend ain airborne levels to an
	exposure limits. If exposure limits ha acceptable level. , such as personal protective equipm	ve not been established, maint nent . Wear safety glasses with side	ne levels below recommend ain airborne levels to an e shields (or goggles).
Eye/face protection Skin protection	exposure limits. If exposure limits ha acceptable level. , such as personal protective equipm Applicable for industrial settings only	ve not been established, maint nent . Wear safety glasses with side . Wear appropriate chemical re	ne levels below recommend ain airborne levels to an e shields (or goggles). esistant gloves.
Eye/face protection Skin protection Hand protection	exposure limits. If exposure limits ha acceptable level. , such as personal protective equipm Applicable for industrial settings only Applicable for industrial settings only	ve not been established, maint nent 2. Wear safety glasses with side 4. Wear appropriate chemical re 5. Wear appropriate chemical re 6. If engineering controls do not exposure limits (where applica	ne levels below recommend ain airborne levels to an e shields (or goggles). esistant gloves. esistant clothing. maintain airborne ble) or to an acceptable leve
Eye/face protection Skin protection Hand protection Other	exposure limits. If exposure limits ha acceptable level. , such as personal protective equipm Applicable for industrial settings only Applicable for industrial settings only Applicable for industrial settings only Applicable for industrial settings only concentrations below recommended (in countries where exposure limits h	ve not been established, maint nent . Wear safety glasses with side r. Wear appropriate chemical re r. Wear appropriate chemical re r. If engineering controls do not exposure limits (where applica lave not been established), an	ne levels below recommend ain airborne levels to an e shields (or goggles). esistant gloves. esistant clothing. maintain airborne ble) or to an acceptable lev

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Color	Not available.
Odor	Characteristic.
Odor threshold	Not available.

рН	4.5 - 5.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 95 °F (> 35 °C)
Flash point	134.6 °F (57.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	

The product is stable and non-reactive under normal conditions of use, storage and transport.
Material is stable under normal conditions.
No dangerous reaction known under conditions of normal use.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Strong oxidizing agents.
No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	No adverse effects due to eye contact are expected.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Not available.	
Information on toxicological e	ffects	

Acute toxicity

Not known.

Product	Species	Test Results	
PUREOLOGY EASY BEACH WAY	/E TEXTURIZING SPRAY		
<u>Acute</u>			
Dermal			
ATEmix		3.03e+006 mg/kg	
Oral			
ATEmix		2.273e+006 mg/kg	
Components	Species	Test Results	
ETHANOL (CAS 64-17-5)			
Acute			
Dermal			
LD50	Rabbit	> 20000 mg/kg	
Inhalation			
Vapor			
LC50	Rat	124.7 mg/l, 4 h OECD 403	
Oral			
LD50	Rat	10470 mg/kg OECD 401	
GLYCERIN (CAS 56-81-5)			
Acute			
Dermal LD50	Rabbit	> 19700 ma/ka buy	
	Rappit	> 18700 mg/kg bw	
Inhalation	Rat	> 570 mg/l oir 1 h	
LC50	Rai	> 570 mg/L air, 1 h	
Oral	Det		
LD50	Rat	27200 mg/kg bw	
Skin corrosion/irritation	Due to partial or complete lac skin contact are expected.	of data the classification is not possible. No adverse	se effects due to
Irritation Corrosion - Sk	-		
ETHANOL		OECD 404	
		Result: Not Irritating Species: Rabbit	
GLYCERIN		Result: Not Irritating	
		Species: Rabbit	
Serious eye damage/eye		of data the classification is not possible. No adverse	se effects due to
irritation	eye contact are expected.		
Irritation Corrosion - Ey ETHANOL	e	OECD 405	
ETHANOL		Result: Irritating	
		Species: Rabbit	
GLYCERIN		Result: Not Irritating Species: Rabbit	
Respiratory or skin sensitizatior	ı	- F 21 / 2002/2	
Respiratory sensitization		of data the classification is not possible.	
Skin sensitization		of data the classification is not possible.	
Skin sensitization		· ·	
GLYCERIN		167 mg/m3 air OECD 413, Inhalation	
		Result: NOAEL Species: Rat	
		Test Duration: 90 d	
ETHANOL		OECD 406	
		Result: Not Sensitizing Species: Guinea pig	
GLYCERIN		Result: Not Sensitizing	
		Species: Guinea pig	
Germ cell mutagenicity	Due to partial or complete lac	of data the classification is not possible.	

Mutagenicity ETHANOL				vo tests did not show mutagenic
GLYCERIN			effects. Result: In vitro and in vi effects.	vo tests did not show mutagenic
Carcinogenicity	Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the classification is not possible.			
IARC Monographs. Overall	Evaluation of C	arcinogenicity		
Not listed.				
OSHA Specifically Regulat	ed Substances	(29 CFR 1910.1)	001-1052)	
Not regulated. US. National Toxicology Pr	rogram (NTP) Re	eport on Carcin	ogens	
Not listed. Reproductive toxicity	Possible repr	oductive hazard.		
Developmental effects				
ETHANOL			> 20000 ppm OECD 41 Result: NOAEL Species: Rat	4, No effects on development
GLYCERIN			1310 mg/kg bw/d, No e Result: NOAEL Species: Rat	ffects on development
Reproductivity			1	
GLYCERIN			2000 mg/kg bw/d, No e Result: NOAEL	ffects on fertility
			Species: Rat	
ETHANOL			20700 mg/kg bw/d OEC Result: NOAEL Species: Rat	CD 416, No effects on fertility
Specific target organ toxicity - single exposure	Due to partial	or complete lack	< of data the classification	is not possible.
Specific target organ toxicity - repeated exposure	- Due to partial or complete lack of data the classification is not possible.			
ETHANOL			1730 mg/kg bw/d OECI	D 408, Oral
			Result: NOAEL Species: Rat	
GLYCERIN			8000 mg/kg bw/d, Oral Result: NOAEL Species: Rat	
			Test Duration: 2 yr	
Aspiration hazard	Due to partial	or complete lack	< of data the classification	is not possible.
12. Ecological informatio	n			
Ecotoxicity				ous. However, this does not exclude the ul or damaging effect on the environment.
Components		Species		Test Results
ETHANOL (CAS 64-17-5)				
Aquatic				
Acute				
Algae	EC50	Pseudokirchne	eriella subcapitata	22200 mg/l, 96 h
Crustacea	EC50	Ceriodaphnia o	dubia	5012 mg/l, 48 h
Fish	LC50	Pimephales pr	omelas	15300 mg/l, 96 h
Other	IC50	Activated slude	ge of a predominantly age	> 1000 mg/l, 3 h
Chronic				
Crustacea	NOEC	Daphnia magn	a	9.6 mg/l, 9 d
Fish	NOEC	Danio rerio		250 mg/l, 120 h OECD 212

Components		Species	Test Results
GLYCERIN (CAS 56-81-5)			
Aquatic			
Acute			
Algae	EC0	Scenedesmus quadricauda	> 10000 mg/l, 192 h
Crustacea	EC50	Daphnia magna	1955 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	54000 mg/l, 96 h
Other	NOEC	Pseudomonas putida	> 10000 mg/l, 16 h
Persistence and degradability			
Biodegradability Percent degradation (Aerobic biod	egradation)	
ETHANOL		84 % Result: Readily Bio Test Duration: 20 (0
GLYCERIN		OECD 301 Result: Readily Bio	-
Bioaccumulative potential			
Partition coefficient n-octa ETHANOL GLYCERIN	anol / water (I	og Kow) -0.31 -1.76	
Mobility in soil	No data a	vailable.	
Other adverse effects			e depletion, photochemical ozone creation tential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	This product is ignitable (D001) RCRA hazardous wastes when intended for disposal.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Materials associated with this document meet the criteria for US Department of Transportation exemption found at 49 CFR 173.150(g).

Packages containing limited quantities of retail products in volumes in accordance with the tables listed below maybe offered under the conditions of the exemption.

US Domestic Transportation

		>70% Ethyl Alcohol (v/v) (w/w)			
	Inner Packaging	Net Contents	Gross Weight	Marking	
Liquids	8 fl. oz.	192 fl. oz.	65 lbs.	None	
	≤70% Ethyl Alcohol (v/v) (w/w)				
Liquids (glass)	8 fl. oz.	192 fl. oz.	65 lbs.	None	
	16 fl. oz.	192 fl. oz.	65 lbs.	Contains Ethyl Alcohol	
Liquids (non-	16 fl. oz.	192 fl. oz.	65 lbs.	None	
glass)	1 gallon	192 fl. oz.	65 lbs.	Contains Ethyl Alcohol	
	General Conditions				
				nd cushioned within the leakage and movement	

outer package to prevent breakage, leakage and movement

DOT

FINISHED G	GOODS
------------	-------

UN number	UN1266
UN proper shipping name	PERFUMERY PRODUCTS, Limited Quantity
Class	3
Packing group	III
Transport hazard class(es)	
Label(s)	Limited Quantity
• •	-

Packaging exceptions	150	
LTD QTY Net Inner Capacity	5.0 L	
BULK		
UN number	UN1266	
UN proper shipping name	PERFUMERY PRODUCTS	
Class Packing group	3 	
Transport hazard class(es)		
Label(s)	3	
Special provisions	B1, IB3, T2, TP1	
Packaging non bulk	203	
ΙΑΤΑ		
FINISHED GOODS		
UN number	ID8000	
UN proper shipping name	CONSUMER COMMODITY	
Class Booking group	9 Not applicable.	
Packing group ERG Number	9L	
BULK		
UN number	UN1266	
UN proper shipping name	PERFUMERY PRODUCTS	
Class	3	
Packing group		
ERG Number	3L	
IMDG FINISHED GOODS		
UN number	UN1266	
UN proper shipping name	PERFUMERY PRODUCTS, Limited Quantity	
Class	3	
Packing group	III	
Environmental Hazards		
Marine pollutant	No.	
Transport hazard class(es)		
Label(s)	Limited Quantity	
EmS	F-E, S-D	
LTD QTY Net Inner Capacity BULK	5.0 L	
UN number	UN1266	
UN proper shipping name	PERFUMERY PRODUCTS	
Class	3	
Packing group	III	
Environmental hazards		
Marine pollutant	No.	
EmS	F-E, S-D	
15. Regulatory information		
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
Toxic Substances Control A	ct (TSCA)	
TSCA Section 12(b) Exp	ort Notification (40 CFR 707, Subpt. D)	
Not regulated.		
CERCLA Hazardous Substar	ıce List (40 CFR 302.4)	
ETHANOL (CAS 64-17-5) Listed.		
SARA 304 Emergency releas		
Not regulated.		

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No (Exempt) chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

ETHANOL (CAS 64-17-5)Low priorityGLYCERIN (CAS 56-81-5)Other Flavoring Substances with OSHA PEL's

16. Other information, including date of preparation or last revision

Issue date Version # NFPA ratings	08-14-2019 01 Health: 0 Flammability: 2 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.