

# SAFETY DATA SHEET

## 1. Identification

**Product identifier** PUREOLOGY HYDRATE SHAMPOO

**Other means of identification**

**SDS number** 00-11-0000383

**Recommended use** Personal care product used for cosmetic effect.

**Recommended restrictions** None known.

**Manufacturer/Importer/Supplier/Distributor information**

**US Address:** L'Oreal USA Products, Inc  
 133 Terminal Avenue  
 Clark, NJ 07066  
 USA

**Canadian Address:** L'Oreal Canada  
 4895 rue Hickmore  
 Ville St-Laurent, H4T 1K5  
 Canada

**Emergency Phone # :** 1-800-535-5053 (International: 352-323-3500)  
 In Canada - 1-613-996-6666 (Canutec (\*666 Cellular))

**For further Information:** 1-732-499-2741

**Poison Control # :** 412-390-3326

## 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Serious eye damage/eye irritation Category 2A

**OSHA defined hazards** Not classified.

### Label elements



**Signal word** Warning

**Hazard statement** Causes serious eye irritation.

### Precautionary statement

**Prevention** Wash thoroughly after handling. Wear eye protection/face protection.

**Response** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
SODIUM COCOYL ISETHIONATE		61789-32-0	7.57
DISODIUM LAURETH SULFOSUCCINATE		39354-45-5	7.29
SODIUM LAURYL SULFOACETATE		1847-58-1	2.84
SODIUM LAUROYL SARCOSINATE		137-16-6	2.16
COCAMIDOPROPYL BETAINE		61789-40-0	1.74

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

### 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	<p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.</p> <p>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p>
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

<b>Precautions for safe handling</b>	Avoid contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Appropriate engineering controls</b>	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin protection</b>	
<b>Hand protection</b>	Wear appropriate chemical resistant gloves.
<b>Other</b>	Wear suitable protective clothing.
<b>Respiratory protection</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Thermal hazards</b>	Wear appropriate thermal protective clothing, when necessary.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

<b>Appearance</b>	
<b>Physical state</b>	Liquid.
<b>Color</b>	Not available.
<b>Odor</b>	Characteristic.
<b>Odor threshold</b>	Not available.
<b>pH</b>	6 - 6.6
<b>Melting point/freezing point</b>	Not available.
<b>Initial boiling point and boiling range</b>	> 212 °F (> 100 °C)
<b>Flash point</b>	> 212.0 °F (> 100.0 °C)
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Specific gravity</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Density</b>	>= 1.040 g/cm3

<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	No adverse effects due to inhalation are expected.
<b>Skin contact</b>	No adverse effects due to skin contact are expected.
<b>Eye contact</b>	Causes serious eye irritation.
<b>Ingestion</b>	Expected to be a low ingestion hazard.

<b>Symptoms related to the physical, chemical and toxicological characteristics</b>	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
---	---

### Information on toxicological effects

<b>Acute toxicity</b>	Not known.
-----------------------	------------

Components	Species	Test Results
COCAMIDOPROPYL BETAINE (CAS 61789-40-0)		
<u><b>Acute</b></u>		
<b>Dermal</b>		
LD50	Rat	> 620 mg/kg OECD 402
<b>Oral</b>		
LD50	Rat	2335 mg/kg OECD 401
DISODIUM LAURETH SULFOSUCCINATE (CAS 39354-45-5)		
<u><b>Acute</b></u>		
<b>Dermal</b>		
LD50	Rat	10000 mg/kg
<b>Oral</b>		
LD50	Rat	> 3000 mg/kg OECD 401
SODIUM COCOYL ISETHIONATE (CAS 61789-32-0)		
<u><b>Acute</b></u>		
<b>Oral</b>		
LD50	Rat	> 2000 mg/kg OECD 201
SODIUM LAUROYL SARCOSINATE (CAS 137-16-6)		
<u><b>Acute</b></u>		
<b>Inhalation</b>		
<i>Aerosol</i>		
LC50	Rat	1 - 5 mg/l, 4 h OECD 403
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg OECD 401
SODIUM LAURYL SULFOACETATE (CAS 1847-58-1)		
<u><b>Acute</b></u>		
<b>Dermal</b>		
LD50	Rabbit	> 2000 mg/kg

Components	Species	Test Results
Oral LD50	Rat	2000 - 5000 mg/kg
* Estimates for product may be based on additional component data not shown.		
Skin corrosion/irritation	No adverse effects due to skin contact are expected.	
Irritation Corrosion - Skin		
DISODIUM LAURETH SULFOSUCCINATE	OECD 404	Result: Not Irritating Species: Rabbit
COCAMIDOPROPYL BETAINE	OECD 404	Result: Slightly Irritating Species: Rabbit
SODIUM COCOYL ISETHIONATE	OECD 404	Result: Slightly Irritating Species: Rabbit
SODIUM LAUROYL SARCOSINATE	OECD 404, 30% Sol.	Result: Slightly Irritating Species: Rabbit
SODIUM LAURYL SULFOACETATE	OECD 404, 30% Sol.	Result: Irritating Species: Rabbit
Serious eye damage/eye irritation	Causes serious eye irritation.	
Irritation Corrosion - Eye		
SODIUM COCOYL ISETHIONATE	OECD 405	Result: Irritating Species: Rabbit
COCAMIDOPROPYL BETAINE	OECD 405, (C > 10%)	Result: Corrosive Species: Rabbit
SODIUM LAUROYL SARCOSINATE	OECD 405, (C ≤ 10%)	Result: Irritating Species: Rabbit
DISODIUM LAURETH SULFOSUCCINATE	OECD 405, 30% Sol.	Result: Irritating Species: Rabbit
SODIUM LAURYL SULFOACETATE	OECD 405, 30% Sol.	Result: Irritating Species: Rabbit
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Skin sensitization		
SODIUM LAUROYL SARCOSINATE	EU B.6	Result: Not Sensitizing Species: Guinea pig
COCAMIDOPROPYL BETAINE	OECD 406	Result: Not Sensitizing Species: Guinea pig
DISODIUM LAURETH SULFOSUCCINATE	OECD 406	Result: Not Sensitizing Species: Guinea pig
SODIUM COCOYL ISETHIONATE	OECD 406	Result: Not Sensitizing Species: Guinea pig
SODIUM LAURYL SULFOACETATE	OECD 406	Result: Not Sensitizing Species: Guinea pig
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Mutagenicity		
COCAMIDOPROPYL BETAINE	Result: In vitro and in vivo tests did not show mutagenic effects.	
SODIUM COCOYL ISETHIONATE	Result: In vitro tests did not show mutagenic effect	

**Mutagenicity**

DISODIUM LAURETH SULFOSUCCINATE

Result: In vitro tests did not show mutagenic effects

SODIUM LAUROYL SARCOSINATE

Result: In vitro tests did not show mutagenic effects

SODIUM LAURYL SULFOACETATE

Result: In vitro tests did not show mutagenic effects

**Carcinogenicity**

Not classifiable as to carcinogenicity to humans.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Not listed.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens**

Not listed.

**Reproductive toxicity**

This product is not expected to cause reproductive or developmental effects.

**Developmental effects**

SODIUM LAUROYL SARCOSINATE

&gt;= 250 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

SODIUM COCOYL ISETHIONATE

1000 mg/kg bw/d OECD 414, Based on test data for structurally similar materials.

Result: NOEL

Species: Rat

COCAMIDOPROPYL BETAINE

300 mg/kg bw/d OECD 414, No effects on development

Result: NOEL

Species: Rat

**Reproductivity**

SODIUM COCOYL ISETHIONATE

1000 mg/kg bw/d OECD 421, Based on test data for structurally similar materials.

Result: NOAEL

Species: Rat

SODIUM LAURYL SULFOACETATE

1000 mg/kg bw/d OECD 422

Result: NOAEL

Species: Rat

COCAMIDOPROPYL BETAINE

247 mg/kg bw/d OECD 408

Result: NOEL

Species: Rat

**Specific target organ toxicity - single exposure** Not classified.**Specific target organ toxicity - repeated exposure** Not classified.

SODIUM COCOYL ISETHIONATE

&gt;= 1000 mg/kg bw/d OECD 407, Oral

Result: NOAEL

Species: Rat

Test Duration: 28 d

&gt;= 2070 mg/kg bw/d OECD 410, Dermal

Result: NOAEL

Species: Rat

Test Duration: 28 d

SODIUM LAUROYL SARCOSINATE

250 mg/kg bw/d OECD 408, Oral

Result: NOAEL

Species: Rat

Test Duration: 90 d

COCAMIDOPROPYL BETAINE

300 mg/kg bw/d OECD 408, Oral

Result: NOEL

Species: Rat

Test Duration: 90 d

DISODIUM LAURETH SULFOSUCCINATE

300 mg/kg/day OECD 407

Result: NOAEL

Species: Rat

Test Duration: 28 d

SODIUM LAURYL SULFOACETATE

75 mg/kg bw/d

Result: NOAEL

Species: Rat

Test Duration: 90 d

**Aspiration hazard**

Not an aspiration hazard.

## 12. Ecological information

### Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
COCAMIDOPROPYL BETAINE (CAS 61789-40-0)			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	2.4 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	1.9 mg/l, 48 h OECD 202
Fish	LC50	Pimephales promelas	1.1 mg/l, 96 h OECD 203
Other	EC0	Pseudomonas putida	3000 mg/l, 16 h ISO 10712
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.32 mg/l, 21 d OECD 211
Fish	NOEC	Oncorhynchus mykiss	0.135 mg/l, 37 d OECD 210
DISODIUM LAURETH SULFOSUCCINATE (CAS 39354-45-5)			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Algae	10 - 100 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia	10 - 100 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	10 - 100 mg/l, 96 h OECD 203
SODIUM COCOYL ISETHIONATE (CAS 61789-32-0)			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	1 - 10 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	10 - 100 mg/l, 48 h OECD 202
Fish	LC50	Oncorhynchus mykiss	10 - 100 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
<i>Chronic</i>			
Algae	EC10	Pseudokirchneriella subcapitata	0.1 - 1 mg/l, 72 h OECD 201
SODIUM LAUROYL SARCOSINATE (CAS 137-16-6)			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	23.7 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	8.91 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	32.1 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
SODIUM LAURYL SULFOACETATE (CAS 1847-58-1)			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC50	Algae	6.8 mg/l, 72 h
Crustacea	EC50	Daphnia magna	7.9 - 11.6 mg/l, 48 h
Fish	LC50	Danio rerio	4.2 mg/l, 96 h

\* Estimates for product may be based on additional component data not shown.

### Persistence and degradability

#### Biodegradability

##### Percent degradation (Aerobic biodegradation)

COCAMIDOPROPYL BETAINE

91.6 % OECD 301 B

Result: Readily Biodegradable

Test Duration: 28 d

## Biodegradability

### Percent degradation (Aerobic biodegradation)

DISODIUM LAURETH SULFOSUCCINATE

> 60 %

Result: Readily Biodegradable

Test Duration: 28 d

SODIUM COCOYL ISETHIONATE

78 % OECD 301 D

Result: Readily Biodegradable

Test Duration: 28 d

SODIUM LAUROYL SARCOSINATE

82 % ISO 14593

Result: Readily Biodegradable

Test Duration: 28 d

SODIUM LAURYL SULFOACETATE

>= 60 % OECD 301 D

Result: Readily Biodegradable

Test Duration: 28 d

## Bioaccumulative potential

### Partition coefficient n-octanol / water (log Kow)

COCAMIDOPROPYL BETAINE

4.2

SODIUM COCOYL ISETHIONATE

-0.41

### Bioconcentration factor (BCF)

COCAMIDOPROPYL BETAINE

71

## Mobility in soil

No data available.

## Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

### Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Local disposal regulations

Dispose in accordance with all applicable regulations.

### Hazardous waste code

Not regulated.

### Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

### Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport information

### DOT

#### FINISHED GOODS

Not regulated as dangerous goods.

#### BULK

Not regulated as dangerous goods.

### IATA

#### FINISHED GOODS

Not regulated as dangerous goods.

#### BULK

Not regulated as dangerous goods.

### IMDG

#### FINISHED GOODS

Not regulated as dangerous goods.

#### BULK

Not regulated as dangerous goods.

## 15. Regulatory information

### US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.



**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

<b>Hazard categories</b>	Immediate Hazard - Yes
	Delayed Hazard - No
	Fire Hazard - No
	Pressure Hazard - No
	Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**

Not listed.

<b>SARA 311/312 Hazardous chemical</b>	Yes
--	-----

**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

<b>Safe Drinking Water Act (SDWA)</b>	Not regulated.
---------------------------------------	----------------

**16. Other information, including date of preparation or last revision**

<b>Issue date</b>	04-19-2019
-------------------	------------

<b>Version #</b>	01
------------------	----

<b>NFPA ratings</b>	Health: 2
	Flammability: 1
	Instability: 0

<b>Disclaimer</b>	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
-------------------	--