

# SAFETY DATA SHEET

## PUREOLOGY SMOOTH GLOSS MASK

Version 1.0      Revision Date: 04/09/2025      SDS Number: 00-12-400000200811      Date of last issue: -  
Date of first issue: 04/09/2025

---

### SECTION 1. IDENTIFICATION

Product name : PUREOLOGY SMOOTH GLOSS MASK

Formula Center Reference : 1400581PR12

Other means of identification : No data available

#### Manufacturer or supplier's details

Address : L'Oreal Canada  
4895 rue Hickmore  
Ville St-Laurent H4T 1K5  
Canada

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

#### Emergency telephone

National Poisons Control Center : CANUTEC : 1-613-996-6666 (Canutec (\*666 Cellular)) (This telephone number is available during office hours only.)

#### Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the Hazardous Products Regulations

Specific target organ toxicity : Category 2 (Gastrointestinal tract)  
- repeated exposure (Oral)

#### GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H373 May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure if swallowed.

Precautionary Statements : P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.

---

# SAFETY DATA SHEET

## PUREOLOGY SMOOTH GLOSS MASK

Version 1.0      Revision Date: 04/09/2025      SDS Number: 00-12-400000200811      Date of last issue: -  
Date of first issue: 04/09/2025

### Prevention:

P260 Do not breathe mist or vapors.

### Response:

P314 Get medical advice/ attention if you feel unwell.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
GLYCERIN	glycerol	56-81-5	$\geq 3 - < 5$ *
BEHENTRIMONIUM CHLORIDE	Quaternary ammonium compounds, C20-22-alkyltrimethyl, chlorides	68607-24-9	$\geq 1 - < 3$ *
HYDROGENATED POLYISOBUTENE	Butene, homo-polymer, hydrogenated	68937-10-0	$\geq 1 - < 3$ *
QUATERNIUM-87	No data available	1370006-50-0	$\geq 1 - < 3$ *
MYRISTYL STEARATE	tetradecyl stearate	17661-50-6	$\geq 1 - < 3$ *

\* Actual concentration or concentration range is withheld as a trade secret

## SECTION 4. FIRST AID MEASURES

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air.  
Call a physician if symptoms develop or persist.
- In case of skin contact : Get medical attention if irritation develops and persists.
- In case of eye contact : Rinse with water.  
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.  
Clean mouth with water and drink afterwards plenty of water.  
If symptoms persist, call a physician.

# SAFETY DATA SHEET

## PUREOLOGY SMOOTH GLOSS MASK

Version      Revision Date:      SDS Number:      Date of last issue: -  
1.0          04/09/2025          00-12-          Date of first issue: 04/09/2025  
400000200811

---

Most important symptoms and effects, both acute and delayed : May cause damage to organs through prolonged or repeated exposure if swallowed.

Notes to physician : Treat symptomatically.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.  
Standard procedure for chemical fires.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

---

### SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

---

# SAFETY DATA SHEET

## PUREOLOGY SMOOTH GLOSS MASK

Version 1.0      Revision Date: 04/09/2025      SDS Number: 00-12-400000200811      Date of last issue: -  
Date of first issue: 04/09/2025

Advice on safe handling : For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
GLYCERIN	56-81-5	TWA (Mist)	10 mg/m <sup>3</sup>	CA AB OEL
		TWA (Mist)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Respirable mist)	3 mg/m <sup>3</sup>	CA BC OEL
		TWAEV (Mist)	10 mg/m <sup>3</sup>	CA QC OEL
MYRISTYL STEARATE	17661-50-6	TWA	10 mg/m <sup>3</sup>	CA AB OEL
		TWAEV	10 mg/m <sup>3</sup>	CA QC OEL
		TWA (Inhalable)	10 mg/m <sup>3</sup>	CA BC OEL
		TWA (Respirable)	3 mg/m <sup>3</sup>	CA BC OEL
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only.  
Safety glasses

Skin and body protection : Applicable for industrial settings only.  
Work uniform or laboratory coat.

Hygiene measures : When using do not eat or drink.

# SAFETY DATA SHEET

## PUREOLOGY SMOOTH GLOSS MASK

Version 1.0      Revision Date: 04/09/2025      SDS Number: 00-12-400000200811      Date of last issue: -  
Date of first issue: 04/09/2025

---

When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : cream

Color : light pink

Odor : characteristic

pH : 3.5 - 4.5

Melting point/freezing point : No data available

Boiling point/boiling range : Not available

Flash point : > 93 °C  
Method: ISO 3679

Fire Point : Not applicable

Flammability (liquids) : Does not sustain combustion.

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 0.977 - 0.983 (20 °C)

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

# SAFETY DATA SHEET

## PUREOLOGY SMOOTH GLOSS MASK

Version 1.0      Revision Date: 04/09/2025      SDS Number: 00-12-400000200811      Date of last issue: -  
Date of first issue: 04/09/2025

---

Decomposition temperature : Not applicable

Viscosity  
Viscosity, kinematic : No data available

Dust explosion class : Not applicable

Particle characteristics  
Particle size : Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Not applicable

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Components:

##### **BEHENTRIMONIUM CHLORIDE:**

Acute oral toxicity : LD50 (Rat, female): 3,190 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

##### **HYDROGENATED POLYISOBUTENE:**

Acute oral toxicity : LD50 (Mouse): > 68,900 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

##### **QUATERNIUM-87:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

---

# SAFETY DATA SHEET

## PUREOLOGY SMOOTH GLOSS MASK

Version 1.0      Revision Date: 04/09/2025      SDS Number: 00-12-400000200811      Date of last issue: -  
Date of first issue: 04/09/2025

---

toxicity  
Remarks: Based on data from similar materials

### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

#### **Components:**

##### **BEHENTRIMONIUM CHLORIDE:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

##### **HYDROGENATED POLYISOBUTENE:**

Result : No skin irritation

##### **QUATERNIUM-87:**

Species : Rabbit  
Result : Skin irritation  
Remarks : Based on data from similar materials

### **Serious eye damage/eye irritation**

Based on available data, the classification criteria are not met.

#### **Product:**

Result : No eye irritation  
Method : Bovine cornea (BCOP)  
Remarks : Based on data from similar materials

### **Respiratory or skin sensitization**

#### **Skin sensitization**

Based on available data, the classification criteria are not met.

#### **Respiratory sensitization**

Based on available data, the classification criteria are not met.

#### **Components:**

##### **BEHENTRIMONIUM CHLORIDE:**

Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.

##### **HYDROGENATED POLYISOBUTENE:**

Routes of exposure : Skin contact  
Species : Humans  
Result : Does not cause skin sensitization.

# SAFETY DATA SHEET

## PUREOLOGY SMOOTH GLOSS MASK

Version 1.0      Revision Date: 04/09/2025      SDS Number: 00-12-400000200811      Date of last issue: -  
Date of first issue: 04/09/2025

---

### **QUATERNIUM-87:**

Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.

### **Germ cell mutagenicity**

Based on available data, the classification criteria are not met.

### **Components:**

#### **BEHENTRIMONIUM CHLORIDE:**

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### **Carcinogenicity**

Based on available data, the classification criteria are not met.

### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

### **Components:**

#### **BEHENTRIMONIUM CHLORIDE:**

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

### **STOT-single exposure**

Based on available data, the classification criteria are not met.

### **STOT-repeated exposure**

May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure if swallowed.

### **Components:**

#### **BEHENTRIMONIUM CHLORIDE:**

Routes of exposure : Ingestion  
Target Organs : Gastrointestinal tract  
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

### **Repeated dose toxicity**

### **Components:**

#### **BEHENTRIMONIUM CHLORIDE:**

Species : Rat, male and female  
NOAEL : 10 mg/kg  
Application Route : Oral  
Exposure time : 28 d  
Method : OECD Test Guideline 407

# SAFETY DATA SHEET

## PUREOLOGY SMOOTH GLOSS MASK

Version 1.0      Revision Date: 04/09/2025      SDS Number: 00-12-400000200811      Date of last issue: -  
Date of first issue: 04/09/2025

---

### Aspiration toxicity

Based on available data, the classification criteria are not met.

### Components:

#### HYDROGENATED POLYISOBUTENE:

May be fatal if swallowed and enters airways.

### Further information

#### Product:

Remarks : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### BEHENTRIMONIUM CHLORIDE:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 3.5 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.39 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 3.48 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC10 (Desmodesmus subspicatus (green algae)): 0.78 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 0.24 mg/l  
Exposure time: 9 d  
Method: OECD Test Guideline 212

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.119 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

#### Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

---

# SAFETY DATA SHEET

## PUREOLOGY SMOOTH GLOSS MASK

Version 1.0      Revision Date: 04/09/2025      SDS Number: 00-12-400000200811      Date of last issue: -  
Date of first issue: 04/09/2025

---

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

### **QUATERNIUM-87:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 13.3 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

### **Persistence and degradability**

#### **Components:**

#### **BEHENTRIMONIUM CHLORIDE:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 80 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B  
Remarks: The 10 day time window criterion is not fulfilled.

#### **QUATERNIUM-87:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 69 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301E

### **Bioaccumulative potential**

#### **Components:**

#### **BEHENTRIMONIUM CHLORIDE:**

Bioaccumulation : Bioconcentration factor (BCF): 835  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 3.29  
pH: 5.4

### **Mobility in soil**

No data available

### **Other adverse effects**

#### **Product:**

Additional ecological information : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

# SAFETY DATA SHEET

## PUREOLOGY SMOOTH GLOSS MASK

Version 1.0      Revision Date: 04/09/2025      SDS Number: 00-12-400000200811      Date of last issue: -  
Date of first issue: 04/09/2025

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Dispose of in accordance with local regulations.
- Contaminated packaging : Do not re-use empty containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.
- 

### SECTION 14. TRANSPORT INFORMATION

#### Domestic regulation

##### TDG

Not regulated as a dangerous good

#### International Regulations

##### IATA-DGR

Not regulated as a dangerous good

##### IMDG-Code

Not regulated as a dangerous good

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Special precautions for user

- Remarks : Not classified as dangerous in the meaning of transport regulations.
- 

### SECTION 15. REGULATORY INFORMATION

- Canadian PBT Chemicals** : This product does not contain any components on the DSL that are classified as Persistent, Bioaccumulative and Toxic (PBT) under CEPA.
- 

### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

- ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
CA AB OEL : Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)  
CA BC OEL : Canada. British Columbia OEL  
CA QC OEL : Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
-

# SAFETY DATA SHEET

## PUREOLOGY SMOOTH GLOSS MASK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	04/09/2025	00-12- 400000200811	Date of first issue: 04/09/2025

---

ACGIH / TWA	:	8-hour, time-weighted average
CA AB OEL / TWA	:	8-hour Occupational exposure limit
CA BC OEL / TWA	:	8-hour time weighted average
CA QC OEL / TWAEV	:	Time-weighted average exposure value

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date	:	04/09/2025
Date format	:	mm/dd/yyyy

CA / EN