

# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version 1.1      Revision Date: 12/18/2024      SDS Number: 00-11-400000005823      Date of last issue: 07/19/2023  
Date of first issue: 07/19/2023

---

### SECTION 1. IDENTIFICATION

Product name : PUREOLOGY STRENGTH CURE SHAMPOO

Formula Center Reference : 1082785PR26

#### Manufacturer or supplier's details

Address : L'Oreal USA Products, Inc  
133, Terminal Avenue  
Clark, NJ 07066  
USA

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

#### Emergency telephone

INFOTRAC : 1-800-535-5053 (International: +1 352-323-3500) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

#### Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage : Category 1

Reproductive toxicity : Category 2

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.  
H361 Suspected of damaging fertility or the unborn child.

---

# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version 1.1      Revision Date: 12/18/2024      SDS Number: 00-11-400000005823      Date of last issue: 07/19/2023  
Date of first issue: 07/19/2023

Precautionary Statements : P102 Keep out of reach of children.  
P103 Read label before use.

**Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
SODIUM COCOYL ISETHIONATE	61789-32-0	>= 5 - < 10
DISODIUM LAURETH SULFO-SUCCINATE	39354-45-5	>= 5 - < 10
SODIUM LAURYL SULFOACETATE	1847-58-1	>= 3 - < 5
COCO-BETAINE	66455-29-6	>= 1 - < 3
SODIUM LAUROYL SARCOSINATE	137-16-6	>= 1 - < 3
SALICYLIC ACID	69-72-7	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

### SECTION 4. FIRST AID MEASURES

General advice : Consult a physician.  
If inhaled : If symptoms persist, call a physician.  
In case of skin contact : Get medical attention if irritation develops and persists.  
In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version 1.1      Revision Date: 12/18/2024      SDS Number: 00-11-400000005823      Date of last issue: 07/19/2023  
Date of first issue: 07/19/2023

---

of water and seek medical advice.  
Remove contact lenses.  
If eye irritation persists, consult a specialist.

If swallowed : Rinse mouth with water.  
Clean mouth with water and drink afterwards plenty of water.  
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Causes serious eye damage.  
Suspected of damaging fertility or the unborn child.

Notes to physician : Treat symptomatically.

---

### SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.  
Standard procedure for chemical fires.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

---

### SECTION 7. HANDLING AND STORAGE

# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version 1.1      Revision Date: 12/18/2024      SDS Number: 00-11-400000005823      Date of last issue: 07/19/2023  
Date of first issue: 07/19/2023

---

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid contact with eyes.  
For personal protection see section 8.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
Observe label precautions.

Further information on storage stability : No decomposition if stored and applied as directed.

---

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only.  
Tightly fitting safety goggles

Skin and body protection : Applicable for industrial settings only.  
Work uniform or laboratory coat.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : viscous liquid

Color : pink

Odor : characteristic

pH : 6.0 - 6.6

Melting point/freezing point : No data available

---

# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version 1.1      Revision Date: 12/18/2024      SDS Number: 00-11-400000005823      Date of last issue: 07/19/2023  
Date of first issue: 07/19/2023

---

Boiling point/boiling range : Not available

Flash point : > 199 °F / > 93 °C  
Method: ISO 3679

Fire Point : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.037 - 1.043 (68 °F / 20 °C)

Solubility(ies)  
Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : Not applicable

Viscosity  
Viscosity, kinematic : No data available

Dust explosion class : Not applicable

Particle characteristics  
Particle size : Not applicable

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Not applicable

---

# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version 1.1      Revision Date: 12/18/2024      SDS Number: 00-11-400000005823      Date of last issue: 07/19/2023  
Date of first issue: 07/19/2023

---

Hazardous decomposition products : No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 23.15 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg  
Method: Calculation method

#### Components:

##### **SODIUM COCOYL ISETHIONATE:**

Acute oral toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

##### **DISODIUM LAURETH SULFOSUCCINATE:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg

##### **SODIUM LAURYL SULFOACETATE:**

Acute oral toxicity : LD50 (Rat, male and female): 600 - 1,650 mg/kg  
Method: OECD Test Guideline 401  
Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

##### **COCO-BETAINE:**

Acute oral toxicity : LD50 (Mouse): 2,640 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity  
Acute dermal toxicity : LD50 (Rat, male and female): > 620 mg/kg  
Method: OECD Test Guideline 402

# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version 1.1      Revision Date: 12/18/2024      SDS Number: 00-11-400000005823      Date of last issue: 07/19/2023  
Date of first issue: 07/19/2023

---

Assessment: The substance or mixture has no acute dermal toxicity

### **SODIUM LAUROYL SARCOSINATE:**

Acute oral toxicity : LD50 (Rat, male and female): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat, male and female): 0.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

### **SALICYLIC ACID:**

Acute oral toxicity : LD50 (Rat, male): 891 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LCLo (Rat, female): 0.7 mg/l  
Exposure time: 7 h  
Test atmosphere: vapor  
Method: OECD Test Guideline 412  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### **Skin corrosion/irritation**

Based on available data, the classification criteria are not met.

### **Components:**

#### **SODIUM COCOYL ISETHIONATE:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **SODIUM LAURYL SULFOACETATE:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **COCO-BETAINE:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version 1.1      Revision Date: 12/18/2024      SDS Number: 00-11-400000005823      Date of last issue: 07/19/2023  
Date of first issue: 07/19/2023

---

### **SODIUM LAUROYL SARCOSINATE:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

### **SALICYLIC ACID:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Causes serious eye damage.

#### **Product:**

Remarks : May cause irreversible eye damage.

#### **Components:**

### **SODIUM COCOYL ISETHIONATE:**

Species : Rabbit  
Result : Eye irritation  
Method : OECD Test Guideline 405

### **DISODIUM LAURETH SULFOSUCCINATE:**

Result : Risk of serious damage to eyes.

### **SODIUM LAURYL SULFOACETATE:**

Species : Rabbit  
Result : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405

### **COCO-BETAINE:**

Species : Rabbit  
Result : Risk of serious damage to eyes.  
Method : OECD Test Guideline 405

### **SODIUM LAUROYL SARCOSINATE:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : OECD Test Guideline 405

### **SALICYLIC ACID:**

Species : Rabbit  
Result : Irreversible effects on the eye  
Method : Draize Test

# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version 1.1      Revision Date: 12/18/2024      SDS Number: 00-11-400000005823      Date of last issue: 07/19/2023  
Date of first issue: 07/19/2023

---

### Respiratory or skin sensitization

#### Skin sensitization

Based on available data, the classification criteria are not met.

#### Respiratory sensitization

Based on available data, the classification criteria are not met.

#### Components:

##### **SODIUM COCOYL ISETHIONATE:**

Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.

##### **SODIUM LAURYL SULFOACETATE:**

Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.

##### **COCO-BETAINE:**

Routes of exposure : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : Does not cause skin sensitization.

##### **SODIUM LAUROYL SARCOSINATE:**

Routes of exposure : Skin contact  
Species : Guinea pig  
Method : Regulation (EC) No. 440/2008, Annex, B.6  
Result : Does not cause skin sensitization.

##### **SALICYLIC ACID:**

Routes of exposure : Skin contact  
Species : Mouse  
Result : Does not cause skin sensitization.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Components:

##### **SODIUM COCOYL ISETHIONATE:**

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

##### **SODIUM LAURYL SULFOACETATE:**

Germ cell mutagenicity - : Weight of evidence does not support classification as a germ



# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version 1.1      Revision Date: 12/18/2024      SDS Number: 00-11-400000005823      Date of last issue: 07/19/2023  
Date of first issue: 07/19/2023

---

Result: Animal testing did not show any effects on fertility.

Effects on fetal development : Species: Rabbit  
Developmental Toxicity: 250  
Result: Teratogenic effects.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### **STOT-single exposure**

Based on available data, the classification criteria are not met.

### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

### **Components:**

#### **SODIUM COCOYL ISETHIONATE:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **SODIUM LAURYL SULFOACETATE:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### **SODIUM LAUROYL SARCOSINATE:**

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

### **Aspiration toxicity**

Based on available data, the classification criteria are not met.

### **Further information**

#### **Product:**

Remarks : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

---

## SECTION 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Components:**

#### **SODIUM COCOYL ISETHIONATE:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 25 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

---

# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version 1.1      Revision Date: 12/18/2024      SDS Number: 00-11-400000005823      Date of last issue: 07/19/2023  
Date of first issue: 07/19/2023

---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 32 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): >= 4.8 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOELR (Pseudokirchneriella subcapitata (green algae)): >= 0.31 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### DISODIUM LAURETH SULFOSUCCINATE:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 48 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 8.8 mg/l  
Exposure time: 48 h

### SODIUM LAURYL SULFOACETATE:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 4.2 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.9 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): 6.8 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Scenedesmus capricornutum (fresh water algae)): 0.86 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### COCO-BETAINE:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 4.44 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.76 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.7 mg/l

# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version 1.1      Revision Date: 12/18/2024      SDS Number: 00-11-400000005823      Date of last issue: 07/19/2023  
Date of first issue: 07/19/2023

---

Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.38 mg/l

Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 2.99 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

### **SODIUM LAUROYL SARCOSINATE:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 32.1 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 8.91 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 79 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### **SALICYLIC ACID:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,370 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 870 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 10 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

### **Persistence and degradability**

#### **Components:**

#### **SODIUM COCOYL ISETHIONATE:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 78 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version 1.1      Revision Date: 12/18/2024      SDS Number: 00-11-400000005823      Date of last issue: 07/19/2023  
Date of first issue: 07/19/2023

---

### **DISODIUM LAURETH SULFOSUCCINATE:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 60 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### **SODIUM LAURYL SULFOACETATE:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 70.17 %  
Exposure time: 28 d

### **COCO-BETAINE:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 63 - 79 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### **SODIUM LAUROYL SARCOSINATE:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 82 %  
Exposure time: 28 d

### **SALICYLIC ACID:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 90 %  
Exposure time: 4 d

### **Bioaccumulative potential**

#### **Components:**

### **SODIUM COCOYL ISETHIONATE:**

Partition coefficient: n-octanol/water : log Pow: -0.41  
pH: 7

### **SODIUM LAURYL SULFOACETATE:**

Partition coefficient: n-octanol/water : log Pow: -0.31

### **SODIUM LAUROYL SARCOSINATE:**

Partition coefficient: n-octanol/water : log Pow: 0.37

### **SALICYLIC ACID:**

Bioaccumulation : Bioconcentration factor (BCF): > 1,000

# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version 1.1      Revision Date: 12/18/2024      SDS Number: 00-11-400000005823      Date of last issue: 07/19/2023  
Date of first issue: 07/19/2023

---

Partition coefficient: n-octanol/water      :      log Pow: 2.25  
Method: OECD Test Guideline 117

### **Mobility in soil**

No data available

### **Other adverse effects**

### **Product:**

Additional ecological information      :      The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

Waste from residues      :      The product should not be allowed to enter drains, water courses or the soil.  
Dispose of in accordance with local regulations.

Contaminated packaging      :      Do not reuse empty containers.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.

---

## SECTION 14. TRANSPORT INFORMATION

### **Domestic regulation**

#### **49 CFR**

Not regulated as a dangerous good

### **International Regulations**

#### **IATA-DGR**

Not regulated as a dangerous good

#### **IMDG-Code**

Not regulated as a dangerous good

### **Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

### **Special precautions for user**

Remarks      :      Not classified as dangerous in the meaning of transport regulations.

# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version 1.1      Revision Date: 12/18/2024      SDS Number: 00-11-400000005823      Date of last issue: 07/19/2023  
Date of first issue: 07/19/2023

---

### SECTION 15. REGULATORY INFORMATION

#### CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Reproductive toxicity  
Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).


This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

---

### SECTION 16. OTHER INFORMATION

#### Further information

#### NFPA 704:



#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -

# SAFETY DATA SHEET

## PUREOLOGY STRENGTH CURE SHAMPOO

Version	Revision Date:	SDS Number:	Date of last issue: 07/19/2023
1.1	12/18/2024	00-11- 400000005823	Date of first issue: 07/19/2023

Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 12/18/2024

US / EN