REDKEN

SAFETY DATA SHEET

1. Identification

Product identifier REDKEN ACIDIC MOISTURE CONCENTRATE

Other means of identification

SDS number 00-12-0000733

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc

133 Terminal Avenue Clark, NJ 07066

USA

Canadian Address: L'Oreal Canada

4895 rue Hickmore

Ville St-Laurent, H4T 1K5

Canada

Emergency Phone #: 1-800-535-5053 (International: 352-323-3500)

In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control #: 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation

Not classified.

Label elements

OSHA defined hazards



Signal word Danger

Hazard statement Causes serious eye damage.

Precautionary statement

Prevention Wear eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

Category 1

easy to do. Continue rinsing. Immediately call a poison center/doctor.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Material name: REDKEN ACIDIC MOISTURE CONCENTRATE

1218014RK2 Version #: 01 Issue date: 02-10-2021 1 /

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
GLYCERIN		56-81-5	10
BEHENTRIMONIUM CHLORIDE		68607-24-9	4.7
AMODIMETHICONE		68554-54-1	1.71
ISOPROPYL ALCOHOL		67-63-0	1.07

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eve contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Alcohol resistant foam. Dry powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Use water spray to reduce vapors or divert vapor cloud drift.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Do not get this material in contact with eyes. Avoid prolonged exposure. Provide adequate

ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene

practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Keep out of the reach of children. Store away from incompatible

materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Li	imits for Air Contaminants	(29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
ISOPROPYL ALCOHOL (CAS 67-63-0)	PEL	980 mg/m3	
		400 ppm	
US. ACGIH Threshold Limit Value	s		
Components	Туре	Value	
ISOPROPYL ALCOHOL (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	
US. NIOSH: Pocket Guide to Cher	nical Hazards		
Components	Type	Value	
ISOPROPYL ALCOHOL (CAS 67-63-0)	STEL	1225 mg/m3	
		500 ppm	
	TWA	980 mg/m3	
		400 ppm	

Biological limit values

ACGIH Biologica	I Exposure Indices	

Components	Value	Determinant	Specimen	Sampling Time
ISOPROPYL ALCOHOL (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

^{* -} For sampling details, please see the source document.

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Wear safety glasses with side shields (or goggles) and a

face shield.

Skin protection

Hand protection Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Other

Respiratory protection Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory

equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Cream. White. Color

Odor Characteristic. **Odor threshold** Not available. Not available. рH Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Not available. Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other information

Not explosive. **Explosive properties Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition No hazardous decomposition products are known.

products

11. Toxicological information

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye damage.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Not known. Acute toxicity

Product Test Results Species

REDKEN ACIDIC MOISTURE CONCENTRATE

Acute Oral

ATEmix 51520 mg/kg Components **Species Test Results**

AMODIMETHICONE (CAS 68554-54-1)

Acute Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat > 8000 mg/kg

BEHENTRIMONIUM CHLORIDE (CAS 68607-24-9)

Acute Oral

LD50 Rat 3190 mg/kg OECD 401

GLYCERIN (CAS 56-81-5)

Acute **Dermal**

LD50 Rabbit > 18700 mg/kg bw

Inhalation

LC50 Rat > 570 mg/L air, 1 h

Oral

LD50 Rat 27200 mg/kg bw

ISOPROPYL ALCOHOL (CAS 67-63-0)

Acute Dermal

LD50 Rabbit 16.4 ml/kg bw OECD 402

Inhalation

Vapor

LC50 Rat > 10000 ppm, 6 Hours OECD 403

Oral

LD50 Rat 5840 mg/kg OECD 401

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. No adverse effects due to

skin contact are expected.

Irritation Corrosion - Skin

GLYCERIN

BEHENTRIMONIUM CHLORIDE **OECD 405**

> Result: Irritating Species: Rabbit

AMODIMETHICONE Result: Irritating Species: Rabbit

Result: Not Irritating Species: Rabbit

ISOPROPYL ALCOHOL Result: Not Irritating

Species: Rabbit

Serious eye damage/eye

irritation

Causes serious eye damage.

Material name: REDKEN ACIDIC MOISTURE CONCENTRATE SDS US 5/9

1218014RK2 Version #: 01 Issue date: 02-10-2021

Irritation Corrosion - Eye

BEHENTRIMONIUM CHLORIDE OECD 404

Result: Corrosive Species: Rabbit

ISOPROPYL ALCOHOL OECD 405

Result: Severely Irritating

Species: Rabbit

AMODIMETHICONE Result: Irritating

Species: Rabbit

GLYCERIN Result: Not Irritating Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitizationDue to partial or complete lack of data the classification is not possible. **Skin sensitization**Due to partial or complete lack of data the classification is not possible.

Skin sensitization

GLYCERIN 167 mg/m3 air OECD 413, Inhalation

Result: NOAEL Species: Rat Test Duration: 90 d

BEHENTRIMONIUM CHLORIDE OECD 406

Result: Not Sensitizing Species: Guinea pig

ISOPROPYL ALCOHOL OECD 406

Result: Not Sensitizing Species: Guinea pig

AMODIMETHICONE Result: Not Sensitizing Species: Guinea pig

Result: Not Sensitizing Species: Guinea pig

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Mutagenicity

GLYCERIN

GLYCERIN Result: In vitro and in vivo tests did not show mutagenic

effects.

ISOPROPYL ALCOHOL Result: In vitro and in vivo tests did not show mutagenic

effects.

AMODIMETHICONE Result: In vitro tests did not show mutagenic effects
BEHENTRIMONIUM CHLORIDE Result: In vitro tests did not show mutagenic effects

Carcinogenicity Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the

classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicityDue to partial or complete lack of data the classification is not possible.

Developmental effects

GLYCERIN 1310 mg/kg bw/d, No effects on development

Result: NOAEL Species: Rat

ISOPROPYL ALCOHOL 400 mg/kg bw/d OECD 414, No effects on development

Result: NOAEL Species: Rabbit

Reproductivity

ISOPROPYL ALCOHOL 1000 mg/kg bw/d OECD 416, No effects on fertility

Result: NOAEL Species: Rat

GLYCERIN 2000 mg/kg bw/d, No effects on fertility

Result: NOAEL Species: Rat

BEHENTRIMONIUM CHLORIDE 75 mg/kg bw/d OECD 421

Result: NOAEL Species: Rat

Material name: REDKEN ACIDIC MOISTURE CONCENTRATE

1218014RK2 Version #: 01 Issue date: 02-10-2021 6 /

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

Based on available data, the classification criteria are not met.

repeated exposure

GLYCERIN

BEHENTRIMONIUM CHLORIDE 10 mg/kg bw/d OECD 407, Oral

Result: NOAEL Species: Rat Test Duration: 28 d

ISOPROPYL ALCOHOL 5000 ppm OECD 413, Inhalation

Result: NOALE Species: Rat Test Duration: 90 d 8000 mg/kg bw/d, Oral Result: NOAEL

Species: Rat Test Duration: 2 yr

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Further information The reference to any animal testing for individual constituents mentioned in this document is

based on public, third-party data.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
AMODIMETHICONE ((CAS 68554-54-1)		
Aquatic			
Acute			
Crustacea	EC50	Daphnia magna	11 mg/l, 48 h OECD 202
BEHENTRIMONIUM (CHLORIDE (CAS 6	8607-24-9)	
Aquatic			
Acute	=		
Algae	EC50	Desmodesmus subspicatus	3.48 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	1.39 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	0.5 - 1 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	43 mg/l, 3 h OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	0.128 mg/l, 21 d OECD 211
Fish	NOEC	Danio rerio	0.24 mg/l, 9 d OECD 212
GLYCERIN (CAS 56-8	31-5)		
Aquatic			
Acute			
Algae	EC0	Scenedesmus quadricauda	> 10000 mg/l, 192 h
Crustacea	EC50	Daphnia magna	1955 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	54000 mg/l, 96 h
Other	NOEC	Pseudomonas putida	> 10000 mg/l, 16 h
ISOPROPYL ALCOHO	OL (CAS 67-63-0)		
Aquatic			
Acute			
Algae	EC50	Scenedesmus quadricauda	> 1000 mg/l, 72 h
Crustacea	EC50	Daphnia magna	9714 mg/l, 24 h OECD 202
Fish	LC50	Pimephales promelas	9640 mg/l, 96 h OECD 203
Other	TD	Pseudomonas putida	1050 mg/l, 16 DIN 38412, Pt. 8

Persistence and degradability

SDS US 1218014RK2 Version #: 01 Issue date: 02-10-2021

Biodegradability

Percent degradation (Aerobic biodegradation)

AMODIMETHICONE Result: Not Readily Biodegradable

BEHENTRIMONIUM CHLORIDE 80 % OECD 301

Result: Readily Biodegradable

Test Duration: 28 d

GLYCERIN OECD 301

Result: Readily Biodegradable

ISOPROPYL ALCOHOL 95 % OECD 301 E

Result: Readily Biodegradable

Test Duration: 21 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

GLYCERIN -1.76 ISOPROPYL ALCOHOL 0.05

Bioaccumulation

ISOPROPYL ALCOHOL Result: Bioaccumulation is unlikely.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

ISOPROPYL ALCOHOL (CAS 67-63-0) Listed.

1218014RK2 Version #: 01 Issue date: 02-10-2021

SDS US

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No (Exempt)

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
ISOPROPYL ALCOHOL	67-63-0	1.07

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

GLYCERIN (CAS 56-81-5) Other Flavoring Substances with OSHA PEL's

ISOPROPYL ALCOHOL (CAS 67-63-0) Low priority

16. Other information, including date of preparation or last revision

Issue date 02-10-2021

Version # 01

NFPA ratings Health: 3

Flammability: 0 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Revision information Product and Company Identification: Product Codes

Material name: REDKEN ACIDIC MOISTURE CONCENTRATE

1218014RK2 Version #: 01 Issue date: 02-10-2021