

SAFETY DATA SHEET

REDKEN ACIDIC COLOR GLOSS LIQUID MASK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/09/2024	00-12-400000196646	Date of first issue: 10/09/2024

SECTION 1. IDENTIFICATION

Product name : REDKEN ACIDIC COLOR GLOSS LIQUID MASK

Formula Center Reference : 1400544RK5

Manufacturer or supplier's details

Address : L'Oreal USA Products, Inc
133, Terminal Avenue
Clark, NJ 07066
USA

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

Emergency telephone

INFOTRAC : 1-800-535-5053 (International: +1 352-323-3500) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2A

GHS label elements

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

Precautionary Statements : P102 Keep out of reach of children.

SAFETY DATA SHEET

REDKEN ACIDIC COLOR GLOSS LIQUID MASK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/09/2024	00-12-400000196646	Date of first issue: 10/09/2024

P103 Read label before use.

Prevention:

P264 Wash hands thoroughly after handling.

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS-No.	Concentration (% w/w)
GLYCERIN	56-81-5	$\geq 3 - < 5$
STEARAMIDOPROPYL DIMETHYLAMINE	7651-02-7	$\geq 1 - < 3$
HELIANTHUS ANNUUS SEED OIL	8001-21-6	$\geq 1 - < 3$
MYRISTYL STEARATE	17661-50-6	$\geq 1 - < 3$

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	: No hazards which require special first aid measures.
If inhaled	: If symptoms persist, call a physician.
In case of skin contact	: Get medical attention if irritation develops and persists.
In case of eye contact	: Immediately flush eye(s) with plenty of water. If eye irritation persists, consult a specialist.
If swallowed	: Rinse mouth with water. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: Causes serious eye irritation.
Notes to physician	: Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

SAFETY DATA SHEET

REDKEN ACIDIC COLOR GLOSS LIQUID MASK

Version 1.0	Revision Date: 10/09/2024	SDS Number: 00-12- 400000196646	Date of last issue: - Date of first issue: 10/09/2024
----------------	------------------------------	---------------------------------------	--

-
- | | | |
|--|---|---|
| Suitable extinguishing media | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire fighting | : | Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : | No hazardous combustion products are known. |
| Further information | : | Prevent fire extinguishing water from contaminating surface water or the ground water system.
Standard procedure for chemical fires. |
| Special protective equipment for fire-fighters | : | Wear self-contained breathing apparatus for firefighting if necessary. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|---|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment. |
| Environmental precautions | : | Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so. |
| Methods and materials for containment and cleaning up | : | Neutralize with chalk, alkali solution or ammonia.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal. |

SECTION 7. HANDLING AND STORAGE

- | | | |
|---|---|--|
| Advice on protection against fire and explosion | : | Normal measures for preventive fire protection. |
| Advice on safe handling | : | Avoid contact with eyes.
For personal protection see section 8. |
| Conditions for safe storage | : | Keep container tightly closed in a dry and well-ventilated place. |
| Materials to avoid | : | Do not store near acids. |
| Further information on storage stability | : | No decomposition if stored and applied as directed. |

SAFETY DATA SHEET

REDKEN ACIDIC COLOR GLOSS LIQUID MASK

Version 1.0 Revision Date: 10/09/2024 SDS Number: 00-12-400000196646 Date of last issue: -
Date of first issue: 10/09/2024

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
GLYCERIN	56-81-5	TWA (mist, respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (mist, total dust)	15 mg/m3	OSHA Z-1
HELIANTHUS ANNUUS SEED OIL	8001-21-6	TWA (mist - total)	10 mg/m3	NIOSH REL
		TWA (mist - respirable)	5 mg/m3	NIOSH REL
MYRISTYL STEARATE	17661-50-6	TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only.
Safety glasses

Skin and body protection : Applicable for industrial settings only.
Work uniform or laboratory coat.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : cream

SAFETY DATA SHEET

REDKEN ACIDIC COLOR GLOSS LIQUID MASK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/09/2024	00-12-400000196646	Date of first issue: 10/09/2024

Color	:	white
Odor	:	characteristic
pH	:	2.4 - 3.0
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	Not available
Flash point	:	> 199 °F / > 93 °C Method: ISO 3679
Fire Point	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	0.977 - 0.983 (68 °F / 20 °C)
Solubility(ies) Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	Not applicable
Viscosity Viscosity, kinematic	:	No data available
Dust explosion class	:	Not applicable
Particle characteristics Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.

SAFETY DATA SHEET

REDKEN ACIDIC COLOR GLOSS LIQUID MASK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/09/2024	00-12-400000196646	Date of first issue: 10/09/2024

Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Not applicable
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Components:

STEARAMIDOPROPYL DIMETHYLAMINE:

Acute oral toxicity	:	(Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 423
Acute dermal toxicity	:	(Rabbit, male and female): > 2,000 mg/kg Remarks: Based on data from similar materials

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

STEARAMIDOPROPYL DIMETHYLAMINE:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Mild skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks	:	May irritate eyes.
---------	---	--------------------

Components:

STEARAMIDOPROPYL DIMETHYLAMINE:

Species	:	Rabbit
Result	:	Risk of serious damage to eyes.
Method	:	OECD Test Guideline 405

SAFETY DATA SHEET

REDKEN ACIDIC COLOR GLOSS LIQUID MASK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/09/2024	00-12-400000196646	Date of first issue: 10/09/2024

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Components:

STEARAMIDOPROPYL DIMETHYLAMINE:

Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

STEARAMIDOPROPYL DIMETHYLAMINE:

Germ cell mutagenicity - Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
-------------------------------------	---	--

Carcinogenicity

Based on available data, the classification criteria are not met.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Components:

STEARAMIDOPROPYL DIMETHYLAMINE:

Reproductive toxicity - Assessment	:	Weight of evidence does not support classification for reproductive toxicity
------------------------------------	---	--

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

REDKEN ACIDIC COLOR GLOSS LIQUID MASK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/09/2024	00-12-400000196646	Date of first issue: 10/09/2024

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

STEARAMIDOPROPYL DIMETHYLAMINE:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.1 - < 1 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.381 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): 0.14 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC10 (Desmodesmus subspicatus (green algae)): 0.071 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Danio rerio (zebra fish)): 0.1 mg/l Exposure time: 9 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.2 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

Persistence and degradability

Components:

STEARAMIDOPROPYL DIMETHYLAMINE:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 88 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	---

SAFETY DATA SHEET

REDKEN ACIDIC COLOR GLOSS LIQUID MASK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/09/2024	00-12-400000196646	Date of first issue: 10/09/2024

Bioaccumulative potential

Components:

STEARAMIDOPROPYL DIMETHYLAMINE:

Partition coefficient: n-octanol/water	:	log Pow: 2.01 (68 °F / 20 °C)
	:	pH: 7
	:	Method: Regulation (EC) No. 440/2008, Annex, A.8

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information	:	The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.
-----------------------------------	---	--

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil. Send to a licensed waste management company.
Contaminated packaging	:	Dispose of as unused product. Do not reuse empty containers.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Remarks	:	Not classified as dangerous in the meaning of transport regulations.
---------	---	--

SAFETY DATA SHEET

REDKEN ACIDIC COLOR GLOSS LIQUID MASK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/09/2024	00-12-400000196646	Date of first issue: 10/09/2024

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

SECTION 16. OTHER INFORMATION


Further information

SAFETY DATA SHEET

REDKEN ACIDIC COLOR GLOSS LIQUID MASK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/09/2024	00-12-400000196646	Date of first issue: 10/09/2024

NFPA 704:



Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA Z-1 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect

SAFETY DATA SHEET

REDKEN ACIDIC COLOR GLOSS LIQUID MASK

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	10/09/2024	00-12-400000196646	Date of first issue: 10/09/2024

Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 10/09/2024

US / EN