REDKEN
5TH AVENUE NYC

SAFETY DATA SHEET

1. Identification

Product identifier **REDKEN ACIDIC COLOR GLOSS TREATMENT**

Other means of identification

SDS number 00-12-0001421

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address:
L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address:
L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # :
1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards

Serious eye damage/eye irritation	Category 1
Sensitization, skin	Category 1

OSHA defined hazards Not classified.

Label elements

Signal word Danger

Hazard statement May cause an allergic skin reaction. Causes serious eye damage.

Precautionary statement

Prevention Contaminated work clothing must not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
LAURETH-2		68439-50-9	< 3
HYDROGEN PEROXIDE		7722-84-1	≤ 3
COCAMIDE MIPA		68333-82-4	< 2
SODIUM C14-16 OLEFIN SULFONATE		68439-57-6	≤ 2
GLYCERIN		56-81-5	≤ 1
Limonene		5989-27-5	< 0.2

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling Do not get this material in contact with eyes. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
HYDROGEN PEROXIDE (CAS 7722-84-1)	PEL	1.4 mg/m3	
		1 ppm	

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value
HYDROGEN PEROXIDE (CAS 7722-84-1)	TWA	1 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
HYDROGEN PEROXIDE (CAS 7722-84-1)	TWA	1.4 mg/m3
		1 ppm

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
Limonene (CAS 5989-27-5)	TWA	165.5 mg/m3
		30 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Wear safety glasses with side shields (or goggles) and a face shield. Face shield is recommended.

Skin protection

Hand protection Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Gel.
Color	White.
Odor	Not available.
Odor threshold	Not available.
pH	3.5 - 4.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	> 199.4 °F (> 93.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	>= 0.98 g/cm3
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity Not known.

Product	Species	Test Results
REDKEN ACIDIC COLOR GLOSS TREATMENT		
Acute		
Dermal		
ATEmix		370400 mg/kg
Inhalation		
Vapor		
ATEmix		366.7 mg/l
Oral		
ATEmix		15880 mg/kg

Components	Species	Test Results
COCAMIDE MIPA (CAS 68333-82-4)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg OECD 402
Oral		
LD50	Rat	> 2000 mg/kg OECD 401
GLYCERIN (CAS 56-81-5)		
Acute		
Dermal		
LD50	Rabbit	> 18700 mg/kg bw
Inhalation		
LC50	Rat	> 570 mg/L air, 1 h
Oral		
LD50	Rat	27200 mg/kg bw
HYDROGEN PEROXIDE (CAS 7722-84-1)		
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg OECD 402
Inhalation		
Vapor		
LC0	Rat	170 mg/m³, 4 h OECD 403
Oral		
LD50	Rat	693.7 mg/kg OECD 401
LAURETH-2 (CAS 68439-50-9)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg
Oral		
LD50	Rat	> 2000 mg/kg OECD 401

Components	Species	Test Results
Limonene (CAS 5989-27-5)		
Acute		
Dermal		
LD50	Rabbit	5 g/kg
Oral		
LD50	Rat	> 2000 mg/kg
SODIUM C14-16 OLEFIN SULFONATE (CAS 68439-57-6)		
Acute		
Dermal		
LD50	Rabbit	6300 mg/kg OECD 402
Inhalation		
Aerosol		
LC50	Rat	> 52 mg/l, 4 h OECD 403
Oral		
LD50	Rat	2079 mg/kg OECD 401

Skin corrosion/irritation No adverse effects due to skin contact are expected.

Irritation Corrosion - Skin

SODIUM C14-16 OLEFIN SULFONATE	OECD 404 Result: Irritating Species: Rabbit
LAURETH-2	OECD 404 Result: Not Irritating Species: Rabbit
HYDROGEN PEROXIDE	OECD 404, 35% ≥ C < 50% Result: Irritating Species: Rabbit
COCAMIDE MIPA	OECD 404, Based on test data for structurally similar materials. Result: Irritating Species: Rabbit
HYDROGEN PEROXIDE	OECD 404, C ≥ 50% Result: Corrosive Species: Rabbit
GLYCERIN	Result: Not Irritating Species: Rabbit

Serious eye damage/eye irritation Causes serious eye damage.

Irritation Corrosion - Eye

LAURETH-2	OECD 405 Result: Severely Irritating Species: Rabbit
SODIUM C14-16 OLEFIN SULFONATE	OECD 405, 5% < C ≤ 38% Result: Irritating Species: Rabbit
HYDROGEN PEROXIDE	OECD 405, 5% ≥ C < 8% Result: Irritating Species: Rabbit
COCAMIDE MIPA	OECD 405, Based on test data for structurally similar materials. Result: Corrosive Species: Rabbit
SODIUM C14-16 OLEFIN SULFONATE	OECD 405, C >38% Result: Corrosive Species: Rabbit
HYDROGEN PEROXIDE	OECD 405, C ≥ 8% Result: Corrosive Species: Rabbit
GLYCERIN	Result: Not Irritating Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization May cause an allergic skin reaction.

Skin sensitization

GLYCERIN	167 mg/m3 air OECD 413, Inhalation Result: NOAEL Species: Rat Test Duration: 90 d
COCAMIDE MIPA	OECD 406 Result: Not Sensitizing Species: Guinea pig
LAURETH-2	OECD 406 Result: Not Sensitizing Species: Guinea pig
SODIUM C14-16 OLEFIN SULFONATE	OECD 406 Result: Not Sensitizing Species: Guinea pig
GLYCERIN	Result: Not Sensitizing Species: Guinea pig
HYDROGEN PEROXIDE	Result: Not Sensitizing Species: Guinea pig

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Mutagenicity

GLYCERIN	Result: In vitro and in vivo tests did not show mutagenic effects.
LAURETH-2	Result: In vitro and in vivo tests did not show mutagenic effects.
COCAMIDE MIPA	Result: In vitro tests did not show mutagenic effects
SODIUM C14-16 OLEFIN SULFONATE	Result: In vitro tests did not show mutagenic effects
HYDROGEN PEROXIDE	Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

HYDROGEN PEROXIDE (CAS 7722-84-1)	3 Not classifiable as to carcinogenicity to humans.
Limonene (CAS 5989-27-5)	3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Developmental effects

COCAMIDE MIPA	> 1000 mg/kg bw/d OECD 414, Based on test data for structurally similar materials. Result: NOAEL Species: Rat
SODIUM C14-16 OLEFIN SULFONATE	>= 600 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
GLYCERIN	1310 mg/kg bw/d, No effects on development Result: NOAEL Species: Rat

Reproductivity

LAURETH-2	1000 mg/kg bw/d OECD 421 Result: NOAEL Species: Rat
GLYCERIN	2000 mg/kg bw/d, No effects on fertility Result: NOAEL Species: Rat

Specific target organ toxicity - single exposure Not classified.

HYDROGEN PEROXIDE	0, C ≥ 35% Result: Irritating

Specific target organ toxicity - repeated exposure Not classified.

COCAMIDE MIPA	> 750 mg/kg bw/d OECD 407, Oral Result: NOAEL Species: Rat Test Duration: 28 d
SODIUM C14-16 OLEFIN SULFONATE	>= 259 mg/kg bw/d Result: NOAEL Species: Rat Test Duration: 104 wk
LAURETH-2	100 mg/kg bw/d OECD 407, Based on test data for structurally similar materials. Result: NOAEL Species: Rat Test Duration: 28 d
HYDROGEN PEROXIDE	2.9 mg/L air OECD 412, Inhalation Result: NOAEL Species: Rat Test Duration: 28 d 26 mg/kg bw/d OECD 408, Oral Result: NOAEL Species: Mouse Test Duration: 90 d
GLYCERIN	8000 mg/kg bw/d, Oral Result: NOAEL Species: Rat Test Duration: 2 yr

Aspiration hazard Not an aspiration hazard.

Further information The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
COCAMIDE MIPA (CAS 68333-82-4)			
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	> 9.4 mg/l, 72 h OECD 201
Crustacea	LC50	Daphnia magna	3.7 mg/l, 48 h OECD 202
Fish	LC50	Fish	2.7 mg/l, 96 h QSAR
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
Chronic			
Algae	NOEC	Pseudokirchneriella subcapitata	1 mg/l, 72 h OECD 201
Crustacea	NOEC	Daphnia magna	0.07 mg/l, 21 d OECD 211
Fish	NOEC	Oncorhynchus mykiss	0.32 mg/l, 28 d OECD 204
GLYCERIN (CAS 56-81-5)			
Aquatic			
Acute			
Algae	EC0	Scenedesmus quadricauda	> 10000 mg/l, 192 h
Crustacea	EC50	Daphnia magna	1955 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	54000 mg/l, 96 h
Other	NOEC	Pseudomonas putida	> 10000 mg/l, 16 h
HYDROGEN PEROXIDE (CAS 7722-84-1)			
Aquatic			
Acute			
Algae	EC50	Chlorella vulgaris	2.5 mg/l, 72 h OECD 201

Components		Species	Test Results
Crustacea	EC50	Daphnia pulex	2.4 mg/l, 48 h
Fish	LC50	Pimephales promelas	16.4 mg/l, 96 h
Other	EC50	Activated sludge of a predominantly domestic sewage	2.5 mg/l, 30 min OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	0.63 mg/l, 21 d ASTM E 1193-97
LAURETH-2 (CAS 68439-50-9)			
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	0.32 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	0.53 mg/l, 48 h
Fish	LC50	Leuciscus idus	2.1 mg/l, 48 h OECD 203
Other	EC50	Pseudomonas putida	> 10000 mg/l, 30 min OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	0.77 mg/l, 21 d
Fish	NOEC	Lepomis macrochirus	0.16 mg/l, 10 d
Limonene (CAS 5989-27-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	69.6 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	0.619 - 0.796 mg/l, 96 hours
SODIUM C14-16 OLEFIN SULFONATE (CAS 68439-57-6)			
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	4.14 - 4.95 mg/l, 48 hours
Acute			
Algae	EC50	Skeletonema costatum	5.2 mg/l, 72 h ISO 10253
Crustacea	EC50	Acartia tonsa	230 mg/l, 3 h OECD 209
		Ceriodaphnia dubia	4.53 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	4.2 mg/l, 96 h OECD 203
Chronic			
Crustacea	NOEC	Daphnia magna	6.3 mg/l, 21 d OECD 211

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

COCAMIDE MIPA	74 % ISO 14593 Result: Readily Biodegradable Test Duration: 28 d
GLYCERIN	OECD 301 Result: Readily Biodegradable
HYDROGEN PEROXIDE	99 % OECD 209 Result: Readily Biodegradable
LAURETH-2	78 - 79 % OECD 301 D Result: Readily Biodegradable Test Duration: 28 d
SODIUM C14-16 OLEFIN SULFONATE	80 % OECD 301 B Result: Readily Biodegradable Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

COCAMIDE MIPA	3.77
GLYCERIN	-1.76
Limonene	4.232
SODIUM C14-16 OLEFIN SULFONATE	-1.3 EU A.8

Bioconcentration factor (BCF)

COCAMIDE MIPA	143

Bioaccumulation
COCAMIDE MIPA — Result: Bioaccumulation is unlikely.

Mobility in soil — No data available.

Other adverse effects — No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions — Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations — Dispose in accordance with all applicable regulations.

Waste from residues / unused products — Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging — Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations — This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Hydrogen peroxide (Conc.> 52%) (CAS 7722-84-1) 1000 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
HYDROGEN PEROXIDE	7722-84-1	1000	1000		

SARA 311/312 Hazardous chemical — No (Exempt)

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

GLYCERIN (CAS 56-81-5)	Other Flavoring Substances with OSHA PEL's

16. Other information, including date of preparation or last revision

Issue date	04-03-2023
Version #	01
NFPA ratings	Health: 3 Flammability: 1 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.