

SAFETY DATA SHEET

REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Version 1.1 Revision Date: 06/12/2025 SDS Number: 00-11-400000196691 Date of last issue: 10/03/2024
Date of first issue: 10/03/2024

SECTION 1. IDENTIFICATION

Product name : REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Formula Center Reference : 1400508RK14

Other means of identification : No data available

Manufacturer or supplier's details

Address : L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent H4T 1K5
Canada

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

Emergency telephone

National Poisons Control Center : CANUTEC : 1-613-996-6666 (Canutec (*666 Cellular)) (This telephone number is available during office hours only.)

Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the Hazardous Products Regulations

Serious eye damage : Category 1

Reproductive toxicity : Category 2

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H318 Causes serious eye damage.
H361 Suspected of damaging fertility or the unborn child.

SAFETY DATA SHEET

REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Version 1.1 Revision Date: 06/12/2025 SDS Number: 00-11-400000196691 Date of last issue: 10/03/2024
Date of first issue: 10/03/2024

Precautionary Statements : P102 Keep out of reach of children.

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	Common Name/Synonym	CAS-No.	Concentration (% w/w)
SODIUM LAURETH SULFATE	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3	$\geq 5 - < 10$ *
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts	97862-59-4	$\geq 1 - < 3$ *
PROPYLENE GLYCOL	propane-1,2-diol	57-55-6	$\geq 1 - < 3$ *
HEXYLENE GLYCOL	2-methylpentane-2,4-diol	107-41-5	$\geq 0.1 - < 1$ *

* Actual concentration or concentration range is withheld as a trade secret

SAFETY DATA SHEET

REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Version 1.1	Revision Date: 06/12/2025	SDS Number: 00-11- 400000196691	Date of last issue: 10/03/2024 Date of first issue: 10/03/2024
----------------	------------------------------	---------------------------------------	---

SECTION 4. FIRST AID MEASURES

- General advice : Consult a physician.
- If inhaled : If symptoms persist, call a physician.
- In case of skin contact : Get medical attention if irritation develops and persists.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.
Clean mouth with water and drink afterwards plenty of water.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Causes serious eye damage.
Suspected of damaging fertility or the unborn child.
- Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : No hazardous combustion products are known.
- Further information : Prevent fire extinguishing water from contaminating surface water or the ground water system.
Standard procedure for chemical fires.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET

REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Version 1.1 Revision Date: 06/12/2025 SDS Number: 00-11-400000196691 Date of last issue: 10/03/2024
Date of first issue: 10/03/2024

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Avoid contact with eyes.
For personal protection see section 8.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Observe label precautions.
- Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
PROPYLENE GLYCOL	57-55-6	TWA (Vapour and aerosols)	50 ppm 155 mg/m3	CA ON OEL
		TWA (aerosol)	10 mg/m3	CA ON OEL
HEXYLENE GLYCOL	107-41-5	(c)	25 ppm 121 mg/m3	CA AB OEL
		C	25 ppm	CA BC OEL
		C	25 ppm 121 mg/m3	CA QC OEL
		TWA (Vapor)	25 ppm	ACGIH
		STEL (Vapor)	50 ppm	ACGIH
		STEL (Inhalable fraction, Aerosol only)	10 mg/m3	ACGIH

SAFETY DATA SHEET

REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Version 1.1 Revision Date: 06/12/2025 SDS Number: 00-11-400000196691 Date of last issue: 10/03/2024
Date of first issue: 10/03/2024

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

 Remarks : Applicable for industrial settings only. Nitrile rubber

Eye protection : Applicable for industrial settings only.
Tightly fitting safety goggles

Skin and body protection : Applicable for industrial settings only.
Work uniform or laboratory coat.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Form : viscous liquid

Color : colorless

Odor : characteristic

pH : 4.5 - 5.1 (25 °C)

Melting point/freezing point : No data available

Boiling point/boiling range : Not available

Flash point : > 93 °C
Method: ISO 3679

Fire Point : Not applicable

Flammability (liquids) : Does not sustain combustion.

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower

SAFETY DATA SHEET

REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Version 1.1 Revision Date: 06/12/2025 SDS Number: 00-11-400000196691 Date of last issue: 10/03/2024
Date of first issue: 10/03/2024

flammability limit

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : 1.0 - 1.04 (20 °C)

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : Not applicable

Viscosity

Viscosity, kinematic : No data available

Dust explosion class : Not applicable

Particle characteristics

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Not applicable

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

SAFETY DATA SHEET

REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Version 1.1 Revision Date: 06/12/2025 SDS Number: 00-11-400000196691 Date of last issue: 10/03/2024
Date of first issue: 10/03/2024

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

SODIUM LAURETH SULFATE:

Acute oral toxicity : LD50 (Rat, male and female): 4,100 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts:

Acute oral toxicity : LD50 (Rat, male and female): 2,335 mg/kg
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat, male and female): > 620 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

HEXYLENE GLYCOL:

Acute oral toxicity : LD0 (Rat, male and female): >= 2,000 mg/kg
Method: OECD Test Guideline 420
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : (Rat, male): Exposure time: 8 h
Test atmosphere: vapor
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity
Remarks: An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration.

Acute dermal toxicity : LD50 (Rat, male and female): 13.3 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

SODIUM LAURETH SULFATE:

SAFETY DATA SHEET

REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Version 1.1 Revision Date: 06/12/2025 SDS Number: 00-11-400000196691 Date of last issue: 10/03/2024
Date of first issue: 10/03/2024

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

HEXYLENE GLYCOL:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:

SODIUM LAURETH SULFATE:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

HEXYLENE GLYCOL:

Species : Rabbit
Result : Eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

Based on available data, the classification criteria are not met.

Respiratory sensitization

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Version 1.1 Revision Date: 06/12/2025 SDS Number: 00-11-400000196691 Date of last issue: 10/03/2024
Date of first issue: 10/03/2024

Components:

SODIUM LAURETH SULFATE:

Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts:

Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

HEXYLENE GLYCOL:

Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

SODIUM LAURETH SULFATE:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

HEXYLENE GLYCOL:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Suspected of damaging fertility or the unborn child.

Components:

SODIUM LAURETH SULFATE:

SAFETY DATA SHEET

REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Version 1.1 Revision Date: 06/12/2025 SDS Number: 00-11-400000196691 Date of last issue: 10/03/2024
Date of first issue: 10/03/2024

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

HEXYLENE GLYCOL:

Effects on fertility : Species: Rat
Fertility: NOAEL: 250 mg/kg body weight
Method: OECD Test Guideline 443

Effects on fetal development : Species: Rabbit
Developmental Toxicity: NOAEL: 250 mg/kg body weight
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Repeated dose toxicity

Components:

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts:

Species : Rat, male and female
NOEL : 300 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SAFETY DATA SHEET

REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Version 1.1	Revision Date: 06/12/2025	SDS Number: 00-11- 400000196691	Date of last issue: 10/03/2024 Date of first issue: 10/03/2024
----------------	------------------------------	---------------------------------------	---

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

SODIUM LAURETH SULFATE:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7.1 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.4 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 27.7 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- EC10 (Desmodesmus subspicatus (green algae)): 4.4 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.2 mg/l
Exposure time: 28 d
Method: OECD Test Guideline 204
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.27 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1.11 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.9 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 1.5 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 0.135 mg/l
Exposure time: 37 d
Method: OECD Test Guideline 210
- Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.32 mg/l

SAFETY DATA SHEET

REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Version 1.1 Revision Date: 06/12/2025 SDS Number: 00-11-400000196691 Date of last issue: 10/03/2024
Date of first issue: 10/03/2024

aquatic invertebrates (Chronic toxicity) Exposure time: 21 d
Method: OECD Test Guideline 211

HEXYLENE GLYCOL:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.96 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 5,410 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Persistence and degradability

Components:

SODIUM LAURETH SULFATE:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 77 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18 acyl derivs., hydroxides, inner salts:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 91.6 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

HEXYLENE GLYCOL:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 81 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Bioaccumulative potential

Components:

SODIUM LAURETH SULFATE:

Partition coefficient: n-octanol/water : log Pow: 0.3
pH: 6.1
Method: OECD Test Guideline 123

HEXYLENE GLYCOL:

Partition coefficient: n-octanol/water : log Pow: 0

SAFETY DATA SHEET

REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Version	Revision Date:	SDS Number:	Date of last issue: 10/03/2024
1.1	06/12/2025	00-11- 400000196691	Date of first issue: 10/03/2024

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Dispose of in accordance with local regulations.

Contaminated packaging : Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

TDG

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

Canadian PBT Chemicals : This product does not contain any components on the DSL that are classified as Persistent, Bioaccumulative and Toxic (PBT) under CEPA.

SAFETY DATA SHEET

REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Version	Revision Date:	SDS Number:	Date of last issue: 10/03/2024
1.1	06/12/2025	00-11- 400000196691	Date of first issue: 10/03/2024

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
CA AB OEL	:	Canada. Alberta, Occupational Health and Safety Code (table 2: OEL)
CA BC OEL	:	Canada. British Columbia OEL
CA ON OEL	:	Ontario Table of Occupational Exposure Limits made under the Occupational Health and Safety Act.
CA QC OEL	:	Québec. Regulation respecting occupational health and safety, Schedule 1, Part 1: Permissible exposure values for airborne contaminants
ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit
CA AB OEL / (c)	:	ceiling occupational exposure limit
CA BC OEL / C	:	ceiling limit
CA ON OEL / TWA	:	Time-Weighted Average Limit (TWA)
CA QC OEL / C	:	Ceiling

AIIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET

REDKEN ACIDIC GROW FULL SYSTEM SHAMPOO

Version	Revision Date:	SDS Number:	Date of last issue: 10/03/2024
1.1	06/12/2025	00-11- 400000196691	Date of first issue: 10/03/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 06/12/2025
Date format : mm/dd/yyyy

CA / EN