REDKEN

SAFETY DATA SHEET

1. Identification

Product identifier REDKEN COLOR EXTEND BLONDAGE HIGH BRIGHT CONDITIONER

Other means of identification

SDS number 00-12-0001053

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc

133 Terminal Avenue Clark, NJ 07066

USA

Canadian Address: L'Oreal Canada

4895 rue Hickmore

Ville St-Laurent, H4T 1K5

Canada

Emergency Phone #: 1-800-535-5053 (International: 352-323-3500)

In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control #: 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

Specific target organ toxicity, repeated Category 2

exposure

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes serious eye irritation. May cause damage to organs through prolonged or repeated

exposure.

Precautionary statement

Prevention Do not breathe mist/vapors. Wash thoroughly after handling. Wear eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. If eye irritation

persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Material name: REDKEN COLOR EXTEND BLONDAGE HIGH BRIGHT CONDITIONER 1218249RK1 Version #: 01 Issue date: 09-24-2021

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
BEHENTRIMONIUM METHOSULFATE		81646-13-1	1
GLYCERIN		56-81-5	1

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special

treatment needed **General information** Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical

personnel are aware of the material(s) involved, and take precautions to protect themselves.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Use standard firefighting procedures and consider the hazards of other involved materials.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

and precautions for firefighters

Move containers from fire area if you can do so without risk.

Fire fighting equipment/instructions

Specific methods

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk, Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Material name: REDKEN COLOR EXTEND BLONDAGE HIGH BRIGHT CONDITIONER

1218249RK1 Version #: 01 Issue date: 09-24-2021

7. Handling and storage

Precautions for safe handling Do not breathe mist/vapors. Avoid contact with eyes. Avoid prolonged exposure. Provide adequate

ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene

practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Keep out of the reach of children. Store away from incompatible

materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants	(29 CFR 1910.1000)

Components	Туре	Value	Form
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full

facepiece.

Skin protection

Hand protection Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an

impervious apron is recommended.

Respiratory protection Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full

facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical stateLiquid.FormCream.ColorWhite.

Odor Characteristic.

Odor threshold Not available.

pH 3.5 - 4.5

Melting point/freezing point Not available.

Initial boiling point and boiling > 212 °F (> 100 °C)

range

> 212.0 °F (> 100.0 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flash point

Not available.

Flammability limit - upper

(%)

t - upper Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available. Relative density Not available.

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. Viscosity

Other information

Density >= 0.98 g/cm³ **Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

Information on toxicological effects

Acute toxicity Not known.

Product Test Results Species

REDKEN COLOR EXTEND BLONDAGE HIGH BRIGHT CONDITIONER

Acute **Dermal**

ATEmix 1.333e+006 mg/kg

Oral

ATEmix 175100 mg/kg Components **Species Test Results**

BEHENTRIMONIUM METHOSULFATE (CAS 81646-13-1)

Acute Oral

LD50 Rat 3190 mg/kg bw/d OECD 401

Material name: REDKEN COLOR EXTEND BLONDAGE HIGH BRIGHT CONDITIONER

Components **Species Test Results**

GLYCERIN (CAS 56-81-5)

Acute

Dermal

LD50 Rabbit > 18700 mg/kg bw

Inhalation

LC50 Rat > 570 mg/L air, 1 h

Oral

LD50 Rat 27200 mg/kg bw

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. No adverse effects due to

skin contact are expected.

Irritation Corrosion - Skin

BEHENTRIMONIUM METHOSULFATE **OECD 404**

> Result: Irritating Species: Rabbit Result: Not Irritating Species: Rabbit

GI YCFRIN

Serious eye damage/eye

irritation

Causes serious eye irritation.

Irritation Corrosion - Eye

BEHENTRIMONIUM METHOSULFATE OECD 405

> Result: Corrosive Species: Rabbit Result: Not Irritating Species: Rabbit

GLYCERIN

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Skin sensitization

Skin sensitization

GLYCERIN 167 mg/m3 air OECD 413, Inhalation

> Result: NOAEL Species: Rat Test Duration: 90 d **OECD 406**

BEHENTRIMONIUM METHOSULFATE

Result: Not Sensitizing Species: Guinea pig Result: Not Sensitizing Species: Guinea pig

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Mutagenicity

GLYCERIN

GLYCERIN Result: In vitro and in vivo tests did not show mutagenic

effects.

BEHENTRIMONIUM METHOSULFATE Result: In vitro tests did not show mutagenic effects

Carcinogenicity

Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the

classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Due to partial or complete lack of data the classification is not possible. Reproductive toxicity

Developmental effects

GLYCERIN 1310 mg/kg bw/d, No effects on development

Result: NOAEL Species: Rat

BEHENTRIMONIUM METHOSULFATE 30 mg/kg bw/d OECD 421

Result: NOAEL Species: Rat

Reproductivity

GLYCERIN 2000 mg/kg bw/d, No effects on fertility

Result: NOAEL Species: Rat

75 mg/kg bw/d OECD 421 BEHENTRIMONIUM METHOSULFATE

> Result: NOAEL Species: Rat

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

May cause damage to organs through prolonged or repeated exposure.

repeated exposure

BEHENTRIMONIUM METHOSULFATE 10 mg/kg bw/d OECD 407, Oral

> Result: NOAEL Species: Rat Test Duration: 28 d

GLYCERIN 8000 mg/kg bw/d, Oral

Result: NOAEL Species: Rat Test Duration: 2 yr

Due to partial or complete lack of data the classification is not possible. **Aspiration hazard Chronic effects** May cause damage to organs through prolonged or repeated exposure.

Further information The reference to any animal testing for individual constituents mentioned in this document is

based on public, third-party data.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results			
BEHENTRIMONIUM METHOSULFATE (CAS 81646-13-1)						
Aquatic						
Acute						
Algae	EC50	Desmodesmus subspicatus	3.48 mg/l, 72 h OECD 201			
Crustacea	EC50	Daphnia magna	1.39 mg/l, 48 h OECD 202			
Fish	LC50	Danio rerio	0.5 - 1 mg/l, 96 h OECD 201			
Other	EC50	Activated sludge of a predominantly domestic sewage	43 mg/l, 3 h OECD 209			
Chronic						
Crustacea	NOEC	Daphnia magna	0.128 mg/l, 21 d OECD 211			
Fish	NOEC	Danio rerio	0.24 mg/l, 9 d OECD 212			
GLYCERIN (CAS 56-8	1-5)					
Aquatic						
Acute						
Algae	EC0	Scenedesmus quadricauda	> 10000 mg/l, 192 h			
Crustacea	EC50	Daphnia magna	1955 mg/l, 48 h			
Fish	LC50	Oncorhynchus mykiss	54000 mg/l, 96 h			
Other	NOEC	Pseudomonas putida	> 10000 mg/l, 16 h			

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

BEHENTRIMONIUM METHOSULFATE 80 % OECD 301 B

Result: Readily Biodegradable

Test Duration: 28 d

OECD 301

Result: Readily Biodegradable

Bioaccumulative potential

GLYCERIN

Partition coefficient n-octanol / water (log Kow)

GLYCERIN -1.76

Material name: REDKEN COLOR EXTEND BLONDAGE HIGH BRIGHT CONDITIONER

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations
Waste from residues / unused

Dispose in accordance with all applicable regulations.

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

Standard, 29

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

US federal regulations

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

1218249RK1 Version #: 01 Issue date: 09-24-2021

Not listed.

SARA 311/312 Hazardous

No (Exempt)

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not re

(SDWA)

Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

GLYCERIN (CAS 56-81-5) Other Flavoring Substances with OSHA PEL's

16. Other information, including date of preparation or last revision

Issue date 09-24-2021

Version # 01

NFPA ratings Health: 2

Flammability: 1 Instability: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: REDKEN COLOR EXTEND BLONDAGE HIGH BRIGHT CONDITIONER

1218249RK1 Version #: 01 Issue date: 09-24-2021 8 / 8