SAFETY DATA SHEET



1. Identification

Product identifier	REDKEN COLOR EXTEND BLONDAGE PRE-SHAMPOO TREATMENT
Other means of identification	
SDS number	00-12-0000885
Recommended use	Personal care product used for cosmetic effect.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	/Distributor information
US Address:	L'Oreal USA Products, Inc
	133 Terminal Avenue
	Clark, NJ 07066
	USA
Canadian Address:	L'Oreal Canada
	4895 rue Hickmore
	Ville St-Laurent, H4T 1K5
	Canada
Emergency Phone # :	1-800-535-5053 (International: 352-323-3500)
	In Canada - 1-613-996-6666 (Canutec (*666 Cellular))
For further Information:	1-732-499-2741
Poison Control # :	412-390-3326

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Specific target organ toxicity, repeated exposure	Category 2
OSHA defined hazards	Not classified.	

Label elements



Signal word	Warning		
Hazard statement	May cause damage to organs through prolonged or repeated exposure.		
Precautionary statement			
Prevention	Do not breathe mist/vapors.		
Response	Get medical advice/attention if you feel unwell.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
DISODIUM EDTA		139-33-3	1.98

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not breathe mist/vapors. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Biological limit values	No biological exposure limits noted for the ingredient(s).
-------------------------	--

Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.	
Individual protection measures,	such as personal protective equipment	
Eye/face protection	Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.	
Skin protection		
Hand protection	Applicable for industrial settings only. Wear appropriate chemical resistant gloves.	
Other	Applicable for industrial settings only. Use of an impervious apron is recommended.	
Respiratory protection	Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

9. Physical and chemical properties

	•
Appearance	
Physical state	Liquid.
Color	Yellow.
Odor	Characteristic.
Odor threshold	Not available.
рН	5 - 6
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	> 212.0 °F (> 100.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.Chemical stabilityMaterial is stable under normal conditions.

Material name: REDKEN COLOR EXTEND BLONDAGE PRE-SHAMPOO TREATMENT 1218219RK8 Version #: 01 Issue date: 02-23-2021

Possibility of hazardous reactions	No dangerous reaction know	n under conditions of normal use.
Conditions to avoid	Keep away from heat, hot sur incompatible materials.	faces, sparks, open flames and other ignition sources. Contact with
Incompatible materials	Strong oxidizing agents.	
Hazardous decomposition products	No hazardous decomposition	products are known.
11. Toxicological informat	tion	
Information on likely routes of e	exposure	
Inhalation	No adverse effects due to inh	alation are expected.
Skin contact	No adverse effects due to ski	n contact are expected.
Eye contact	No adverse effects due to eye	e contact are expected.
Ingestion	Expected to be a low ingestio	n hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Not available.	
Information on toxicological effe	ects	
Acute toxicity	Not known.	
Product	Species	Test Results
REDKEN COLOR EXTEND BLON	NDAGE PRE-SHAMPOO TREA	TMENT
Acute		
Dermal ATEmix		200000 mg/kg
Oral		
ATEmix		73310 mg/kg
Components	Species	Test Results
DISODIUM EDTA (CAS 139-33-3)	
Acute		
Inhalation		
L(E)C50	Rat	1 - 5 mg/L air, 6 h OECD 403
Oral		
LD50	Rat	2800 mg/kg bw
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible. No adverse effects due to skin contact are expected.	
Irritation Corrosion - Sk DISODIUM EDTA	kin	OECD 404 Result: Not Irritating Species: Rabbit
Serious eye damage/eye irritation	Due to partial or complete lac eye contact are expected.	k of data the classification is not possible. No adverse effects due to
Irritation Corrosion - Ey DISODIUM EDTA	/e	OECD 405 Result: Not Irritating Species: Rabbit
Respiratory or skin sensitization	n	
Respiratory sensitization	Due to partial or complete lac	k of data the classification is not possible.
Skin sensitization	Due to partial or complete lac	k of data the classification is not possible.
Skin sensitization DISODIUM EDTA		OECD 406 Result: Not Sensitizing Species: Guinea pig
Germ cell mutagenicity	Due to partial or complete lac	k of data the classification is not possible.

Mutagenicity DISODIUM EDTA			Populti In vitro and in vi	vo tooto did not ohow mutagonia	
DISODIUMEDTA			effects.	vo tests did not show mutagenic	
Carcinogenicity	Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the classification is not possible.				
IARC Monographs. Overall	Evaluation of C	arcinogenicity			
Not listed. OSHA Specifically Regulate	ed Substances ((29 CFR 1910.10	001-1052)		
Not regulated.					
US. National Toxicology Pro Not listed.	ogram (NTP) Re	eport on Carcino	ogens		
Reproductive toxicity	Due to partial	or complete lack	of data the classification	is not possible.	
Developmental effects					
DISODIUM EDTA			> 1243 mg/kg bw/d NO/ Result: No effects on de Species: Rat		
Specific target organ toxicity - single exposure	Due to partial	or complete lack	of data the classification	is not possible.	
Specific target organ toxicity - repeated exposure	May cause da	mage to organs	through prolonged or rep	eated exposure.	
DISODIUM EDTA			> 500 mg/kg bw/d OEC Result: NOAEL	D 413, Oral	
			Species: Rat		
			Test Duration: 90 d 3 mg/m ³ OECD 413, Air		
	Result: NOAEC				
	Species: Rat Test Duration: 90 d				
Aspiration hazard	Due to partial or complete lack of data the classification is not possible.				
Chronic effects	May cause damage to organs through prolonged or repeated exposure.				
Further information	The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.				
12. Ecological information	า				
Ecotoxicity				ous. However, this does not exclude the ul or damaging effect on the environment.	
Components DISODIUM EDTA (CAS 139-	Species Test Results 33-3)				
Aquatic					
Acute		Deeudekinehne	vielle eubeenitete		
Algae Crustacea	EC50		riella subcapitata	> 100 mg/l, 72 h OECD 201	
Fish	LC100	Daphnia magn Oncorhynchus		140 mg/l, 48 h 860 mg/l, 24 h	
Other	EC20	-	je of a predominantly	> 500 mg/l, 30 min	
		domestic sewa			
Persistence and degradability					
Biodegradability Percent degradation (A DISODIUM EDTA	erobic biodegra	adation)	Result: Bioaccumulatior	n is unlikelv	
Bioaccumulative potential				-	
Bioaccumulation DISODIUM EDTA				dogradable	
			Result: Not Readily Bio	uegrauable	
Mobility in soil	No data availa			-	
	No other adve	erse environment	al effects (e.g. ozone dep	bletion, photochemical ozone creation I) are expected from this component.	

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

ΙΑΤΑ

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No (Exempt)

chemical

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

16. Other information, including date of preparation or last revision

Issue date	02-23-2021
Version #	01
NFPA ratings	Health: 0 Flammability: 1 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.