

## 1. Identification

<b>Product identifier</b>	<b>REDKEN FRIZZ DISMISS DRY DAY OIL BI-PHASE</b>
<b>Other means of identification</b>	
<b>SDS number</b>	30-33-002-0
<b>Recommended use</b>	Personal care product used on the hair for cosmetic effect.
<b>Recommended restrictions</b>	None known.
<b>Manufacturer/Importer/Supplier/Distributor information</b>	

**US Address:** L'Oreal USA Products, Inc  
133 Terminal Avenue  
Clark, NJ 07066  
USA

**Canadian Address:** L'Oreal Canada  
4895 rue Hickmore  
Ville St-Laurent, H4T 1K5  
Canada

**Emergency Phone # :** 1-800-535-5053 (International: 352-323-3500)  
In Canada - 1-613-996-6666 (Canutec (\*666 Cellular))

**For further Information:** 1-732-499-2741

**Poison Control # :** 412-390-3326

## 2. Hazard(s) identification

<b>Physical hazards</b>	Flammable liquids	Category 3
<b>Health hazards</b>	Serious eye damage/eye irritation	Category 2A
<b>OSHA defined hazards</b>	Not classified.	

### Label elements



**Signal word** Warning  
**Hazard statement** Flammable liquid and vapor. Causes serious eye irritation.

### Precautionary statement

#### Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Wear protective gloves/eye protection/face protection.

#### Response

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.

#### Storage

Store in a well-ventilated place. Keep cool.

#### Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

<b>Hazard(s) not otherwise classified (HNOC)</b>	None known.
<b>Supplemental information</b>	None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
ETHANOL		64-17-5	17.5
CYCLOPENTASILOXANE		541-02-6	7.14
LACTIC ACID		50-21-5	1.22

### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur.
<b>Most important symptoms/effects, acute and delayed</b>	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
<b>General information</b>	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	Flammable liquid and vapor.

### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	<p>Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.</p> <p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.</p> <p>Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.</p>

**Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

**7. Handling and storage****Precautions for safe handling**

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities**

Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep out of the reach of children. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

**8. Exposure controls/personal protection****Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value
ETHANOL (CAS 64-17-5)	PEL	1900 mg/m <sup>3</sup> 1000 ppm

**US. ACGIH Threshold Limit Values**

Components	Type	Value
ETHANOL (CAS 64-17-5)	STEL	1000 ppm

**US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Type	Value
ETHANOL (CAS 64-17-5)	TWA	1900 mg/m <sup>3</sup> 1000 ppm

**US. Workplace Environmental Exposure Level (WEEL) Guides**

Components	Type	Value
CYCLOPENTASILOXANE (CAS 541-02-6)	TWA	10 ppm

**Exposure limit values****Industrial/Professional Use**

Components	Type	Value
CYCLOPENTASILOXANE (CAS 541-02-6)	TWA	10 ppm

**Comments:**

Dow Corning OEL

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls**

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear safety glasses with side shields (or goggles).

**Skin protection****Hand protection**

Wear appropriate chemical resistant gloves.

**Other**

Wear suitable protective clothing.

**Respiratory protection**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

**Thermal hazards**

Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

Physical state	Liquid.
Color	Transparent
Odor	Characteristic.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 95 °F (> 35 °C)
Flash point	78.8 °F (26.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.

### Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
--	---

### Information on toxicological effects

<b>Acute toxicity</b>	Not known.	
<b>Components</b>	<b>Species</b>	<b>Test Results</b>
CYCLOPENTASILOXANE (CAS 541-02-6)		
<b><u>Acute</u></b>		
<b>Dermal</b>		
LD50	Rabbit	> 2000 mg/kg bw OECD 402
<b>Inhalation</b>		
<i>Aerosol</i>		
LC50	Rat	8.67 mg/L air, 4 h OECD 403
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg bw OECD 401
ETHANOL (CAS 64-17-5)		
<b><u>Acute</u></b>		
<b>Dermal</b>		
LD50	Rabbit	> 20000 mg/kg bw
<b>Inhalation</b>		
<i>Vapor</i>		
LC50	Rat	124.7 mg/L air, 4 h OECD 403
<b>Oral</b>		
LD50	Rat	10470 mg/kg bw OECD 401
LACTIC ACID (CAS 50-21-5)		
<b><u>Acute</u></b>		
<b>Oral</b>		
LD50	Rat	3543 mg/kg
* Estimates for product may be based on additional component data not shown.		
<b>Skin corrosion/irritation</b>	No adverse effects due to skin contact are expected.	
<b>Irritation Corrosion - Skin</b>		
CYCLOPENTASILOXANE		OECD 404 Result: Not Irritating Species: Rabbit
ETHANOL		OECD 404 Result: Not Irritating Species: Rabbit
<b>Serious eye damage/eye irritation</b>	Causes serious eye irritation.	
<b>Irritation Corrosion - Eye</b>		
ETHANOL		OECD 405 Result: Irritating Species: Rabbit
CYCLOPENTASILOXANE		OECD 405 Result: Not Irritating Species: Rabbit
<b>Respiratory or skin sensitization</b>		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.	
<b>Skin sensitization</b>	This product is not expected to cause skin sensitization.	
<b>Skin sensitization</b>		
CYCLOPENTASILOXANE		Buehler Test Result: Not Sensitizing Species: Guinea pig
ETHANOL		OECD 406 Result: Not Sensitizing Species: Guinea pig
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	

**Mutagenicity**

CYCLOPENTASILOXANE

Result: In vitro and in vivo tests did not show mutagenic effects.

ETHANOL

Result: In vitro and in vivo tests did not show mutagenic effects.

**Carcinogenicity**

Not classifiable as to carcinogenicity to humans.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

Not listed.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens**

Not listed.

**Reproductive toxicity**

This product is not expected to cause reproductive or developmental effects.

**Developmental effects**

ETHANOL

> 20000 ppm OECD 414, No effects on development  
Result: NOAEL  
Species: Rat**Reproductivity**

CYCLOPENTASILOXANE

> 160 ppm EPA OPPTS 870.3800, Vapor  
Result: NOAEL  
Species: Rat

ETHANOL

20700 mg/kg bw/d OECD 416, No effects on fertility  
Result: NOAEL  
Species: Rat**Specific target organ toxicity - single exposure**

Not classified.

**Specific target organ toxicity - repeated exposure**

Not classified.

CYCLOPENTASILOXANE

> 1600 mg/kg bw/d OECD 407, Oral  
Result: NOAEL  
Species: Rat  
160 ppm OECD 412, Inhalation  
Result: NOAEL  
Species: Rat  
1600 mg/kg bw/d OECD 410, Dermal  
Result: NOAEL  
Species: Rat  
1730 mg/kg bw/d OECD 408, Oral  
Result: NOAEL  
Species: Rat

ETHANOL

**Aspiration hazard**

Not an aspiration hazard.

**12. Ecological information****Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components	Species		Test Results
ETHANOL (CAS 64-17-5)			
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	22200 mg/l, 96 h
Crustacea	EC50	Ceriodaphnia dubia	5012 mg/l, 48 h
Fish	LC50	Pimephales promelas	15300 mg/l, 96 h
Other	IC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability**

**Biodegradability****Percent degradation (Aerobic biodegradation)**

ETHANOL

84 %

Result: Readily Biodegradable

Test Duration: 20 d

**Bioaccumulative potential****Partition coefficient n-octanol / water (log Kow)**

CYCLOPENTASILOXANE

5.2

ETHANOL

-0.31

LACTIC ACID

-0.72

**Mobility in soil**

No data available.

**Other adverse effects**

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

**13. Disposal considerations****Disposal instructions**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations**

Dispose in accordance with all applicable regulations.

**Hazardous waste code**

This product is ignitable (D001) RCRA hazardous wastes when intended for disposal.

**Waste from residues / unused products**

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging**

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**14. Transport information****DOT****FINISHED GOODS****UN number**

UN1266

**UN proper shipping name**

PERFUMERY PRODUCTS, Limited Quantity

**Class**

3

**Packing group**

III

**Transport hazard class(es)****Label(s)**

Limited Quantity

**Packaging exceptions**

150

**LTD QTY Net Inner Capacity**

5.0 L

**BULK****UN number**

UN1266

**UN proper shipping name**

PERFUMERY PRODUCTS

**Class**

3

**Packing group**

III

**Transport hazard class(es)****Label(s)**

3

**Special provisions**

B1, IB3, T2, TP1

**Packaging non bulk**

203

**IATA****FINISHED GOODS****UN number**

ID8000

**UN proper shipping name**

CONSUMER COMMODITY

**Class**

9

**Packing group**

Not applicable.

**Transport hazard class(es)****Label(s)**

Class 9, Limited Quantity

**ERG Number**

9L

**Special Provisions**

A112

**LTD QTY Net Inner Capacity**

0.5 L

**Packing instruction (LQ)**

Y963

**BULK****UN number**

UN1266

<b>UN proper shipping name</b>	PERFUMERY PRODUCTS
<b>Class</b>	3
<b>Packing group</b>	III
<b>ERG Number</b>	3L
<b>Special Provisions</b>	A3,A72

#### IMDG

#### FINISHED GOODS

<b>UN number</b>	UN1266
<b>UN proper shipping name</b>	PERFUMERY PRODUCTS, Limited Quantity
<b>Class</b>	3
<b>Packing group</b>	III
<b>Environmental Hazards</b>	
<b>Marine pollutant</b>	No.
<b>Transport hazard class(es)</b>	
<b>Label(s)</b>	Limited Quantity
<b>EmS</b>	F-E, S-D
<b>LTD QTY Net Inner Capacity</b>	5.0 L

#### BULK

<b>UN number</b>	UN1266
<b>UN proper shipping name</b>	PERFUMERY PRODUCTS
<b>Class</b>	3
<b>Packing group</b>	III
<b>Environmental hazards</b>	
<b>Marine pollutant</b>	No.
<b>EmS</b>	F-E, S-D

### 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### CERCLA Hazardous Substance List (40 CFR 302.4)

ETHANOL (CAS 64-17-5) Listed.

#### SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

<b>Hazard categories</b>	Immediate Hazard - Yes
	Delayed Hazard - No
	Fire Hazard - Yes
	Pressure Hazard - No
	Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

<b>SARA 311/312 Hazardous chemical</b>	Yes
--	-----

#### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

##### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

##### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

<b>Safe Drinking Water Act (SDWA)</b>	Not regulated.
---------------------------------------	----------------

#### FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

ETHANOL (CAS 64-17-5)	Low priority
-----------------------	--------------



## 16. Other information, including date of preparation or last revision

**Issue date** 05-16-2018

**Version #** 01

**NFPA ratings** Health: 2  
Flammability: 3  
Instability: 0

**Disclaimer** Redken cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.