# REDKEN

# SAFETY DATA SHEET

1. Identification

Product identifier REDKEN FRIZZ DISMISS CONDITIONER

Other means of identification

**SDS number** 00-12-0000362

**Recommended use** Personal care product used on the hair for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc

133 Terminal Avenue Clark, NJ 07066

USA

Canadian Address: L'Oreal Canada

4895 rue Hickmore

Ville St-Laurent, H4T 1K5

Canada

**Emergency Phone #:** 1-800-535-5053 (International: 352-323-3500)

In Canada - 1-613-996-6666 (Canutec (\*666 Cellular))

For further Information: 1-732-499-2741

**Poison Control #:** 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

OSHA defined hazards Not classified.

Label elements



Signal word Warning

**Hazard statement** Causes serious eye irritation.

**Precautionary statement** 

**Prevention** Wash thoroughly after handling. Wear eye protection/face protection.

**Response** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Material name: REDKEN FRIZZ DISMISS CONDITIONER 34417 Version #: 01 Issue date: 06-27-2018

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%	
BEHENTRIMONIUM CHLORIDE		68607-24-9	2.37	
MINERAL OIL		8042-47-5	1.5	

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Indication of immediate medical attention and special

treatment needed General information Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

# **Environmental precautions**

7. Handling and storage Precautions for safe handling

Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

ComponentsTypeValueFormMINERAL OIL (CAS<br/>8042-47-5)PEL5 mg/m3Mist.

**US. ACGIH Threshold Limit Values** 

 Components
 Type
 Value
 Form

 MINERAL OIL (CAS
 TWA
 5 mg/m3
 Inhalable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value Form

MINERAL OIL (CAS STEL 10 mg/m3 Mist. 8042-47-5)

TWA 5 mg/m3 Mist.

**Biological limit values**No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

8042-47-5)

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Physical state
Color
Not available.

Odor
Characteristic.

Odor threshold
Not available.

**pH** 3 - 4

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point  $> 212.0 \,^{\circ}\text{F} (> 100.0 \,^{\circ}\text{C})$ 

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Vapor pressureNot available.Vapor densityNot available.

Not available. Specific gravity

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other information

Density 0.970

Not explosive. **Explosive properties Oxidizing properties** Not oxidizing.

## 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. **Chemical stability** 

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision.

#### Information on toxicological effects

**Acute toxicity** Not known.

Components **Species Test Results** 

BEHENTRIMONIUM CHLORIDE (CAS 68607-24-9)

**Acute** 

Oral

LD50 Rat 3190 mg/kg bw OECD 401

MINERAL OIL (CAS 8042-47-5)

**Acute Dermal** 

LD50 Rabbit > 2000 mg/kg OECD 402

Inhalation

Aerosol

LC50 Rat > 5 mg/L air, 4 h OECD 403

Oral

LD50 Rat > 5000 mg/kg OECD 401

Skin corrosion/irritation No adverse effects due to skin contact are expected.

Material name: REDKEN FRIZZ DISMISS CONDITIONER

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Irritation Corrosion - Skin

MINERAL OIL **OFCD 404** 

> Result: Not Irritating Species: Rabbit

**OECD 405** BEHENTRIMONIUM CHLORIDE Result: Irritating

Species: Rabbit

Serious eye damage/eye

Causes serious eve irritation.

irritation

Irritation Corrosion - Eye

BEHENTRIMONIUM CHLORIDE **OECD 404** 

> Result: Corrosive Species: Rabbit

MINERAL OIL OECD 405

Result: Not Irritating Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Skin sensitization

BEHENTRIMONIUM CHLORIDE **OECD 406** 

> Result: Not Sensitizing Species: Guinea pig

MINERAL OIL **OECD 406** 

> Result: Not Sensitizing Species: Guinea pig

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Mutagenicity

BEHENTRIMONIUM CHLORIDE Result: In vitro tests did not show mutagenic effects MINERAL OIL Result: In vitro tests did not show mutagenic effects

Not classifiable as to carcinogenicity to humans. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

MINERAL OIL (CAS 8042-47-5) 3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

**Developmental effects** 

MINERAL OIL > 5000 mg/kg bw/d OECD 414, No effects on development

> Result: NOAEL Species: Rat

Reproductivity

MINERAL OIL >= 2000 mg/kg bw/d OECD 415, No effects on fertility

> Result: NOAEL Species: Rat

75 mg/kg bw/d OECD 421 BEHENTRIMONIUM CHLORIDE

Result: NOAEL Species: Rat

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -Not classified.

repeated exposure

MINERAL OIL > 2000 mg/kg bw/d OECD 411, Dermal

Result: NOAEL Species: Rat Test Duration: 90 d

> 50 mg/m3 air OECD 412, Inhalation

Result: NOAEC Species: Rat Test Duration: 28 d

Material name: REDKEN FRIZZ DISMISS CONDITIONER

SDS US 34417 Version #: 01 Issue date: 06-27-2018

Specific target organ toxicity repeated exposure

> MINERAL OIL >= 1200 mg/kg bw/d OECD 453, Oral

Result: NOAEL Species: Rat

Test Duration: 2 years

BEHENTRIMONIUM CHLORIDE 10 mg/kg bw/d OECD 407, Oral

Result: NOAEL Species: Rat Test Duration: 28 d

Not an aspiration hazard. **Aspiration hazard** 

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results	
BEHENTRIMONIUM (	CHLORIDE (CAS 68	8607-24-9)		
Aquatic				
Acute				
Algae	EC50	Desmodesmus subspicatus	3.48 mg/l, 72 h OECD 201	
Crustacea	EC50	Daphnia magna	1.39 mg/l, 48 h OECD 202	
Fish	LC50	Danio rerio	3.5 mg/l, 96 h OECD 203	
Other	EC50	Activated sludge of a predominantly domestic sewage	43 mg/l, 3 h OECD 209	
Chronic				
Crustacea	NOEC	Daphnia magna	0.128 mg/l, 21 d OECD 211	
Fish	NOEC	Danio rerio	0.24 mg/l, 9 d OECD 212	
MINERAL OIL (CAS 8	3042-47-5)			
Aquatic				
Acute				
Algae	NOEL	Pseudokirchneriella subcapitata	> 100 mg/l, 72 h OECD 201	
Crustacea	EL50	Daphnia magna	> 100 mg/l, 48 h OECD 202	
Fish	LL50	Oncorhynchus mykiss	> 100 mg/l, 96 h OECD 203	
Chronic				
Crustacea	NOEC	Daphnia magna	10 mg/l, 21 d OECD 211	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

## Persistence and degradability

## Biodegradability

Percent degradation (Aerobic biodegradation)

BEHENTRIMONIUM CHLORIDE 80 % OECD 301

Result: Readily Biodegradable

Test Duration: 28 d 31 % OECD 301 F

Result: Not Readily Biodegradable

Bioaccumulative potential

MINERAL OIL

Mobility in soil No data available.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Not regulated. Hazardous waste code

Material name: REDKEN FRIZZ DISMISS CONDITIONER

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

## 14. Transport information

DOT

#### **FINISHED GOODS**

Not regulated as dangerous goods.

**BULK** 

Not regulated as dangerous goods.

IATA

#### **FINISHED GOODS**

Not regulated as dangerous goods.

**BULK** 

Not regulated as dangerous goods.

**IMDG** 

## **FINISHED GOODS**

Not regulated as dangerous goods.

**BULK** 

Not regulated as dangerous goods.

## 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

## 16. Other information, including date of preparation or last revision

**Issue date** 06-27-2018

Version # 01

NFPA ratings Health: 2

Flammability: 1 Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge,

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

Material name: REDKEN FRIZZ DISMISS CONDITIONER 34417 Version #: 01 Issue date: 06-27-2018