# SAFETY DATA SHEET



# 1. Identification

Product identifier	REDKEN HOT SETS 22 THERMAL SETTING MIST		
Other means of identification			
SDS number	30-31-0000057		
Recommended use	Personal care product used for cosmetic effect.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
US Address:	L'Oreal USA Products, Inc		
	133 Terminal Avenue		
	Clark, NJ 07066		
	USA		
Canadian Address:	L'Oreal Canada		
	4895 rue Hickmore		
	Ville St-Laurent, H4T 1K5		
	Canada		
Emergency Phone # :	1-800-535-5053 (International: 352-323-3500)		
	In Canada - 1-613-996-6666 (Canutec (*666 Cellular))		
For further Information:	1-732-499-2741		
Poison Control # :	412-390-3326		

# 2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 3
Health hazards	Serious eye damage/eye irritation	Category 2A
OSHA defined hazards	Not classified.	

Label elements



Signal word	Warning
Hazard statement	Flammable liquid and vapor. Causes serious eye irritation.
Precautionary statement	
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash thoroughly after handling. Wear protective gloves/eye protection/face protection.
Response	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep cool.

None.

# 3. Composition/information on ingredients

## **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
ETHANOL		64-17-5	5.8
AMINOMETHYL PROPANOL		124-68-5	1.11

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.		
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.		
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.		
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.		
General fire hazards	Flammable liquid and vapor.		

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.		
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.		
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.		
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.		
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.		
7. Handling and storage			
Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.		
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep out of the reach of children. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).		

# 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value		
ETHANOL (CAS 64-17-5)	PEL	1900 mg/m3		
		1000 ppm		
US. ACGIH Threshold Limi	t Values			
Components	Туре	Value		
ETHANOL (CAS 64-17-5)	STEL	1000 ppm		
US. NIOSH: Pocket Guide t	o Chemical Hazards			
Components	Туре	Value		
ETHANOL (CAS 64-17-5)	TWA	1900 mg/m3		
		1000 ppm		
logical limit values	No biological exposure limits noted	for the ingredient(s).		
propriate engineering itrols	Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.			
ividual protection measures	s, such as personal protective equip	ment		
Eye/face protection	Applicable for industrial settings onl	y. Wear safety glasses with side shields (or goggles).		
Skin protection Hand protection	Applicable for industrial settings onl	y. Wear appropriate chemical resistant gloves.		
Other	Applicable for industrial settings onl	Applicable for industrial settings only. Wear appropriate chemical resistant clothing.		
Respiratory protection	Applicable for industrial settings only. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.			

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

·	
Appearance	
Physical state	Liquid.
Color	Yellow.
Odor	Characteristic.
Odor threshold	Not available.
рН	7.8 - 8.8
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	138.2 °F (59.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.95 - 1.05 g/cm³
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.
11 Toxicological informati	ion

# 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.

Eye contact	Causes serious eye irritat	ion.	
Ingestion	Expected to be a low inge	stion hazard.	
Symptoms related to the ohysical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.		
Information on toxicological e	effects		
Acute toxicity	Not known.		
Product	Species	Test Results	
REDKEN HOT SETS 22 THER	•		
Acute			
Oral			
ATEmix		229400 mg/kg	
Components	Species	Test Results	
AMINOMETHYL PROPANOL ((	CAS 124-68-5)		
Acute	,		
Dermal			
LD50	Rabbit	> 2000 mg/kg OECD 402	
Oral			
LD50	Rat	2900 mg/kg OECD 401	
ETHANOL (CAS 64-17-5)			
Acute			
Dermal			
LD50	Rabbit	> 20000 mg/kg	
Inhalation			
Vapor			
LC50	Rat	124.7 mg/l, 4 h OECD 403	
Oral			
LD50	Rat	10470 mg/kg OECD 401	
Skin corrosion/irritation	Due to partial or complete skin contact are expected	lack of data the classification is not possible. No adverse effects due to	
Irritation Corrosion -	Skin		
AMINOMETHYL F	PROPANOL	Draize Test	
		Result: Irritating Species: Rabbit	
ETHANOL		OECD 404 Result: Not Irritating Species: Rabbit	
Serious eye damage/eye irritation	Causes serious eye irritat	ion.	
Irritation Corrosion -	Eye		
AMINOMETHYL F		Draize Test Result: Corrosive Species: Rabbit	
ETHANOL		OECD 405 Result: Irritating Species: Rabbit	
Respiratory or skin sensitizati	ion		
Respiratory sensitization	Due to partial or complete	lack of data the classification is not possible.	
Skin sensitization	Due to partial or complete	lack of data the classification is not possible.	
Skin sensitization			
AMINOMETHYL F	PROPANOL	OECD 406	
		Result: Not Sensitizing Species: Guinea pig	
ETHANOL		OECD 406	
ETTANCI			
ETHANOL		Result: Not Sensitizing Species: Guinea pig	

Germ cell mutagenicity	Due to partial or complete lack of data the classification is not possible.			
Mutagenicity AMINOMETHYL PR	ROPANOL		Result: In vitro and in vivo tests did not show mutagenic	
ETHANOL			effects. Result: In vitro and in viv effects.	vo tests did not show mutagenic
Carcinogenicity		e as to carcinog s not possible.	enicity to humans. Due to	partial or complete lack of data the
IARC Monographs. Overall I		•		
Not listed. OSHA Specifically Regulate	d Substances (	29 CFR 1910.1	001-1052)	
Not regulated.				
US. National Toxicology Pro Not listed.	ogram (NTP) Re	port on Carcin	ogens	
Reproductive toxicity	Possible repro	oductive hazard.		
Developmental effects	·			
ETHANOL			> 20000 ppm OECD 414 Result: NOAEL Species: Rat	4, No effects on development
AMINOMETHYL PR	OPANOL		300 mg/kg bw/d OECD Result: NOEL Species: Rat	414
Reproductivity				
AMINOMETHYL PR	OPANOL		100 mg/kg bw/d OECD Result: NOEL Species: Rat	421
ETHANOL			•	D 416, No effects on fertility
Specific target organ toxicity -	Due to partial or complete lack of data the classification is not possible.			
single exposure AMINOMETHYL PROPANOL			0, Respiratory	
			Result: Irritating	
Specific target organ toxicity -	<b>toxicity</b> - Due to partial or complete lack of data the classification is not possible. 1730 mg/kg bw/d OECD 408, Oral			is not possible.
repeated exposure ETHANOL				0.408 Oral
	Result: NOAEL Species: Rat			
Aspiration hazard	Due to partial	or complete lacl	c of data the classification	is not possible.
Further information		to any animal te lic, third-party da		tuents mentioned in this document is
12. Ecological information	1			
Ecotoxicity				ous. However, this does not exclude the ul or damaging effect on the environment.
Components		Species		Test Results
AMINOMETHYL PROPANOL	(CAS 124-68-5	)		
Aquatic				
Acute				
-	EC50		eriella subcapitata	520 mg/l, 72 h OECD 201
	EC50	Daphnia magn		193 mg/l, 48 h
	LC50	Lepomis macro		190 mg/l, 96 h
Other	EC50	Activated slude	ge of a predominantly age	342.9 mg/l, 3 h OECD 209
ETHANOL (CAS 64-17-5)				
Aquatic				
<i>Acute</i> Algae	EC50	Pseudokirchne	eriella subcapitata	22200 mg/l, 96 h
niyae	2000		ποπα συσσαρπατα	22200 mg/i, 30 m

Components		Species	Test Results	
Crustacea	EC50	Ceriodaphnia dubia	5012 mg/l, 48 h	
Fish	LC50	Pimephales promelas	15300 mg/l, 96 h	
Other	IC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h	
Chronic				
Crustacea	NOEC	Daphnia magna	9.6 mg/l, 9 d	
Fish	NOEC	Danio rerio	250 mg/l, 120 h OECD 212	
Persistence and degradability				
Biodegradability Percent degradation (A AMINOMETHYL PROPA	-	40 % OECD 301 D Result: Not Readily Bio	degradable	
ETHANOL		Test Duration: 28 d 84 % Result: Readily Biodeg Test Duration: 20 d	radable	
Bioaccumulative potential				
Partition coefficient n-octar ETHANOL	nol / water (log	<b>Kow)</b> -0.31		
Mobility in soil	No data available.			
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
13. Disposal consideratio	ns			
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.			
Local disposal regulations	Dispose in accordance with all applicable regulations.			
Hazardous waste code	This product	This product is ignitable (D001) RCRA hazardous wastes when intended for disposal.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			

**Contaminated packaging** 

Disposal instructions). Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

# 14. Transport information

## DOT

Materials associated with this document meet the criteria for US Department of Transportation exemption found at 49 CFR 173.150(g).

Packages containing limited quantities of retail products in volumes in accordance with the tables listed below maybe offered under the conditions of the exemption.

#### US Domestic Transportation

	>70% Ethyl Alcohol (v/v) (w/w)				
	Inner Packaging	Net Contents	Gross Weight	Marking	
Liquids	8 fl. oz.	192 fl. oz.	65 lbs.	None	
		(v/v) (w/w)			
Liquids (glass)	8 fl. oz.	192 fl. oz.	65 lbs.	None	
	16 fl. oz.	192 fl. oz.	65 lbs.	Contains Ethyl Alcoho	
Liquids (non-	16 fl. oz.	192 fl. oz.	65 lbs.	None	
glass)	1 gallon	192 fl. oz.	65 lbs.	Contains Ethyl Alcoho	
	General Conditions				
	Inner packagings must be secured and cushioned within the outer package to prevent breakage, leakage and movement.				

# DOT

# FINISHED GOODS

UN number	UN1266
UN proper shipping name	PERFUMERY PRODUCTS, Limited Quantity
Class	3
Packing group	III
Transport hazard class(es	6)
Label(s)	Limited Quantity

Packaging exceptions	150	
LTD QTY Net Inner Capacity	5.0 L	
BULK	1014000	
UN number UN proper shipping name	UN1266 PERFUMERY PRODUCTS	
Class	3	
Packing group		
Transport hazard class(es)		
Label(s)	3	
Special provisions	B1, IB3, T2, TP1 203	
Packaging non bulk	203	
FINISHED GOODS		
UN number	ID8000	
UN proper shipping name	CONSUMER COMMODITY	
Class	9 Net applicable	
Packing group ERG Number	Not applicable. 9L	
BULK	-	
UN number	UN1266	
UN proper shipping name	PERFUMERY PRODUCTS	
Class Packing group	3	
ERG Number	3L	
IMDG		
FINISHED GOODS		
UN number	UN1266	
UN proper shipping name Class	PERFUMERY PRODUCTS, Limited Quantity	
Packing group		
Environmental Hazards		
Marine pollutant	No.	
Transport hazard class(es)		
Label(s) EmS	Limited Quantity F-E, S-D	
LTD QTY Net Inner Capacity		
BULK		
UN number	UN1266	
UN proper shipping name Class	PERFUMERY PRODUCTS 3	
Packing group	5 	
Environmental hazards		
Marine pollutant	No.	
EmS	F-E, S-D	
15. Regulatory information		
US federal regulations	This product is a "Hazardous Chemical" as defined by	
	Standard, 29 CFR 1910.1200.	
Toxic Substances Control Ac		
	ort Notification (40 CFR 707, Subpt. D)	
Not regulated.		
CERCLA Hazardous Substan		
ETHANOL (CAS 64-17-5) Listed. SARA 304 Emergency release notification		
Not regulated.		
0	Substances (20 CEB 1010 1001 1052)	

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Not regulated. the OSHA Hazard Communication

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No (Exempt) chemical

### SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated.

#### (SDWA)

### FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

ETHANOL (CAS 64-17-5)

## 16. Other information, including date of preparation or last revision

Issue date	07-01-2020
Version #	01
NFPA ratings	Health: 2 Flammability: 2 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Low priority