

## SAFETY DATA SHEET

ISSUANCE DATE: September 24, 2015

SDS #00-34-001-0

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

L'Oreal USA Products, Inc.  
111 Terminal Avenue  
Clark, NJ 07066

L'Oreal Canada  
4895 rue Hickmore  
Ville St-Laurent, H4Y 1K5  
Canada

#### Emergency Telephone Number

1-800-535-5053 US (International: 352-323-3500)  
In Canada – 1-613-996-6666 (Canutec) (\*666 cellular)

#### For further information:

1-732-499-2741

**Poison Control Number:** 412-390-3326


**Product Name:** Redken Long-Lasting Care Dual Chamber Masque

**Recommendations on use:** Personal care product to be applied to the hair for cosmetic enhancement.

**Restrictions on use:** For external use only. Use only as directed. Avoid direct contact with eyes.

### SECTION 2: HAZARDS IDENTIFICATION

**Signal word:** WARNING

	<p>Eye Irritation Category 2A</p>	<p>Causes serious eye irritation</p>	<ul style="list-style-type: none"> <li>Wash hands and all skin surfaces contacted thoroughly after handling.</li> <li>Wear eye protection appropriate for the manufacturing operation being performed (goggles or face shield).</li> </ul>
---	---------------------------------------	--	--

This material is considered hazardous by the US Occupational Safety and Health Administration Hazard Communication Standard (29 CFR 1910.1200)

General Precautionary Statements: Keep out of reach of children. Read label/insert before use.

Hazards Not Otherwise Classified: None.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Only hazardous constituents associated with the product are listed below

<u>INGREDIENT:</u>	<u>CAS NO.</u>	<u>% WT</u>
Aminopropyl Triethoxysilane	919-30-2	≤ 5.0%
Lactic Acid	50-21-5	≤ 2.0%



**Product Name: Redken Long-Lasting Care Dual Chamber Masque**

---

## **SECTION 4: FIRST AID MEASURES**

---

### **Response Statements:**

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing until material is sufficiently removed from the eye. **If eye irritation persists:** Get medical advice/attention.

**IF ON SKIN:** If skin irritation occurs: Take off immediately all contaminated clothing. Rinse skin with water/shower. **If skin irritation persists:** Get medical attention.

**IF INHALED:** Remove victim to fresh air and keep comfortable for breathing. Call a Poison Control Center if you feel unwell.

**IF SWALLOWED:** Do not induce vomiting. Never give anything by mouth to an unconscious individual. Consult a physician or Poison Control Center immediately.

**SYMPTOMS/EFFECTS:** Causes serious eye irritation.

**NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:** Consult product labeling. No special advice.

---

## **SECTION 5: FIRE-FIGHTING MEASURES**

---

### **Notes for Non-Emergency Personnel:**

**EXTINGUISHING MEDIA:** In case of fire: Use carbon dioxide, dry chemical and/or foam for extinction. Water spray may be used to soak other materials surrounding the product, to prevent the spread of the fire. Selection of a fire extinguisher should also be appropriate to address the location of the fire and equipment involved. Please review the tools available at your location to ensure proper availability of equipment.

### **Notes for those trained to participate in an emergency:**

**SPECIAL FIRE FIGHTING PROCEDURES:** Follow National Fire Protection Association Guidelines or local guidelines appropriate for emergency response.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None required

**HAZARDOUS DECOMPOSITION PRODUCTS:** Thermal degradation may produce oxides of carbon, hydrocarbons, and/or derivatives.

---

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

---

### **Notes for non-emergency personnel:**

Consult trained response personnel for clean-up of large spills or locations where providing preliminary control of the chemical release is hazardous. Hazardous locations include areas where ignition sources cannot be controlled. Isolate the area and deny entry to unnecessary and unprotected personnel. Sections 2, 5, 7 and 8 of this document should be consulted upon use of material, to become knowledgeable of the material's hazards and how to control associated risks.

If the location is not hazardous and only a small amount of material is released, control the spill using absorbent pads while wearing the protective equipment as noted below. Clean the area with detergent and water. Prohibit discharge to drains, soil, surface and ground waters. Dispose in accordance with Section 13 of this document.



**Product Name: Redken Long-Lasting Care Dual Chamber Masque**

**PERSONAL PROTECTIVE EQUIPMENT:** Nitrile or vinyl gloves, safety glasses/goggles, protective clothing (e.g. apron) may be required for clean-up of large spills. Respiratory protection is typically not necessary, but may be used depending upon the size of the spill and occupational exposure limits. Respiratory protection may include the use of organic vapor cartridges. Refer to Section 8 for additional information.

**Notes for those trained to participate in an emergency:**

**ACCIDENTAL RELEASE MEASURES:** Dike and contain the free liquid and absorb on vermiculite or spill pillows/pads. Place spent absorbents in sturdy containers for disposal. Wash area completely with water. Take care to avoid contact with wet surfaces or walkways that may become slick when residue is present. Prohibit discharge to drains, soil, surface and ground waters.

Recommendations for personal protective equipment selection are noted above. Dispose in accordance with section 13 of this document.

---

## SECTION 7: HANDLING AND STORAGE

---

**PRECAUTIONS FOR SAFE HANDLING:**

Do not eat, drink or smoke while working with hazardous materials. Employees should be advised to wear appropriate protective equipment in the manufacturing environment. See section 8 of this document for protective equipment selection. Do not expose to heat or flame. All manufacturing should be performed indoors, in an enclosed environment.

Maintain a clean work environment which includes use of properly functioning containers, proper housekeeping practices.

**CONDITIONS FOR SAFE STORAGE:**

**Storage precautions for unpackaged product (manufacturing environment):** Store in a well-ventilated place and keep cool. Keep containers closed when not in use. Minimize inventory. Store on spill pallets or other locations where spill containment will be easily accessible.

**Storage precautions for packaged product:** See consumer packaging.

Keep away from open drains and access to the environment.

**Incompatible materials:** None known.

---

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

**CONTROL PARAMETERS** – These criteria have been published by the referenced authority to establish exposure limits in the work environment. Employee work areas should be monitored to ensure that permissible limits are not exceeded during the work day. These references do not coincide with product use. These references are meant to be in association with the manufacturing environment.

**OCCUPATIONAL EXPOSURE VALUES:**

Component Name (CAS-No.)	Reference	TWA		STEL/CEILING	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
No OEVs have been established for noted constituents.	OSHA PEL	--	--	--	--
	ACGIH TLV	--	--	--	--
	NIOSH REL	--	--	--	--

No occupational exposure values have been published for other constituents noted in Section 3.



**Product Name: Redken Long-Lasting Care Dual Chamber Masque**

**WORK HYGIENIC PRACTICES:** Ensure all work surfaces are maintained, to prevent contamination.

**ENGINEERING CONTROLS:** None required for product use. For handling large quantities of material, such as in the manufacturing of product, ventilation should be utilized. Exhaust ventilation should be utilized to maintain air concentrations of material below the occupational exposure guidelines noted above.

Local exhaust ventilation is not typically required for product use. For handling large quantities of material, such as in the manufacturing of product -- Local Exhaust: Explosion proof. Mechanical (general): Explosion proof.

**PERSONAL PROTECTIVE EQUIPMENT:** Consistent with good hygiene practices, personal protective equipment (PPE) should be used in conjunction with other control measures including engineering controls, ventilation and isolation. See also Section 5 of this document for PPE advice, in the event of an emergency.

**Eye/Face Protection (Non-Emergency):** None required for product use. For handling of large quantities of liquid material, safety glasses with side shields/goggles are recommended.

**Skin Protection (Non-Emergency):** None required for product use. For handling large quantities of material, such as in product manufacturing, nitrile or vinyl gloves should be considered for use. Tyvek clothing may also be suitable for handling large quantities of material in the manufacturing environment.

**Respiratory Protection (Non-Emergency):** Respiratory protection is not required for product use. For manufacturing of product, respiratory protection may be considered. Ensure that the respirator meets current local occupational health and safety standards.

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

<b>APPEARANCE:</b>	White Cream	
<b>ODOR:</b>	Not Available	
<b>ODOR THRESHOLD:</b>	Not Available	
<b>pH:</b>	4.6 +/- 0.3	
<b>MELTING/FREEZING POINT:</b>	<b>F:</b> Not Available	<b>C:</b> Not Available
<b>BOILING POINT:</b>	<b>F:</b> Not Available	<b>C:</b> Not Available
<b>FLASH POINT:</b>	<b>F:</b> >212	<b>C:</b> >100 <b>METHOD USED:</b> Closed Cup
<b>EVAPORATION RATE:</b>	Not Available	
<b>FLAMMABILITY:</b>	Non Applicable to Liquids	
<b>FLAMMABLE LIMITS IN AIR:</b>	None	
<b>VAPOR PRESSURE (mm Hg):</b>	Not Available	
<b>VAPOR DENSITY (AIR = 1):</b>	Not Available	



**Product Name: Redken Long-Lasting Care Dual Chamber Masque**

<b>RELATIVE DENSITY (H<sub>2</sub>O = 1):</b>	>=0.97 at 25°C
<b>SOLUBILITY IN WATER:</b>	Not Available
<b>PARTITION COEFFICIENT:</b>	Not Available
<b>AUTOIGNITION TEMPERATURE:</b>	Not Available
<b>DECOMPOSITION TEMPERATURE:</b>	Not Available
<b>VISCOSITY:</b>	Not Available

---

## **SECTION 10: STABILITY AND REACTIVITY**

---

**REACTIVITY:** Material is not considered reactive under typical handling and storage conditions.

**STABILITY:** Product is stable.

**POSSIBILITY OF HAZARDOUS REACTIONS:** None known. Hazardous polymerization is not expected to occur.

**CONDITIONS TO AVOID:** None known.

**INCOMPATIBILITY (MATERIAL TO AVOID):** None known.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Thermal degradation may produce oxides of carbon, hydrocarbons, and/or derivatives. *Note: Aminopropyl Triethoxysilane rapidly hydrolyzes to Ethanol & Silanetriol in the final product.*

---

## **SECTION 11: TOXICOLOGICAL INFORMATION**

---

### **POTENTIAL HEALTH EFFECTS**

#### **ACUTE HEALTH EFFECTS:**

**SKIN CORROSION/IRRITATION:** None expected.

**SERIOUS EYE DAMAGE/IRRITATION:** Causes serious eye irritation.

**RESPIRATORY/SKIN SENSITIZATION:** None expected

**INGESTION:** Harmful if swallowed

**INHALATION:** None expected

**ROUTES OF EXPOSURE:** Inhalation, ingestion, eyes, skin

**SYMPTOMS:** Causes serious eye irritation.

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** None expected.

### **ACUTE TOXICOLOGY DATA FOR COMPONENTS**

Where information is not listed specifically for constituents, published information was not available.

Note: Aminopropyl Triethoxysilane (APTES) is hydrolytically unstable and hydrolysis to produce Ethanol and Silanetriol. The remaining hazards are those associated with the hydrolysis products and not the unreacted compound.



**Product Name: Redken Long-Lasting Care Dual Chamber Masque**

Material	Route	Species	Test Results
Aminopropyl Triethoxysilane	Oral LD <sub>50</sub>	Rat	1570 mg/kg bw (EPA OTS)
Aminopropyl Triethoxysilane	LD <sub>50</sub> (4 hr)	Rabbit	4.29 mL/kg bw (Rabbit) EPA OTS 798.1100
Aminopropyl Triethoxysilane	Oral LC <sub>50</sub>	No Data	> 16ppm (Rat) (6h) OECD 403 (Both)
Lactic Acid	Oral LD <sub>50</sub>	Rat	>3543 mg/kg bw (Rat) OECD 401 eq
Lactic Acid	Dermal LD <sub>50</sub>	Rat	>2,000 mg/kg bw (Rabbit) – OECD 402 eq
Lactic Acid	Inhalation (LC <sub>50</sub> )	Rat	>7.94 mg/L (Rat) (4h) – OECD 403

**Skin Corrosion/Irritation:**

*Aminopropyl Triethoxysilane:* Corrosive (Rabbit) OECD 404  
*Lactic Acid* Severely Irritating (Rabbit, OECD 404)

**Serious Eye Damage/Irritation:**

*Aminopropyl Triethoxysilane:* Corrosive (Rabbit, OECD 405)  
*Lactic Acid:* Corrosive (Rabbit)

**Respiratory Irritation:**

No Data

**Skin Sensitization:**

*Aminopropyl Triethoxysilane:* Sensitizing (Guinea Pig) TG 406  
*Lactic Acid* Not Sensitizing (Guinea Pig) – OECD 406 eq.

**CHRONIC HEALTH HAZARDS:**

**REPEAT DOSE TOXICITY:**

NOAEL (Aminopropyl Triethoxysilane, oral): 200mg/kg bw/d (Rat) (O) (90d) TG 408  
LOAEL (Lactic Acid, oral): 886 mg/kg bw/d - No Adverse effects.

**CARCINOGENICITY:**

Component Name (CAS-No.)	OSHA	ACGIH	NTP	IARC
None	--	--	--	--

**MUTAGENICITY:**

*Aminopropyl Triethoxysilane:* A variety of *in vitro* and *in vivo* tests have produced negative results.  
*Lactic Acid:* A variety of *in vitro* tests have produced negative results.

**REPRODUCTIVE TOXICITY:**

*Aminopropyl Triethoxysilane:* NOAEL: 600 mg/kg bw/d (Rat)(90d) Oral OECD 408 - No Effects

**DEVELOPMENTAL TOXICITY/TERATOGENICITY:**

*Aminopropyl Triethoxysilane:* NOAEL: 100 mg/kg bw/d (Rat) (Oral) EPA OTS 798.4900

## SECTION 12: ECOLOGICAL INFORMATION

Contact with the environment should be avoided. Spills and leaks should be immediately cleaned up and removed. All precautions should be taken to prevent contact with the environment. Published information regarding ingredients listed on this document area found below; where data is not listed, documentation was unavailable.

### ACUTE AND PROLONGED TOXICITY TO FISH

INGREDIENT NAME	TEST	RESULT	SPECIES	EXPOSURE
Aminopropyl Triethoxysilane	LC <sub>50</sub>	> 934 mg/L	Danio Rerio	96 h
Lactic Acid	LC <sub>50</sub>	320 mg/L – OECD 203	Danio rerio	96 h

### ACUTE TOXICITY TO AQUATIC INVERTEBRATES

INGREDIENT NAME	TEST	RESULT	SPECIES	EXPOSURE
Aminopropyl Triethoxysilane	EC <sub>50</sub>	331 mg/L	Daphnia magna	48 h
Lactic Acid	EC <sub>50</sub>	130 mg/L – OECD 202	Daphnia Magna	48 h

### TOXICITY TO AQUATIC PLANTS

INGREDIENT NAME	TEST	RESULT	SPECIES	EXPOSURE
Aminopropyl Triethoxysilane	ErC <sub>50</sub>	>1,000 mg/L	Desmodesmus subspicatus	72 h
Lactic Acid	IC <sub>50</sub>	3,500 mg/L	Pseudokircherella subcapitata	72 h

### TOXICITY TO MICROORGANISMS

INGREDIENT NAME	TEST	RESULT	SPECIES	EXPOSURE
Aminopropyl Triethoxysilane	EC <sub>50</sub>	>1,000 mg/L	Pseudomonas Putida	5.75 h
Lactic Acid	EC <sub>50</sub>	> 100 mg/L	Activated sludge	3 h

### PERSISTENCY AND DEGRADABILITY:

*Aminopropyl Triethoxysilane:* 67% (28d) EU Method C.4-A - Not Readily Biodegradable. Rapidly hydrolyzes to Ethanol & Silanetriol  
*Lactic Acid:* 50% (5d) / 67% (20d) EU Method C.5 & C.6 - Readily Biodegradable

### BIOACCUMULATIVE POTENTIAL:

*Aminopropyl Triethoxysilane:* BCF: 3.4 OECD 305 C - Not likely to bioaccumulate.  
*Lactic Acid:* Log Pow: - 0.62 (OECD 117) - Not likely to bioaccumulate.

## SECTION 13: DISPOSAL CONSIDERATIONS

Those responsible for the performance of disposal, recycling or reclamation activities should refer to Section 8 of this document for advice on personal protective equipment and exposure controls.

**WASTE DISPOSAL CONTAINERS:** Appropriate containers should be utilized which may include cardboard boxes for products, metal or plastic drums.



**Product Name: Redken Long-Lasting Care Dual Chamber Masque**

**WASTE DISPOSAL METHOD:** This product is not considered a federal RCRA hazardous wastes when intended for disposal. Controlled incineration at a licensed waste facility is the recommended technology for treatment and disposal. This material must not be disposed through sewage.

**RCRA HAZARD CLASS:** Not Regulated

Follow all local governmental requirements intended for disposal.

---

## **SECTION 14: TRANSPORT INFORMATION**

---

### **North American Ground Transportation**

- **IN CONSUMER PACKAGING:** Not Regulated
- **OTHER THAN CONSUMER PACKAGING:** Not Regulated

### **Transport Via Water**

- **IN CONSUMER PACKAGING:** Not Regulated
- **OTHER THAN CONSUMER PACKAGING:** Not Regulated

### **Transport Via Air (Domestic/International)**

- **IN CONSUMER PACKAGING:** Not Regulated
- **OTHER THAN CONSUMER PACKAGING:** Not Regulated

**Please be aware of carrier transport variations before shipping hazardous materials**

---

## **SECTION 15: REGULATORY INFORMATION**

---

**National Fire Protection Association Codes:** Health: 2 Fire: 1 Reactivity: 0 Other: None

**Workplace Hazardous Materials Identification System (as acetone):** Class B Flammable Material; Class D; Division 2, Subdivision B; Eye Irritation

This regulatory information represents the product, in its consumer packaging.

---

## **SECTION 16: OTHER INFORMATION**

---

**PREPARATION INFORMATION:** This is the first issuance of this document.

Author: Lalita Vedantam (Corporate Regulatory Services)