SAFETY DATA SHEET



1. Identification

Product identifier	REDKEN OIL FOR ALL INVISIBLE MULTI-BENEFIT OIL
Other means of identification	
SDS number	30-19-0000100
Recommended use	Personal care product used for cosmetic effect.
Recommended restrictions	None known.
Manufacturer/Importer/Supplier	/Distributor information
US Address:	L'Oreal USA Products, Inc
	133 Terminal Avenue
	Clark, NJ 07066
	USA
Canadian Address:	L'Oreal Canada
	4895 rue Hickmore
	Ville St-Laurent, H4T 1K5
	Canada
Emergency Phone # :	1-800-535-5053 (International: 352-323-3500)
	In Canada - 1-613-996-6666 (Canutec (*666 Cellular))
For further Information:	1-732-499-2741
Poison Control # :	412-390-3326

2. Hazard(s) identification

Physical hazards	Flammable liquids	Category 2
Health hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		
Signal word	Danger	
Hazard statement	Highly flammable liquid and vapor.	
Precautionary statement		
Prevention	Keep away from heat/sparks/open flames/hot closed. Ground/bond container and receiving electrical/ventilating/lighting equipment. Use of measures against static discharge. Wear prof	only non-sparking tools. Take precautionary
Response	If on skin (or hair): Take off immediately all co In case of fire: Use appropriate media to extir	ontaminated clothing. Rinse skin with water/shower. nguish.
Storage	Store in a well-ventilated place. Keep cool.	
Disposal	Dispose of contents/container in accordance	with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
CYCLOPENTASILOXANE		541-02-6	84.53
ETHANOL		64-17-5	6
PHENYL TRIMETHICONE		70131-69-0	5

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Not available.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.
General information	Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
C Fine fighting measures	

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.	
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.	
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.	
General fire hazards	Highly flammable liquid and vapor.	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Keep combustibles (wood, paper, oil, etc.) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools.
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep out of the reach of children. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value
ETHANOL (CAS 64-17-5)	PEL	1900 mg/m3
		1000 ppm
US. ACGIH Threshold Limit	Values	
Components	Туре	Value
ETHANOL (CAS 64-17-5)	STEL	1000 ppm
US. NIOSH: Pocket Guide to	o Chemical Hazards	
Components	Туре	Value
ETHANOL (CAS 64-17-5)	TWA	1900 mg/m3
		1000 ppm
US. Workplace Environmer	ntal Exposure Level (WEEL) Guides	
Components	Туре	Value
CYCLOPENTASILOXANE (CAS 541-02-6)	TWA	10 ppm
ological limit values	No biological exposure limits noted for the ingredient(s).	
propriate engineering ntrols	Explosion-proof general and local exhaust ventilation. Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommende exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.	
ividual protection measures	, such as personal protective equip	ment
Eye/face protection	Applicable for industrial settings onl	y. Wear safety glasses with side shields (or goggles).
Skin protection		
Hand protection	Applicable for industrial settings only. Wear appropriate chemical resistant gloves.	
Other	Applicable for industrial settings only. Wear appropriate chemical resistant clothing.	
Respiratory protection	Applicable for industrial settings only. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable leve (in countries where exposure limits have not been established), an approved respirator must be worn.	
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.	
	When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.	

Appearance

Physical state	Liquid.
Color	Colorless.

Material name: REDKEN OIL FOR ALL INVISIBLE MULTI-BENEFIT OIL 1129537RK7 Version #: 01 Issue date: 04-23-2021

Odor	Characteristic.
Odor threshold	Not available.
рН	Not applicable.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 95 °F (> 35 °C)
Flash point	72.0 °F (22.2 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	0.93 - 0.95 g/cm³
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
O a mallfilla man fra sa varial	Keen away from best bet surfaces enables anon flowers and other impition sources. Avaid

Conditions to avoidKeep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid
temperatures exceeding the flash point. Contact with incompatible materials.Incompatible materialsStrong oxidizing agents.Hazardous decomposition
productsNo hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	No adverse effects due to eye contact are expected.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Not available.

Information on toxicological effects

Acute toxicity

Components	Species	Test Results
CYCLOPENTASILOXANE (CAS	S 541-02-6)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg bw OECD 402
Inhalation		
Aerosol	_	
LC50	Rat	8.67 mg/L air, 4 h OECD 403
Oral	_	
LD50	Rat	> 5000 mg/kg bw OECD 401
ETHANOL (CAS 64-17-5)		
Acute		
Dermal		
LD50	Rabbit	> 20000 mg/kg
Inhalation		
Vapor		
LC50	Rat	124.7 mg/l, 4 h OECD 403
Oral		
LD50	Rat	10470 mg/kg OECD 401
PHENYL TRIMETHICONE (CA	S 70131-69-0)	
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg OECD 402
Inhalation		
Mist		
LC50	Rat	0.467 mg/l, 4 h OECD 403
Oral		
LD50	Rat	> 5000 mg/kg
Skin corrosion/irritation	Due to partial or complet skin contact are expecte	te lack of data the classification is not possible. No adverse effects due to
Irritation Corrosion -		u.
CYCLOPENTASIL		OECD 404
		Result: Not Irritating
ETHANOL		Species: Rabbit OECD 404
ETHANOL		Result: Not Irritating
		Species: Rabbit
PHENYL TRIMET	HICONE	OECD 404 Result: Not Irritating
		Species: Rabbit
Serious eye damage/eye irritation	Due to partial or complet eye contact are expected	te lack of data the classification is not possible. No adverse effects due to
		м.
Irritation Corrosion - ETHANOL	Eye	OECD 405
		Result: Irritating
	OVANE	Species: Rabbit
CYCLOPENTASIL	UXANE	OECD 405 Result: Not Irritating
		Species: Rabbit
PHENYL TRIMETHICONE		OECD 405
		Result: Not Irritating Species: Rabbit
Respiratory or skin sensitizat	ion	
Respiratory sensitization		te lack of data the classification is not possible.
Skin sensitization		te lack of data the classification is not possible.
JAIN JENJILLALIUN		to rack of data the diasonication is not possible.

Skin sensitization		
CYCLOPENTASILOXANE		Buehler Test
		Result: Not Sensitizing Species: Guinea pig
ETHANOL		OECD 406
		Result: Not Sensitizing
PHENYL TRIMETHI	CONE	Species: Guinea pig OECD 406
		Result: Not Sensitizing
		Species: Guinea pig
Germ cell mutagenicity	Due to partial or complete lack	of data the classification is not possible.
Mutagenicity		Deculture vites and in vive tests did not show much were
CYCLOPENTASILO	XANE	Result: In vitro and in vivo tests did not show mutagenic effects.
ETHANOL		Result: In vitro and in vivo tests did not show mutagenic effects.
PHENYL TRIMETHI	CONE	Result: In vitro tests did not show mutagenic effects
Carcinogenicity	Not classifiable as to carcinoge classification is not possible.	enicity to humans. Due to partial or complete lack of data the
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Not listed.		
	ed Substances (29 CFR 1910.10	101-1052)
	ogram (NTP) Report on Carcino	ogens
Not listed.		
Reproductive toxicity	Possible reproductive hazard.	
Developmental effects ETHANOL		> 20000 ppm OECD 414, No effects on development
ETHANOE		Result: NOAEL
		Species: Rat
PHENYL TRIMETHI	CONE	>= 1000 mg/kg bw/d OECD 471 Result: NOAEL
		Species: Rat
Reproductivity CYCLOPENTASILO	VANE	> 160 ppm EPA OPPTS 870.3800, Vapor
CTCLOFENTASILO	ANE	Result: NOAEL
FTUANO		Species: Rat
ETHANOL		20700 mg/kg bw/d OECD 416, No effects on fertility Result: NOAEL
		Species: Rat
Specific target organ toxicity - single exposure	Due to partial or complete lack	of data the classification is not possible.
Specific target organ toxicity - repeated exposure	Due to partial or complete lack	of data the classification is not possible.
CYCLOPENTASILOXANE		> 1600 mg/kg bw/d OECD 407, Oral
		Result: NOAEL Species: Rat
PHENYL TRIMETHICONE		1000 mg/kg bw/d OECD 408, Oral
		Result: NOAEL
		Species: Rat Test Duration: 90 d
CYCLOPENTASILOXANE		160 ppm OECD 412, Inhalation
		Result: NOEAC
		Species: Rat 1600 mg/kg bw/d OECD 410, Dermal
		Result: NOAEL
ETHANOL		Species: Rat 1730 mg/kg bw/d OECD 408, Oral
		Result: NOAEL
		Species: Rat
Aspiration hazard		of data the classification is not possible.
Further information	The reference to any animal te based on public, third-party da	esting for individual constituents mentioned in this document is ta.

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
Components		Species		Test Results
CYCLOPENTASILOXANE (CAS 541-02-6)			
Aquatic				
Acute	5050	B		
Algae	EC50		eriella subcapitata	> 12 µg/l, 96 h OECD 201
Crustacea	EC50	Daphnia magr		> 2.9 µg/l, 48 h OECD 202
Fish	LC50	Oncorhynchus	s mykiss	> 16 µg/l, 96 h OECD 204
Chronic		Donhnia magr		
Crustacea	NOEC	Daphnia magr		> 15 µg/l, 21 d OECD 211
Fish	NOEC	Oncorhynchus	-	> 14 µg/l, 90 d OECD 210
Other	EC50	domestic sewa	ge of a predominantly age	> 2000 mg/l, 3 h EU C.11
ETHANOL (CAS 64-17-5)				
Aquatic				
<i>Acute</i> Algae	EC50	Pseudokirchn	eriella subcapitata	22200 mg/l, 96 h
Crustacea	EC50	Ceriodaphnia	•	5012 mg/l, 48 h
Fish	LC50	Pimephales pi		15300 mg/l, 96 h
Other	IC50		ge of a predominantly	> 1000 mg/l, 3 h
	1050	domestic sewa		> 1000 mg/l, 3 m
<i>Chronic</i> Crustacea	NOEC	Donhnia magr		0.6 mg/l 0.d
Fish	NOEC	Daphnia magr Danio rerio	Id	9.6 mg/l, 9 d
PHENYL TRIMETHICONE (250 mg/l, 120 h OECD 212
	CAS /0131-09-	-0)		
Chronic				
Fish	NOEC	Oncorhynchus	s mykiss	>= 0.008 mg/l, 60 d OECD 210
Persistence and degradability				
Biodegradability				
Percent degradation (A		gradation)		
CYCLOPENTASILOXA	NE		0.14 % OECD 310 Result: Not Readily Bio	degradable
ETHANOL			84 %	-
			Result: Readily Biodeg Test Duration: 20 d	radable
PHENYL TRIMETHICONE			2.2 % OECD 301 F	
			Result: Not Readily Bio Test Duration: 28 d	odegradable
Bioaccumulative potential				
Partition coefficient n-octa	nol / water (loo	a Kow)		
CYCLOPENTASILOXANE			5.2	
ETHANOL PHENYL TRIMETHICONE			-0.31 9, QSAR	
Mobility in soil	No data ava	ilable.	9, 0000	
Other adverse effects			ital effects (e.g. ozone de	pletion, photochemical ozone creation
				al) are expected from this component.
13. Disposal consideration	ons			
Disposal instructions				icensed waste disposal site. Dispose of tional/international regulations.
Local disposal regulations			Il applicable regulations.	
	-	This product is ignitable (D001) DCDA bezerdeue westes when intended for dispessal		

Material name: REDKEN OIL FOR ALL INVISIBLE MULTI-BENEFIT OIL 1129537RK7 Version #: 01 Issue date: 04-23-2021

Hazardous waste code

This product is ignitable (D001) RCRA hazardous wastes when intended for disposal.

Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
14. Transport information	
DOT	

DOT

FINISHED GOODS	
UN number	UN1266
UN proper shipping name	PERFUMERY PRODUCTS, Limited Quantity
Class	3
Packing group	II
Transport hazard class(es)	
Label(s)	Limited Quantity
Packaging exceptions	150
LTD QTY Net Inner Capacity	
BULK	0.0 E
UN number	UN1266
UN proper shipping name	PERFUMERY PRODUCTS
Class	3
Packing group	II
Transport hazard class(es)	
Label(s)	3
	-
Special provisions	149, IB2, T4, TP1, TP8
Packaging non bulk	202
ΙΑΤΑ	
FINISHED GOODS	
UN number	ID8000
UN proper shipping name	CONSUMER COMMODITY
Class	9
	Not applicable.
Packing group	
ERG Number	9L
BULK	
UN number	UN1266
	UN1266 PERFUMERY PRODUCTS
UN number	
UN number UN proper shipping name Class	PERFUMERY PRODUCTS
UN number UN proper shipping name Class Packing group	PERFUMERY PRODUCTS 3 II
UN number UN proper shipping name Class Packing group ERG Number	PERFUMERY PRODUCTS 3
UN number UN proper shipping name Class Packing group ERG Number IMDG	PERFUMERY PRODUCTS 3 II
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS	PERFUMERY PRODUCTS 3 II 3L
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number	PERFUMERY PRODUCTS 3 II 3L UN1266
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS	PERFUMERY PRODUCTS 3 II 3L
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number	PERFUMERY PRODUCTS 3 II 3L UN1266
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name Class	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity 3
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name Class Packing group Environmental Hazards	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity 3 II
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name Class Packing group Environmental Hazards Marine pollutant	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity 3
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name Class Packing group Environmental Hazards Marine pollutant Transport hazard class(es)	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity 3 II No.
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name Class Packing group Environmental Hazards Marine pollutant Transport hazard class(es) Label(s)	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity 3 II No. Limited Quantity
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name Class Packing group Environmental Hazards Marine pollutant Transport hazard class(es) Label(s) EmS	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity 3 II No. Limited Quantity F-E, S-D
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name Class Packing group Environmental Hazards Marine pollutant Transport hazard class(es) Label(s) EmS LTD QTY Net Inner Capacity	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity 3 II No. Limited Quantity F-E, S-D
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name Class Packing group Environmental Hazards Marine pollutant Transport hazard class(es) Label(s) EmS	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity 3 II No. Limited Quantity F-E, S-D
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name Class Packing group Environmental Hazards Marine pollutant Transport hazard class(es) Label(s) EmS LTD QTY Net Inner Capacity	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity 3 II No. Limited Quantity F-E, S-D
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name Class Packing group Environmental Hazards Marine pollutant Transport hazard class(es) Label(s) EmS LTD QTY Net Inner Capacity BULK	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity 3 II No. Limited Quantity F-E, S-D 5.0 L
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name Class Packing group Environmental Hazards Marine pollutant Transport hazard class(es) Label(s) EmS LTD QTY Net Inner Capacity BULK UN number	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity 3 II No. Limited Quantity F-E, S-D 5.0 L UN1266
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name Class Packing group Environmental Hazards Marine pollutant Transport hazard class(es) Label(s) EmS LTD QTY Net Inner Capacity BULK UN number UN proper shipping name Class	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity 3 II No. Limited Quantity F-E, S-D 5.0 L UN1266 PERFUMERY PRODUCTS
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name Class Packing group Environmental Hazards Marine pollutant Transport hazard class(es) Label(s) EmS LTD QTY Net Inner Capacity BULK UN number UN proper shipping name Class Packing group	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity 3 II No. Limited Quantity F-E, S-D 5.0 L UN1266 PERFUMERY PRODUCTS 3
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name Class Packing group Environmental Hazards Marine pollutant Transport hazard class(es) Label(s) EmS LTD QTY Net Inner Capacity BULK UN number UN proper shipping name Class Packing group Environmental hazards	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity 3 II No. Limited Quantity F-E, S-D 5.0 L UN1266 PERFUMERY PRODUCTS 3 II
UN number UN proper shipping name Class Packing group ERG Number IMDG FINISHED GOODS UN number UN proper shipping name Class Packing group Environmental Hazards Marine pollutant Transport hazard class(es) Label(s) EmS LTD QTY Net Inner Capacity BULK UN number UN proper shipping name Class Packing group	PERFUMERY PRODUCTS 3 II 3L UN1266 PERFUMERY PRODUCTS, Limited Quantity 3 II No. Limited Quantity F-E, S-D 5.0 L UN1266 PERFUMERY PRODUCTS 3

15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
Toxic Substances Control	Act (TSCA)
TSCA Section 12(b) Ex	port Notification (40 CFR 707, Subpt. D)
Not regulated.	
CERCLA Hazardous Subst	ance List (40 CFR 302.4)
ETHANOL (CAS 64-17-	
SARA 304 Emergency relea	ase notification
Not regulated.	
	ed Substances (29 CFR 1910.1001-1052)
Not regulated.	
-	eauthorization Act of 1986 (SARA)
SARA 302 Extremely hazar	dous substance
Not listed.	
SARA 311/312 Hazardous chemical	No (Exempt)
SARA 313 (TRI reporting) Not regulated.	
Other federal regulations	
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Pollutants (HAPs) List
Not regulated.	
Clean Air Act (CAA) Sectio	n 112(r) Accidental Release Prevention (40 CFR 68.130)
Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.
FEMA Priority Substan	ices Respiratory Health and Safety in the Flavor Manufacturing Workplace
ETHANOL (CAS 64	Low priority
16. Other information. inc	cluding date of preparation or last revision

Issue date	04-23-2021
Version #	01
NFPA ratings	Health: 0 Flammability: 3 Instability: 0
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.