

1. Identification

Product identifier REDKEN SCALP RELIEF ANTI-DANDRUFF SHAMPOO

Other means of identification

SDS number 00-11-0001203

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

US Address: L'Oreal USA Products, Inc
133 Terminal Avenue
Clark, NJ 07066
USA

Canadian Address: L'Oreal Canada
4895 rue Hickmore
Ville St-Laurent, H4T 1K5
Canada

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)
In Canada - 1-613-996-6666 (Canutec (*666 Cellular))

For further Information: 1-732-499-2741

Poison Control # : 412-390-3326

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Reproductive toxicity (the unborn child)	Category 1B
Specific target organ toxicity, repeated exposure	Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.

Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
SODIUM LAURETH SULFATE		68891-38-3	< 12
SODIUM LAURYL SULFATE		85586-07-8	≤ 4
GLYCERIN		56-81-5	≤ 2
HEXYLENE GLYCOL		107-41-5	≤ 1
ZINC PYRITHIONE		13463-41-7	≤ 1

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
--	--

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions**7. Handling and storage****Precautions for safe handling**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist/vapors. Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection**Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
HEXYLENE GLYCOL (CAS 107-41-5)	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
HEXYLENE GLYCOL (CAS 107-41-5)	Ceiling	125 mg/m3
		25 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment**Eye/face protection**

Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection**Hand protection**

Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other	Applicable for industrial settings only. Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	Applicable for industrial settings only. Chemical respirator with organic vapor cartridge and full facepiece.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state	Liquid.
Form	Viscous Liquid.
Color	White.
Odor	Not available.
Odor threshold	Not available.
pH	5 - 5.6
Melting point/freezing point	Not available.
Initial boiling point and boiling range	> 212 °F (> 100 °C)
Flash point	> 199.4 °F (> 93.0 °C) Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.

Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.

Solubility(ies)

Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Density	>= 1.02 g/cm3
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition products

No hazardous decomposition products are known.

11. Toxicological information**Information on likely routes of exposure****Inhalation** Prolonged inhalation may be harmful.**Skin contact** Causes skin irritation.**Eye contact** Causes serious eye damage.**Ingestion** Expected to be a low ingestion hazard.**Symptoms related to the physical, chemical and toxicological characteristics** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.**Information on toxicological effects****Acute toxicity** Not known.

Product	Species	Test Results
REDKEN SCALP RELIEF ANTI-DANDRUFF SHAMPOO		
<u>Acute</u>		
Oral		
ATEmix		13460 mg/kg
Components	Species	Test Results
GLYCERIN (CAS 56-81-5)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 18700 mg/kg bw
Inhalation		
LC50	Rat	> 570 mg/L air, 1 h
Oral		
LD50	Rat	27200 mg/kg bw
HEXYLENE GLYCOL (CAS 107-41-5)		
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg OECD 402
Inhalation		
LC50	Rat	> 60 ml/m3 air, 8 h OECD 403
Oral		
LD50	Rat	> 2000 mg/kg OECD 420
SODIUM LAURETH SULFATE (CAS 68891-38-3)		
<u>Acute</u>		
Dermal		
LD50		> 2000 mg/kg OECD 402
Oral		
LD50		2870 mg/kg OECD 401
SODIUM LAURYL SULFATE (CAS 85586-07-8)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		
LD50	Rat	1800 mg/kg
ZINC PYRITHIONE (CAS 13463-41-7)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg EPA OPP 81-2

Components	Species	Test Results
		100 mg/kg
Inhalation		
LC50	Rat	1.03 mg/l, 4 h OECD 403
Oral		
LD50	Rat	269 mg/kg OECD 401
Skin corrosion/irritation	Causes skin irritation.	
Irritation Corrosion - Skin		
SODIUM LAURETH SULFATE		OECD 404 Result: Irritating Species: Rabbit
SODIUM LAURYL SULFATE		OECD 404 Result: Irritating Species: Rabbit
ZINC PYRITHIONE		OECD 404 Result: Not Irritating Species: Rabbit
HEXYLENE GLYCOL		OECD 405 Result: Slightly irritating Species: Rabbit
GLYCERIN		Result: Not Irritating Species: Rabbit
Serious eye damage/eye irritation	Causes serious eye damage.	
Irritation Corrosion - Eye		
ZINC PYRITHIONE		OECD 405 Result: Corrosive Species: Rabbit
HEXYLENE GLYCOL		OECD 405 Result: Slightly irritating Species: Rabbit
SODIUM LAURYL SULFATE		OECD 405, ($\geq 20\%$) Result: Corrosive Species: Rabbit
SODIUM LAURETH SULFATE		OECD 405, ($\geq 10\%$) Result: Serious eye damage Species: Rabbit
HEXYLENE GLYCOL		OECD 405, ($\geq 5\% - <10\%$) Result: Irritating Species: Rabbit
GLYCERIN		Result: Irritating Species: Human
		Result: Not Irritating Species: Rabbit
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Sensitization		
ZINC PYRITHIONE		OECD 406 Result: Not Sensitizing Species: Guinea pig
Skin sensitization		
GLYCERIN		167 mg/m ³ air OECD 413, Inhalation Result: NOAEL Species: Rat Test Duration: 90 d
HEXYLENE GLYCOL		OECD 406 Result: Not Sensitizing Species: Guinea pig
SODIUM LAURETH SULFATE		OECD 406 Result: Not Sensitizing Species: Guinea pig

Skin sensitization	
SODIUM LAURYL SULFATE	OECD 406 Result: Not Sensitizing Species: Guinea pig
GLYCERIN	Result: Not Sensitizing Species: Guinea pig
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Mutagenicity	
GLYCERIN	Result: In vitro and in vivo tests did not show mutagenic effects.
SODIUM LAURETH SULFATE	Result: In vitro and in vivo tests did not show mutagenic effects.
SODIUM LAURYL SULFATE	Result: In vitro and in vivo tests did not show mutagenic effects.
ZINC PYRITHIONE	Result: In vitro and in vivo tests did not show mutagenic effects.
HEXYLENE GLYCOL	Result: In vitro tests did not show mutagenic effects
Carcinogenicity	Not classifiable as to carcinogenicity to humans.
IARC Monographs. Overall Evaluation of Carcinogenicity	
Not listed.	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)	
Not regulated.	
US. National Toxicology Program (NTP) Report on Carcinogens	
Not listed.	
Reproductive toxicity	May damage the unborn child.
Developmental effects	
ZINC PYRITHIONE	0.75 mg/kg bw/d EPA OPP 83-3 Result: NOAEL Species: Rat
SODIUM LAURETH SULFATE	1000 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
GLYCERIN	1310 mg/kg bw/d, No effects on development Result: NOAEL Species: Rat
SODIUM LAURYL SULFATE	250 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
HEXYLENE GLYCOL	300 mg/kg bw/d OECD 414 Result: NOAEL Species: Rat
Reproductivity	
HEXYLENE GLYCOL	1000 mg/kg bw/d OECD 421 Result: NOEL Species: Rat
GLYCERIN	2000 mg/kg bw/d, No effects on fertility Result: NOAEL Species: Rat
SODIUM LAURETH SULFATE	300 mg/kg bw/d OECD 416 Result: NOAEL Species: Rat
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.
SODIUM LAURETH SULFATE	>= 225 mg/kg bw/d OECD 408 Result: NOAEL Species: Rat
ZINC PYRITHIONE	Test Duration: 90 d 0.5 mg/kg bw/d OECD 453, Oral Result: NOAEL Species: Rat Test Duration: 728 d

**Specific target organ toxicity -
repeated exposure**

ZINC PYRITHIONE

0.5 mg/m³ air EPA OPP 82-4, Inhalation
Result: NOAEL
Species: Rat
Test Duration: 90 d
100 mg/kg bw/d EPA OPP 82-3, Dermal
Result: NOAEL
Species: Rat
Test Duration: 90 d
450 mg/kg bw/d OECD 408, Oral
Result: NOAEL
Species: Rat
Test Duration: 13 weeks
8000 mg/kg bw/d, Oral
Result: NOAEL
Species: Rat
Test Duration: 2 yr

HEXYLENE GLYCOL

SODIUM LAURYL SULFATE

GLYCERIN

Aspiration hazard

Not an aspiration hazard.

Chronic effects

Causes damage to organs through prolonged or repeated exposure.

Further information

The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
GLYCERIN (CAS 56-81-5)			
Aquatic			
<i>Acute</i>			
Algae	EC0	Scenedesmus quadricauda	> 10000 mg/l, 192 h
Crustacea	EC50	Daphnia magna	1955 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	54000 mg/l, 96 h
Other	NOEC	Pseudomonas putida	> 10000 mg/l, 16 h
HEXYLENE GLYCOL (CAS 107-41-5)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Pseudokirchneriella subcapitata	> 429 mg/l, 72 hours OECD 201
Crustacea	EC50	Daphnia magna	5410 mg/l, 48 hours OECD 202
Fish	LC50	Pimephales promelas	10700 mg/l, 96 hours OECD 203
Other	NOEC	Pseudomonas aeruginosa	200 mg/l, 10 days
SODIUM LAURETH SULFATE (CAS 68891-38-3)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Desmodesmus subspicatus	27 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	7.2 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	7.1 mg/l, 96 h OECD 203
Other	EC50	Pseudomonas putida	> 10000 mg/l, 16 h DIN 38412 - 8
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.27 mg/l, 21 d OECD 211
Fish	NOEC	Oncorhynchus mykiss	0.14 mg/l, 28 d OECD 204

Components	Species		Test Results
SODIUM LAURYL SULFATE (CAS 85586-07-8)			
Aquatic			
Acute			
Algae	EC50	Desmodesmus subspicatus	> 20 mg/l, 72 h EU C.3
Crustacea	EC50	Daphnia magna	4.7 mg/l, 48 h
Fish	LC50	Oncorhynchus mykiss	3.6 mg/l, 96 h OECD 203
Other	EC50	Pseudomonas putida	1083 mg/l, 16 h DIN 38412
Chronic			
Algae	NOEC	Desmodesmus subspicatus	0.6 mg/l, 72 h EU C.3
Crustacea	NOEC	Daphnia magna	0.508 mg/l, 21 d
Fish	NOEC	Pimephales promelas	0.11 - 0.35 mg/l, 34 d OECD 210
ZINC PYRITHIONE (CAS 13463-41-7)			
Aquatic			
Acute			
Algae	EC50	Skeletonema costatum	0.0012 mg/l, 120 h EPA OPP 72-2
Crustacea	EC50	Daphnia magna	0.0082 mg/l, 48 h TG 202
Fish	LC50	Pimephales promelas	0.0026 mg/l, 96 h TG 203
Other	EC50	Activated sludge of a predominantly domestic sewage	2.4 mg/l, 3 h OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	0.0082 mg/l, 21 d EPA OPP 72-4

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

GLYCERIN	OECD 301 Result: Readily Biodegradable
HEXYLENE GLYCOL	81 % OECD 301 F Result: Readily biodegradable Test Duration: 28 d
SODIUM LAURETH SULFATE	100 % EU C.4-A Result: Readily Biodegradable Test Duration: 28 d
SODIUM LAURYL SULFATE	75.7 % OECD 301 B Result: Readily Biodegradable Test Duration: 28 d
ZINC PYRITHIONE	39 % OECD 301 B Result: Not Readily Biodegradable Test Duration: 28 d

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

GLYCERIN	-1.76
HEXYLENE GLYCOL	0.58
SODIUM LAURETH SULFATE	0.3 OECD 123
SODIUM LAURYL SULFATE	-2.42 OECD 107
ZINC PYRITHIONE	0.883 OECD 107

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information**DOT****FINISHED GOODS**

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA**FINISHED GOODS**

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG**FINISHED GOODS**

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information**US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

ZINC PYRITHIONE (CAS 13463-41-7) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)**SARA 302 Extremely hazardous substance**

Not listed.

SARA 311/312 Hazardous chemical No (Exempt)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
ZINC PYRITHIONE	13463-41-7	≤ 1

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

GLYCERIN (CAS 56-81-5) Other Flavoring Substances with OSHA PEL's

16. Other information, including date of preparation or last revision

Issue date 11-21-2022

Version # 01

NFPA ratings

Health: 3
Flammability: 1
Instability: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.