



Revision Number: 001.0

Issue date: 02/25/2022

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product identifier used on the label: BLONDME Base Breaker - Extra Cool

Recommended use of the chemical and restrictions on use: Hair Color/Toner, oxidative dyes

Name, address and telephone number of the chemical manufacturer:

Henkel Corporation
One Henkel Way
Rocky Hill CT 06067

CHEMTREC: 1-800-424-9300 (24 hours daily)
Internet: www.henkel-northamerica.com

Emergency telephone number: Medical Emergencies:1-800-258-3425

2. HAZARDS IDENTIFICATION

The hazards described in this Globally Harmonized System Safety Data Sheet (SDS) are not intended for consumers, and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Classification of the substance or mixture in accordance with paragraph (d) of §1910.1200

| HAZARD CLASS | HAZARD CATEGORY |
|--------------------|-----------------|
| SKIN IRRITATION | 2 |
| SERIOUS EYE DAMAGE | 1 |
| SKIN SENSITIZATION | 1 |
| CARCINOGENICITY | 1A |

Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200

Signal word: DANGER

Hazard Statement(s):

Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.
May cause cancer.

Symbol(s):



Precautionary Statements:

Prevention:

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Avoid breathing dust/fume/gas/mist/vapours/spray.
Wash affected area thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.

Response:

Wear protective gloves, clothing, eye and face protection.
IF ON SKIN: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Get medical attention.
If skin irritation or rash occurs: Get medical attention.

Storage:

Take off contaminated clothing.
Store locked up.

Disposal:

Dispose of contents and/or container according to Federal, State/Provincial and local governmental

RS Number: 728749

BLONDME Base Breaker - Extra Cool

regulations.

Hazards not otherwise classified:

Not available.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

The following chemicals are classified as health hazards in accordance with paragraph (d) of § 1910.1200.

| Chemical Name* | CAS Number (Unique Identifier) | Concentration |
|--------------------------------------|--------------------------------|----------------|
| Monoethanolamine | 141-43-5 | >= 1 - < 5 % |
| Propane-1,2-diol | 57-55-6 | >= 1 - < 5 % |
| Succinic acid | 110-15-6 | >= 1 - < 5 % |
| Potassium hydroxide | 1310-58-3 | >= 0.1 - < 1 % |
| Sulfuric acid | 7664-93-9 | >= 0.1 - < 1 % |
| 2-methyl-p-phenylenediamine sulphate | 615-50-9 | >= 0.1 - < 1 % |

*The specific chemical identity and/or exact percentage (concentration) of composition has been withheld because a trade secret is claimed in accordance with paragraph (i) of §1910.1200.

Actual concentration or concentration range is withheld as a trade secret

4. FIRST AID MEASURES

Description of necessary measures

Inhalation: Move to fresh air. If symptoms persist, seek medical advice.
Skin contact: Rinse affected area with large amounts of mild soap and water until no evidence of product remains. If adverse health effects develop seek medical attention.
Eye contact: Rinse eyes immediately with plenty of water, occasionally lifting upper and lower lids, until no evidence of product remains. Get medical attention if pain or irritation develops.
Ingestion: Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. Contact physician or local poison control center.

Most important symptoms and effects, both acute and delayed

After eye contact: May cause mild to severe irritation with possibility of permanent eye damage. After skin contact: Repeated or prolonged excessive exposure may cause irritation or sensitization dermatitis in previously exposed individuals. After inhalation: Unlikely to occur due to the physical properties of the product. At elevated temperatures, vapors or mists may cause irritation. After ingestion: Ingestion may cause irritation of mouth, throat, digestive tract, diarrhea and vomiting.

Indication of any immediate medical attention and special treatment needed

After eye contact: Rinse eyes with plenty of water until no evidence of product remains. After skin contact: Rinse affected area with large amounts of water until no evidence of product remains. After inhalation: Remove from exposure area to fresh air. After ingestion: Administer immediately plenty of water. With ingestion of larger quantities (in adults one tablespoon) or in the case of discomfort or pain seek immediate medical attention.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray or regular foam.
Unsuitable extinguishing media: None known

Specific hazards arising from the chemical

nitrogen oxides Hydrogen chloride. Sulphur oxides carbon oxides.

Special protective equipment and precautions for fire-fighters

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Avoid breathing vapors, keep upwind. Isolate area. Keep unnecessary personnel away.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear skin, eye and respiratory protection as recommended in Section 8. Stop leak if you can do it without risk. Spills present a slipping hazard. Keep unnecessary personnel away. Ventilate spill area if possible. Make sure area is slip-free before re-opening to traffic.

Environmental precautions

Small or household quantities may be disposed in sewer or other liquid waste system. For larger quantities check with your local disposal authorities.

Methods and materials for containment and cleaning up

SMALL SPILLS: Contain and absorb with sand or other absorbent material and place into clean, dry containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not get in eyes, on skin, on clothing Do not take internally. Use with adequate ventilation. Avoid generating aerosols and mists.

Conditions for safe storage, including any incompatibilities

Store in original containers in a cool dry area. Storage areas for large quantities (warehouse) should be well ventilated. Keep the containers tightly closed when not in use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available.

| Hazardous Component(s) | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|------------------------|---|-------------------------------------|--------------------------------------|-------|
| Monoethanolamine | 6 ppm STEL 3 ppm TWA | 3 ppm (6 mg/m ³) PEL | None | None |
| Propane-1,2-diol | None | None | 10 mg/m ³ TWA Aerosol. | None |
| Succinic acid | None | None | None | None |
| Potassium hydroxide | 2 mg/m ³ Ceiling | None | None | None |
| Sulfuric acid | 0.2 mg/m ³ TWA Thoracic fraction. | 1 mg/m ³ PEL | None | None |

Appropriate engineering controls

Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

Individual protection measures

| | |
|---------------------|---|
| Respiratory: | Air contamination monitoring should be carried out where mists or vapors are likely to be generated, to assure that the employees are not exposed to airborne contaminants above the permissible exposure limits. |
| Eye: | Splash-proof safety glasses are required to prevent eye contact where splashing of product may occur. |
| Hand/Body: | Suitable protective gloves. Protective clothing is required where repeated or prolonged skin contact may occur. |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|----------------------|
| Appearance: | gel |
| Odor: | light pink |
| Odor threshold: | floral |
| pH: | Not available. |
| Melting point/ range: | 9.7 - 10.7 (20 °C) |
| Boiling point/range: | Not available. |
| Flash point: | Not applicable |
| Evaporation rate: | Not available. |
| Flammable/Explosive limits - lower: | Not available. |
| Flammable/Explosive limits - upper: | Not available. |
| Vapor pressure: | Not available. |
| Vapor density: | Not available. |
| Solubility in water: | Partially soluble |
| Partition coefficient (n-octanol/water): | Not available. |
| Autoignition temperature: | Not available. |
| Decomposition temperature: | Not available. |
| Viscosity: | 4,000 - 10,000 mPa.s |
| VOC content: | Not available. |

10. STABILITY AND REACTIVITY

| | |
|--|--|
| Reactivity: | This product may react with strong alkalies. |
| Chemical stability: | Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm). |
| Possibility of hazardous reactions: | Hazardous polymerization has not been reported to occur under normal temperatures and pressures. |
| Conditions to avoid: | Avoid storing in direct sunlight and avoid extremes of temperature. |
| Incompatible materials: | Strong oxidizers and alkalis. |
| Hazardous decomposition products: | Thermal decomposition may release toxic and/or hazardous gases, including ammonia. |

11. TOXICOLOGICAL INFORMATION

Likely routes of exposure including symptoms related to characteristics

| | |
|---|---|
| Inhalation: | Unlikely to occur due to the physical properties of the product. At elevated temperatures, vapors or mists may cause irritation. |
| Skin contact: | Repeated or prolonged excessive exposure may cause irritation or sensitization dermatitis in previously exposed individuals. |
| Eye contact: | Contact with this product may cause severe eye damage. |
| Ingestion: | May cause mild gastrointestinal irritation with nausea, vomiting, diarrhea and abdominal pain. |
| Physical/Chemical: | Not available. |
| Other relevant toxicity information: | This product is a personal care or cosmetic product. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Direct contact with eyes may cause irritation, with possibility of corneal injury if not removed promptly. |

Numerical measures of toxicity, including delayed and immediate effect

| Hazardous Component(s) | LD50s and LC50s | Immediate and Delayed Health Effects |
|--------------------------------------|--|--|
| Monoethanolamine | Oral LD50 (RAT) = 10.2 g/kg Dermal LD50 (RABBIT) = 1,025 mg/kg Inhalation LC50 (RAT, 6 h) = > 1.3 mg/l | Irritant, Kidney, Liver, Corrosive, Respiratory, Developmental |
| Propane-1,2-diol | Oral LD50 (RABBIT) = 18 g/kg Oral LD50 (RAT) = 30 g/kg Inhalation LC50 (RABBIT, 2 h) = > 317,042 mg/m3 | Irritant |
| Succinic acid | Oral LD50 (RAT) = 2,260 mg/kg Inhalation LC50 (RAT, 4 h) = > 1.306 mg/l Inhalation LC50 (RAT, 4 h) = > 1.306 mg/l Inhalation LC50 (RAT, 4 h) = > 1.284 mg/l | Irritant |
| Potassium hydroxide | Oral LD50 (RAT) = 273 mg/kg Oral LD50 (RAT) = 1.23 g/kg | Corrosive, Irritant |
| Sulfuric acid | None | Carcinogen, Corrosive, Irritant |
| 2-methyl-p-phenylenediamine sulphate | None | No Data |

Carcinogenicity information

| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen |
|--------------------------------------|-------------------------------|-----------------|-----------------|
| Monoethanolamine | No | No | No |
| Propane-1,2-diol | No | No | No |
| Succinic acid | No | No | No |
| Potassium hydroxide | No | No | No |
| Sulfuric acid | Known To Be Human Carcinogen. | Group 1 | No |
| 2-methyl-p-phenylenediamine sulphate | No | No | No |

Carcinogenicity

This product contains an ingredient which has been classified as carcinogen by the International Agency for Research on Cancer (IARC).

Mutagenicity

None of the ingredients in this product are known to cause mutagenicity.

Toxicity for reproduction

None of the ingredients in this product are known as reproductive, fetal, or developmental hazards.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity:

This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

Toxicity to fish:

The aquatic toxicity profile of this product has not been determined.

Toxicity to aquatic invertebrates:

The aquatic toxicity profile of this product has not been determined.

Toxicity to algae:

The aquatic toxicity profile of this product has not been determined.

Persistence and degradability

| Hazardous substances CAS-No. | Result value | Route of application | Species | Method |
|--|------------------------------|-------------------------|----------------|---|
| 2-aminoethanol 141-43-5 | readily biodegradable | aerobic | > 80 % | OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test) |
| Propane-1,2-diol 57-55-6 | not inherently biodegradable | aerobic | 60 % | OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test) |
| | readily biodegradable | aerobic | > 81.7 - 100 % | OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test) |
| Succinic acid 110-15-6 | inherently biodegradable | aerobic | 100 % | EU Method C.9 (Biodegradation: Zahn-Wellens Test) |
| | readily biodegradable | | 67.5 % | OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test) |
| 2-methyl-p-phenylenediamine sulphate 615-50-9 | not inherently biodegradable | aerobic | 85 % | OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test) |
| | not readily biodegradable. | aerobic | 17 % | OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test) |

Bioaccumulative potential

The bioaccumulation potential of this product has not been determined.

Mobility in soil

The mobility of this product (in soil and water) has not been determined.

13. DISPOSAL CONSIDERATIONS**Description of waste residues:**

Hazardous waste number: Not regulated

Safe handling and disposal methods:

Recommended method of disposal: This product is not a RCRA hazardous waste and can be disposed of in accordance with federal, state and local regulations.

Disposal of uncleaned packages: Place in trash.

14. TRANSPORT INFORMATION

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper shipping classification may vary by packaging, properties, and mode of transportation.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Not regulated
Hazard class or division: None
Identification number: None
Packing group: None

International Air Transportation (ICAO/IATA)

Proper shipping name: Not regulated
Hazard class or division: None
Identification number: None
Packing group: None

Water Transportation (IMO/IMDG)

| | |
|---------------------------|---------------|
| Proper shipping name: | Not regulated |
| Hazard class or division: | None |
| Identification number: | None |
| Packing group: | None |

15. REGULATORY INFORMATION

Occupational safety and health act: Hazard Communication Standard, 29 CFR 1910.1200(g) Appendix D: The Occupational Safety and Health Administration (OSHA) require that the Safety Data Sheets (SDSs) are readily accessible to employees for all hazardous chemicals in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain health hazard information not relevant to consumer use.

United States Regulatory Information

| | |
|---|---|
| TSCA 8 (b) Inventory Status: | All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory. |
| TSCA 12 (b) Export Notification: | None above reporting de minimis |
| CERCLA/SARA Section 302 EHS: | The following components are subject to reporting levels established by SARA Title III, Section 302: Sulfuric acid (CAS# 7664-93-9). |
| CERCLA/SARA Section 311/312: | Not available. |
| CERCLA/SARA Section 313: | None above reporting de minimis. |
| California Proposition 65: | Not available. |

Canada Regulatory Information

| | |
|-----------------------------|---|
| CEPA DSL/NDL Status: | One or more components are not listed on, and are not exempt from listing on either the Domestic Substances List or the Non-Domestic Substances List. |
|-----------------------------|---|

16. OTHER INFORMATION

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: R&D Support Services

Issue date: 02/25/2022