



Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 10

BC Color Freeze Conditioner

SDS No. : 515405

V001.1

Revision: 15.02.2016

printing date: 15.02.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BC Color Freeze Conditioner

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Conditioner, rinse off

1.3. Details of the supplier of the safety data sheet

Henkel AG & Co. KGaA

Düsseldorf Germany

Henkelstr. 67

40191 Düsseldorf

Phone: +49 211-797-0

E-mail address of person responsible for Safety Data Sheet:

Henkel Cosmetics, e-mail : Elisabeth.Poppe@henkel.com

1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

Further information is available at Poison Control Centers.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP):

Chronic hazards to the aquatic environment Category 3

Harmful to aquatic life with long lasting effects.

2.2. Label elements (CLP)

Hazard statement:

H412 Harmful to aquatic life with long lasting effects.

Precautionary statement: Prevention

P273 Avoid release to the environment.

Precautionary statement: Disposal

P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

SECTION 3: Composition/information on ingredients

3.1. Substances

3.2. Mixtures

Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Imidazolium compounds, 2-(C9-19 and C9-19-unsatd. alkyl)-1-[(C10-20 and C10-20-unsatd. amido)ethyl]-4,5-dihydro-1-Me, Me sulfates 92201-88-2	296-019-9	01-2119901414-50	>= 2,5- < 5 %	H315 Skin irritation 2; Dermal H411 Chronic hazards to the aquatic environment 2
Fatty acids, C12-20, reaction products with triethanolamine, di-Me sulfate-quaternized 91032-11-0	293-018-5		>= 0,25- < 1 %	H400 Acute hazards to the aquatic environment 1
Stearamidopropyl Dimethylamine 7651-02-7	231-609-1	01-2119979089-19	>= 0,25- < 1 %	H318 Serious eye damage 1 H400 Acute hazards to the aquatic environment 1 H411 Chronic hazards to the aquatic environment 2
Polyquaternium-37 26161-33-1			>= 0,25- < 1 %	H411 Chronic hazards to the aquatic environment 2

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

SECTION 4: First aid measures**4.1. Description of first aid measures**

General information:

In case of adverse health effects seek medical advice.

Inhalation:

not relevant.

Skin contact:

Rinse with water. Take off all clothing contaminated by the product.

Eye contact:

Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

Ingestion:

Rinse the mouth. Drink 1-2 glasses of water.

SECTION 5: Firefighting measures**5.1. Extinguishing media**

Suitable extinguishing media:

All common extinguishing agents are suitable.

Extinguishing media which must not be used for safety reasons:

None known

5.2. Special hazards arising from the substance or mixture

The release of following substances is possible in case of fire:

carbon oxides.

nitrogen oxides

5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

Additional information:

Dispose of combustion residues and contaminated fire-fighting water in accordance with statutory regulations.
Collect contaminated fire fighting water separately. It must not enter drains.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No information.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.
Inform authorities in the event of product spillage to water courses or sewage systems.

6.3. Methods and material for containment and cleaning up

Dilute small quantities with large amount of water and rinse.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Handling advice:

No particular measures required.

Fire and explosion protection information:

No special measures required if used properly.

Hygiene measures:

Do not eat, drink or smoke while working.

Immediately remove soiled or soaked clothing.

Wash hands before work breaks and after finishing work.

Keep away from food, beverages and animal feed.

7.2. Conditions for safe storage, including any incompatibilities

Store in sealed original container protected against moisture.

Store far from foodstuffs.

7.3. Specific end use(s)

Conditioner, rinse off

SECTION 8: Exposure controls/personal protection

Only relevant for professional/industrial use

8.1. Control parameters

Valid for

Germany

Contains no components with occupational exposure limit values.

8.2. Exposure controls

Engineering controls:

Ensure good ventilation/suction at the workplace.

Respiratory protection:

Not needed.

Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change single-use protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Manufacturer e.g. German company KCL, type Dermatrill.

Eye protection:

Protective goggles

Skin protection:

Suitable protective clothing

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

The following data apply to the whole mixture:

Appearance	emulsion thixotropic light red
Odor	floral
pH (20 °C (68 °F))	4,20 - 4,70
Initial boiling point	Not applicable
Flash point	Not applicable
Decomposition temperature	Not applicable
Vapour pressure	Not applicable
Density (20 °C (68 °F))	0,980 - 1,020 g/cm ³
Bulk density	Not applicable
Viscosity (Haake; Instrument: Haake VT 550; 20 °C (68 °F); Rotary measuring system: MV II)	3.500 - 8.000 mPa.s
Viscosity (kinematic)	Not applicable
Explosive properties	Not applicable
Solubility (qualitative) (20 °C (68 °F); Solvent: Water)	Partially soluble
Solidification temperature	Not applicable
Melting point	Not applicable
Flammability	Not applicable
Auto-ignition temperature	Not applicable
Explosive limits	Not applicable
Partition coefficient: n-octanol/water	Not applicable
Evaporation rate	Not applicable
Vapor density	Not applicable
Oxidising properties	Not applicable
Container pressure	Not applicable

SECTION 10: Stability and reactivity**10.1. Reactivity**

None if used for intended purpose.

10.2. Chemical stability

None known.

10.3. Possibility of hazardous reactions

See section reactivity

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information**Acute oral toxicity:**

Hazardous substances CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Imidazolium compounds, 2-(C9-19 and C9-19- unsatd. alkyl)-1-[(C10-20 and C10-20-unsatd. amido)ethyl]-4,5-dihydro- 1-Me, Me sulfates 92201-88-2			oral			
Fatty acids, C12-20, reaction products with triethanolamine, di-Me sulfate-quaternized 91032-11-0			oral			
Stearamidopropyl Dimethylamine 7651-02-7	LD50	3.480 mg/kg	oral		rat	OECD Guideline 401 (Acute Oral Toxicity)
Polyquaternium-37 26161-33-1	LD50	2.000 mg/kg	oral		rat	OECD Guideline 401 (Acute Oral Toxicity)

Acute dermal toxicity:

Hazardous substances CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Imidazolium compounds, 2-(C9-19 and C9-19- unsatd. alkyl)-1-[(C10-20 and C10-20-unsatd. amido)ethyl]-4,5-dihydro- 1-Me, Me sulfates 92201-88-2			dermal			
Fatty acids, C12-20, reaction products with triethanolamine, di-Me sulfate-quaternized 91032-11-0			dermal			

Acute inhalative toxicity:

Hazardous substances CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Imidazolium compounds, 2-(C9-19 and C9-19- unsatd. alkyl)-1-[(C10-20 and C10-20-unsatd. amido)ethyl]-4,5-dihydro- 1-Me, Me sulfates 92201-88-2			inhalation			
Fatty acids, C12-20, reaction products with triethanolamine, di-Me sulfate-quaternized 91032-11-0			inhalation			

Skin corrosion/irritation:

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Stearamidopropyl Dimethylamine 7651-02-7	not irritating		rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Polyquaternium-37 26161-33-1	not irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Serious eye damage/irritation:

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Imidazolium compounds, 2-(C9-19 and C9-19- unsatd. alkyl)-1-[(C10-20 and C10-20-unsatd. amido)ethyl]-4,5-dihydro- 1-Me, Me sulfates 92201-88-2	not irritating	24 h	rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Respiratory or skin sensitization:

Hazardous substances CAS-No.	Result	Test type	Species	Method
Stearamidopropyl Dimethylamine 7651-02-7	not sensitising	Guinea pig maximisa- tion test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
Polyquaternium-37 26161-33-1	not sensitising	Buehler test	guinea pig	OECD Guideline 406 (Skin Sensitisation)

Germ cell mutagenicity:

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Stearamidopropyl Dimethylamine 7651-02-7	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)

No data available.

Reproductive toxicity:

No data available.

SECTION 12: Ecological information**12.1. Toxicity**

The ecological evaluation of the product is based on data from the raw material and/or comparable substances.

Toxicity (Fish):

Hazardous substances CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Imidazolium compounds, 2- (C9-19 and C9-19-unsatd. alkyl)-1-[(C10-20 and C10- 20-unsatd. amido)ethyl]-4,5- dihydro-1-Me, Me sulfates 92201-88-2	LC50	2,5 mg/l	Fish	48 h	Leuciscus idus	DIN 38412-15
Stearamidopropyl Dimethylamine 7651-02-7	NOEC	0,1 mg/l	Fish	9 d	Danio rerio	OECD Guideline 212 (Fish, Short- term Toxicity Test on Embryo and Sac-Fry Stages)
Polyquaternium-37 26161-33-1	LC50	> 1 - 10 mg/l	Fish			OECD Guideline 203 (Fish, Acute Toxicity Test)

Toxicity (Daphnia):

Hazardous substances CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Imidazolium compounds, 2- (C9-19 and C9-19-unsatd. alkyl)-1-[(C10-20 and C10- 20-unsatd. amido)ethyl]-4,5- dihydro-1-Me, Me sulfates 92201-88-2	EC50	12 mg/l	Daphnia	24 h	Daphnia magna	
Fatty acids, C12-20, reaction products with triethanolamine, di-Me sulfate-quaternized 91032-11-0	EC50	0,52 mg/l	Daphnia	48 h	Daphnia magna	
Stearamidopropyl Dimethylamine 7651-02-7	EC50	0,381 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Polyquaternium-37 26161-33-1	EC50	> 1 - 10 mg/l	Daphnia		Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Toxicity (Algae):

Hazardous substances CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Stearamidopropyl Dimethylamine 7651-02-7	EC10	0,071 mg/l	Algae	72 h	Desmodesmus subspicatus	OECD Guideline 201 (Alga, Growth Inhibition Test)

12.2. Persistence and degradability

Hazardous substances CAS-No.	Result/Value	Route of application	Degradability	Method
Imidazolium compounds, 2-(C9-19 and C9-19-unsatd. alkyl)-1-[(C10-20 and C10-20-unsatd. amido)ethyl]-4,5-dihydro-1-Me, Me sulfates 92201-88-2		aerobic	11 %	ISO 10708 (BODIS-Test)
Fatty acids, C12-20, reaction products with triethanolamine, di-Me sulfate-quaternized 91032-11-0		aerobic	94 %	ISO 10708 (BODIS-Test)
Stearamidopropyl Dimethylamine 7651-02-7	readily biodegradable	aerobic	88 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Polyquaternium-37 26161-33-1		no data	40 %	OECD 301 A - F

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

Hazardous substances CAS-No.	LogKow	Bioconcentration factor (BCF)	Exposure time	Species	Temperature	Method
Stearamidopropyl Dimethylamine 7651-02-7	2,01				20 °C	EU Method A.8 (Partition Coefficient)

12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or vPvB.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Product disposal:
Consider national regulations.

SECTION 14: Transport information**14.1. UN number**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.2. UN proper shipping name

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.3. Transport hazard class(es)

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.4. Packing group

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.5. Environmental hazards

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.6. Special precautions for user

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

National regulations/information (Germany):

WGK:	2, water-endangering product. (German VwVwS of May 17, 1999)
Storage class according to TRGS 510:	Classification in conformity with the calculation method 10

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H315 Causes skin irritation.
H318 Causes serious eye damage.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Further information:

This information is not related to the use of the product, it is based on our current level of knowledge.

