

Revision Number: 001.0 Issue date: 02/03/2022

1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER

Product identifier used on the label: Igora Vibrance Level 10 Toner 10-12

Recommended use of the chemical and restrictions on use: Hair Color/Toner, oxidative dyes

Name, address and telephone number of the chemical manufacturer:

Henkel Corporation One Henkel Way Rocky Hill CT 06067

CHEMTREC: 1-800-424-9300 (24 hours daily) Internet: www.henkel-northamerica.com

Emergency telephone number: Medical Emergencies:1-800-258-3425

2. HAZARDS IDENTIFICATION

The hazards described in this Globally Harmonized System Safety Data Sheet (SDS) are not intended for consumers, and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Classification of the substance or mixture in accordance with paragraph (d) of §1910.1200

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
SERIOUS EYE DAMAGE	1
CARCINOGENICITY	1A

Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200

Signal word: DANGER

Hazard Statement(s): Causes skin irritation. Causes serious eye damage. May cause cancer.

Symbol(s):



Precautionary Statements:

Prevention: Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wash affected area thoroughly after handling.

Wear protective gloves, clothing, eye and face protection.

Response: IF ON SKIN: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

IF exposed or concerned: Get medical attention. If skin irritation occurs: Get medical attention.

Take off contaminated clothing.

Storage: Store locked up.

Disposal: Dispose of contents and/or container according to Federal, State/Provincial and local governmental

regulations.

Hazards not otherwise

RS Number: 726937

Not available.

classified:

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

The following chemicals are classified as health hazards in accordance with paragraph (d) of § 1910.1200.

Chemical Name*	CAS Number (Unique Identifier)	Concentration
Monoethanolamine	141-43-5	>= 1 - < 5 %
Propane-1,2-diol	57-55-6	>= 1 - < 5 %
Succinic acid	110-15-6	>= 1 - < 5 %
Sulfuric acid	7664-93-9	>= 0.1 - < 1 %

^{*}The specific chemical identity and/or exact percentage (concentration) of composition has been withheld because a trade secret is claimed in accordance with paragraph (i) of \$1910,1200.

Actual concentration or concentration range is withheld as a trade secret

4. FIRST AID MEASURES

Description of necessary measures

Inhalation: First aid measures not required.

Skin contact: First aid measures not required. Cosmetic product and therefore not necessary.

Eye contact: Rinse eyes immediately with plenty of water, occasionally lifting upper and lower lids, until no

evidence of product remains. Get medical attention if pain or irritation develops.

Ingestion: Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. Contact

physician or local poison control center.

Most important symptoms and effects, both acute and delayed

After eye contact: May cause mild to severe irritation with possiblity of permanent eye damage. After skin contact: Repeated or prolonged excessive exposure may cause irritation. After Ingestion: Ingestion may cause pain, burning, swelling and redness in the mouth and throat. Nausea and vomiting may occur. After inhalation: Unlikely to occur due to the physical properties of the product. At elevated temperatures, vapors or mists may cause irritation.

Indication of any immediate medical attention and special treatment needed

After eye contact: Rinse eyes with plenty of water until no evidence of product remains. After skin contact: Rinse affected area with large amounts of water until no evidence of product remains. After ingestion: Administer immediately plenty of water. With ingestion of larger quantities (in adults one tablespoon) or in the case of discomfort or pain seek immediate medical attention. After inhalation: Remove from exposure area to fresh air.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Dry chemical, carbon dioxide, water spray or regular foam.

Unsuitable extinguishing media: None known

Specific hazards arising from the chemical

Oxides of carbon and oxides of nitrogen.

Special protective equipment and precautions for fire-fighters

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Avoid breathing vapors, keep upwind. Isolate area. Keep unnecessary personnel away.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Wear skin, eye and respiratory protection as recommended in Section 8. Stop leak if you can do it without risk. Spills present a slipping hazard. Keep unnecessary personnel away. Ventilate spill area if possible. Make sure area is slip-free before re-opening to traffic.

RS Number: 726937 Igora Vibrance Level 10 Toner 10-12

Environmental precautions

Small or household quantities may be disposed in regular domestic trash. For larger quantities check with your local disposal authorities

Methods and materials for containment and cleaning up

SMALL SPILLS: Contain and absorb with sand or other absorbent material and place into clean, dry containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not get in eyes. Do not take internally.

Conditions for safe storage, including any incompatibilities

Store in original containers in a cool dry area. Storage areas for large quantities (warehouse) should be well ventilated. Keep the containers tightly closed when not in use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Monoethanolamine	6 ppm STEL 3 ppm TWA	3 ppm (6 mg/m3) PEL	None	None
Propane-1,2-diol	None	None	10 mg/m3 TWA Aerosol.	None
Succinic acid	None	None	None	None
Sulfuric acid	0.2 mg/m3 TWA Thoracic fraction.	1 mg/m3 PEL	None	None

Appropriate engineering controls

Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

Individual protection measures

Respiratory: Air contamination monitoring should be carried out where mists or vapors are likely to be

generated, to assure that the employees are not exposed to airborne contaminants above the

permissible exposure limits.

Eye: Splash-proof safety glasses are required to prevent eye contact where splashing of product may

occur.

Hand/Body: Protective gloves are required where repeated or prolonged skin contact may occur.

Protective clothing is required where repeated or prolonged skin contact may occur.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: gel

colourless Odor: floral Odor threshold: Not available. 9.70 - 10.70 (20 °C) pH: Melting point/ range: Not available. Boiling point/range: Not available. Flash point: Not applicable **Evaporation rate:** Not available. Flammable/Explosive limits - lower: Not available. Flammable/Explosive limits - upper: Not available. Vapor pressure: Not available.

Vapor pressure:

Vapor density:

Solubility in water:

Partition coefficient (n-octanol/water):

Autoignition temperature:

Not available.

Partially soluble

Not available.

Not available.

RS Number: 726937

Decomposition temperature:Not available.Viscosity:1,000 - 3,000 mPa.sVOC content:Not available.

10. STABILITY AND REACTIVITY

Reactivity: This product may react with strong alkalies.

Chemical stability: Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).

Possibility of hazardous

reactions:

Hazardous polymerization has not been reported to occur under normal temperatures and

pressures.

Conditions to avoid: Avoid storing in direct sunlight and avoid extremes of temperature.

Incompatible materials: Strong oxidizers and alkalis.

Hazardous decomposition

products:

Thermal decomposition may release toxic and/or hazardous gases, including ammonia.

11. TOXICOLOGICAL INFORMATION

Likely routes of exposure including symptoms related to characteristics

Inhalation: Unlikely to occur due to the physical properties of the product. At elevated temperatures,

vapors or mists may cause irritation.

Skin contact: Repeated or prolonged excessive exposure may cause irritation.

Eye contact: May cause mild to severe irritation with possiblity of permanent eye damage. **Ingestion:** May cause gastrointestinal irritation with nausea, vomiting and diarrhea.

Physical/Chemical: Direct contact with eyes may cause irritation or burns.

Other relevant toxicity

information:

This product is a personal care or cosmetic product. The use of this product by consumers is

safe under normal and reasonable foreseen use.

Numerical measures of toxicity, including delayed and immediate effect

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Monoethanolamine	Oral LD50 (RAT) = 10.2 g/kg Dermal LD50 (RABBIT) = 1,025 mg/kg Inhalation LC50 (RAT, 6 h) = > 1.3 mg/l	Irritant, Kidney, Liver, Corrosive, Respiratory, Developmental
Propane-1,2-diol	Oral LD50 (RABBIT) = 18 g/kg Oral LD50 (RAT) = 30 g/kg Inhalation LC50 (RABBIT, 2 h) = > 317,042 mg/m3	Irritant
Succinic acid	Oral LD50 (RAT) = 2,260 mg/kg Inhalation LC50 (RAT, 4 h) = > 1.306 mg/l Inhalation LC50 (RAT, 4 h) = > 1.306 mg/l Inhalation LC50 (RAT, 4 h) = > 1.284 mg/l	Irritant
Sulfuric acid	None	Carcinogen, Corrosive, Irritant

Carcinogenicity information

RS Number: 726937

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Monoethanolamine	No	No	No
Propane-1,2-diol	No	No	No
Succinic acid	No	No	No
Sulfuric acid	Known To Be Human Carcinogen.	Group 1	No

Carcinogenicity This product contains an ingredient which has been classified as carcinogen by the

International Agency for Research on Cancer (IARC).

MutagenicityNone of the ingredients in this product are known to cause mutagenicity.

Toxicity for reproduction None of the ingredients in this product are known as reproductive, fetal, or developmental

hazards.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity:

This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

Toxicity to fish:

The aquatic toxicity profile of this product has not been determined.

Toxicity to aquatic invertebrates:

The aquatic toxicity profile of this product has not been determined.

Toxicity to algae:

The aquatic toxicity profile of this product has not been determined.

Persistence and degradability

Hazardous substances CAS-No.	Result value	Route of application	Species	Method
2-aminoethanol 141-43-5	readily biodegradable	aerobic	> 80 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Propane-1,2-diol 57-55-6	not inherently biodegradable	aerobic	60 %	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
	readily biodegradable	aerobic	> 81.7 - 100 %	OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test)
Succinic acid 110-15-6	inherently biodegradable	aerobic	100 %	EU Method C.9 (Biodegradation: Zahn-Wellens Test)
	readily biodegradable		67.5 %	OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test)

Bioaccumulative potential

The bioaccumulation potential of this product has not been determined.

Mobility in soil

RS Number: 726937

The mobility of this product (in soil and water) has not been determined.

13. DISPOSAL CONSIDERATIONS

Description of waste residues:

Hazardous waste number: Not regulated

Safe handling and disposal methods:

Recommended method of disposal: This product is not a RCRA hazardous waste and can be disposed of in

accordance with federal, state and local regulations.

Disposal of uncleaned packages: Place in trash.

14. TRANSPORT INFORMATION

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper shipping classification may vary by packaging, properties, and mode of transportation.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Not regulated

Hazard class or division:NoneIdentification number:NonePacking group:None

International Air Transportation (ICAO/IATA)

Proper shipping name: Not regulated

Hazard class or division:
Identification number:
None
Packing group:
None

Water Transportation (IMO/IMDG)

Proper shipping name: Not regulated

Hazard class or division:
Identification number:
Packing group:
None

15. REGULATORY INFORMATION

Occupational safety and health act: Hazard Communication Standard, 29 CFR 1910.1200(g) Appendix D: The Occupational Safety and Health Administration (OSHA) require that the Safety Data Sheets (SDSs) are readily accessible to employees for all hazardous chemicals in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain health hazard information not relevant to consumer use.

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed as active or are exempt from listing on the Toxic Substances

Control Act (TSCA) inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

CERCLA/SARA Section 302 EHS: The following components are subject to reporting levels established by SARA Title III,

Section 302:

Sulfuric acid (CAS# 7664-93-9).

CERCLA/SARA Section 311/312: Not available.

CERCLA/SARA Section 313: None above reporting de minimis.

California Proposition 65: This product contains a chemical known in the State of California to cause cancer.

Canada Regulatory Information

CEPA DSL/NDSL Status: One or more components are not listed on, and are not exempt from listing on either the

Domestic Substances List or the Non-Domestic Substances List.

16. OTHER INFORMATION

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: R&D Support Services

Issue date: 02/03/2022

RS Number: 726937