

# Safety Data Sheet according to (EC) No 1907/2006

Page 1 of 9

Blond Me Toning Lilac

SDS No.: 485785 V001.0 Revision: 29.02.2016 printing date: 29.02.2016

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier Blond Me Toning Lilac

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use:

Hair Color/Toner, oxidative dyes

### 1.3. Details of the supplier of the safety data sheet

Henkel AG & Co. KGaA Düsseldorf Germany Henkelstr. 67 40191 Düsseldorf +49 211-797-0 Phone:

E-mail address of person responsible for Safety Data Sheet: Henkel Cosmetics, e-mail : Mustafa.Akram@henkel.com

### 1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases. Further information is available at Poison Control Centers.

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP): Serious eye irritation Category 2 Causes serious eye irritation.

#### 2.2. Label elements (CLP)

Hazard pictogram:

Signal word:	Warning
Hazard statement:	H319 Causes serious eye irritation.
Precautionary statement: Prevention Precautionary statement: Response	Thorough skin-cleansing after handling the product. P280 Wear eye protection/face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.

# SECTION 3: Composition/information on ingredients

### 3.1. Substances

### 3.2. Mixtures

Hazardous substances according to CLP (EC) No 1272/2008:

Hazardous substances CAS-No.	EINECS	REACH-Reg No.	Content	Classification
Fatty alcohol, C16-18, ethoxylate 68439-49-6			>= 1-< 3 %	H318 Serious eye damage 1
Siloxanes and Silicones, di-Me, hydrogen- terminated, polymers with polyethylene glycol bis(2-methyl-2-propen-1-yl) ether, 3- [3-[bis( 1253692-80-6			>= 1-< 3 %	H315 Skin irritation 2 H319 Serious eye irritation 2
ammonia, aqueous solution 1336-21-6	215-647-6	01-2119488876-14	>= 0,25-< 1 %	H290 Corrosive to metals 1 H314 Skin corrosion 1B H400 Acute hazards to the aquatic environment 1

For full text of the H - Phrases indicated by codes only see Section 16 "Other information".

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation: not relevant.

Skin contact: Rinse with water. Take off all clothing contaminated by the product.

Eye contact: Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

Ingestion: Rinse the mouth. Drink 1-2 glasses of water.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media: All common extinguishing agents are suitable.

Extinguishing media which must not be used for safety reasons: None known

#### 5.2. Special hazards arising from the substance or mixture The release of following substances is possible in case of fire:

carbon oxides. nitrogen oxides Sulphur oxides

## 5.3. Advice for firefighters

Wear self-contained breathing apparatus. Wear protective equipment.

### Additional information:

Dispose of combustion residues and contaminated fire-fighting water in accordance with statutory regulations. Collect contaminated fire fighting water separately. It must not enter drains.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

No information.

### 6.2. Environmental precautions

Do not allow to enter drainage system, surface or ground water of not diluted product. Do not dispose of in wastepaper bin or trash-can.

### 6.3. Methods and material for containment and cleaning up

Dilute small quantities with large amount of water and rinse.

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Handling advice: No particular measures required.

Fire and explosion protection information: No special measures required if used properly.

Hygiene measures:

Do not eat, drink or smoke while working. Immediately remove soiled or soaked clothing. Wash hands before work breaks and after finishing work. Keep away from food, beverages and animal feed.

**7.2. Conditions for safe storage, including any incompatibilities** Store in sealed original container protected against moisture. Store far from foodstuffs.

Store fai from foodstants.

**7.3. Specific end use(s)** Hair Color/Toner, oxidative dyes

### **SECTION 8: Exposure controls/personal protection**

#### Only relevant for professional/industrial use

### 8.1. Control parameters

Valid for

Germany

Contains no components with occupational exposure limit values.

### 8.2. Exposure controls

Engineering controls: Ensure good ventilation/suction at the workplace.

Respiratory protection: Not needed.

### Hand protection:

For the contact with product protective gloves made from Spezial-Nitril (material thickness > 0.1 mm, break through time > 480 min class 6) are recommended according to EN 374. In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. We recommend to change singleuse protective gloves periodical and a hand care plan in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Manufacturer e.g. German company KCL, type Dermatril.

Eye protection: Protective goggles

Skin protection: Suitable protective clothing

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

The following data apply to the whole mixture: Appearance

Odor

pH (20 °C (68 °F)) 10,50 - 11,50 Initial boiling point Flash point Decomposition temperature Vapour pressure Density (20 °C (68 °F)) Bulk density Viscosity (Haake; Instrument: Haake VT 550; 20 °C (68 °F); speed of rotation: 8 min-1; Rotary measuring system: MV II) Viscosity (kinematic) Explosive properties Solubility (qualitative) (20 °C (68 °F); Solvent: Water) Solidification temperature Melting point Flammability Auto-ignition temperature Explosive limits Partition coefficient: n-octanol/water Evaporation rate Vapor density Oxidising properties Container pressure

cream high viscosity white/light beige ammoniacal, floral

Not applicable Not applicable Not applicable Not applicable 0,970 - 1,010 g/cm3 Not applicable 6.000 - 20.000 mPa.s Not applicable Not applicable Miscible Not applicable Not applicable

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

None if used for intended purpose.

#### 10.2. Chemical stability None known.

#### 10.3. Possibility of hazardous reactions See section reactivity None known.

10.4. Conditions to avoid None known.

# 10.5. Incompatible materials

None known.

# 10.6. Hazardous decomposition products

None known.

# **SECTION 11: Toxicological information**

# Acute oral toxicity:

Hazardous substances	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
Fatty alcohol, C16-18,	LD50	3.050 mg/kg	oral		rat	Not specified
ethoxylate						-
68439-49-6						
Siloxanes and Silicones,			oral			
di-Me, hydrogen-						
terminated, polymers with						
polyethylene glycol bis(2-						
methyl-2-propen-1-yl)						
ether, 3-[3-[bis(						
1253692-80-6						
ammonia, aqueous			oral			
solution						
1336-21-6						

# Acute dermal toxicity:

Value type	Value	Route of application	Exposure time	Species	Method
		dermal			
			type application dermal	type application time dermal	type application time dermal

# Acute inhalative toxicity:

Hazardous substances CAS-No.	Value type	Value	Route of application	Exposure time	Species	Method
Siloxanes and Silicones, di-Me, hydrogen- terminated, polymers with polyethylene glycol bis(2- methyl-2-propen-1-yl) ether, 3-[3-[bis( 1253692-80-6			inhalation			
ammonia, aqueous solution 1336-21-6			inhalation			

# Skin corrosion/irritation:

Hazardous substances	Result	Exposure	Species	Method
CAS-No.		time		
Fatty alcohol, C16-18, ethoxylate 68439-49-6	slightly irritating	4 h	rabbit	EU Method B.4 (Acute Toxicity: Dermal Irritation / Corrosion)
ammonia, aqueous solution 1336-21-6	corrosive			

# Serious eye damage/irritation:

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Fatty alcohol, C16-18, ethoxylate 68439-49-6	highly irritating		rabbit	
ammonia, aqueous solution 1336-21-6	corrosive			

# Respiratory or skin sensitization:

Hazardous substances CAS-No.	Result	Test type	Species	Method
Fatty alcohol, C16-18,	not sensitising	Guinea pig	guinea pig	Magnusson and Kligman
ethoxylate		maximisat		Method
68439-49-6		ion test		

# Germ cell mutagenicity:

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Fatty alcohol, C16-18, ethoxylate 68439-49-6	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)

No data available.

# **Reproductive toxicity:**

No data available.

# SECTION 12: Ecological information

# 12.1. Toxicity

The ecological evaluation of the product is based on data from the raw material and/or comparable substances.

# Toxicity (Fish):

Hazardous substances CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Fatty alcohol, C16-18, ethoxylate 68439-49-6	LC50	4 mg/l	Fish	48 h	Leuciscus idus	DIN 38412-15
ammonia, aqueous solution 1336-21-6	LC50	0,16 - 1,1 mg/l	Fish	96 h	Salmo gairdneri (new name: Oncorhynchus mykiss)	OECD Guideline 203 (Fish, Acute Toxicity Test)

# Toxicity (Daphnia):

Hazardous substances CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
Fatty alcohol, C16-18, ethoxylate 68439-49-6	EC50	> 200 mg/l	Daphnia	24 h	Daphnia magna	
Siloxanes and Silicones, di- Me, hydrogen-terminated, polymers with polyethylene glycol bis(2-methyl-2-propen- 1-yl) ether, 3-[3-[bis( 1253692-80-6	EC50	> 100 mg/l	Daphnia	48 h	Not specified	Not specified
ammonia, aqueous solution 1336-21-6	EC50	25,4 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

### Toxicity (Algae):

Hazardous substances	Value	Value	Acute	Exposure	Species	Method
CAS-No.	type		Toxicity	time		
			Study			
Fatty alcohol, C16-18,	EC50	65 mg/l	Algae	72 h	Scenedesmus subspicatus (new	DIN 38412-09
ethoxylate					name: Desmodesmus	
68439-49-6					subspicatus)	
ammonia, aqueous solution	EC50	> 1.000 mg/l	Algae	72 h	Skeletonema costatum	ISO 10253 (Water
1336-21-6		-	-			quality)

# 12.2. Persistence and degradability

Hazardous substances CAS-No.	ResultValue	Route of application	Degradability	Method
Fatty alcohol, C16-18, ethoxylate 68439-49-6	readily biodegradable	aerobic	71 - 75 %	EU Method C.4-E (Determination of the "Ready" BiodegradabilityClosed Bottle Test)

# 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or vPvB.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product disposal:

Consider national regulations.

# **SECTION 14: Transport information**

14.1.	UN number
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.2.	UN proper shipping name
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.3.	Transport hazard class(es)
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.4.	Packing group
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.5.	Environmental hazards
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.6.	Special precautions for user
	Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
14.7.	Transport in bulk according to Annex II of Marpol and the IBC Code
	not applicable

# **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations/information (Germany):

WGK:	2, water-endangering product. (German VwVwS of May 17, 1999)
	Classification in conformity with the calculation method
Storage class according to TRGS 510:	10

No Chemical Safety Assessment has been carried out.

# **SECTION 16: Other information**

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

### **Further information:**

This information is not related to the use of the product, it is based on our current level of knowledge.