



Revision Number: 000.0

Issue date: 11/17/2015

**1. IDENTIFICATION OF THE SUBSTANCE OR MIXTURE AND OF THE SUPPLIER**

Product identifier used on the label: Igora Royal Absolutes Silverwhite Toner Slate Gray

Other means of identification: 2049278, 1983699, 1983616, 1996404

Recommended use of the chemical and restrictions on use: Hair Color/Toner, oxidative dyes, Do not use on broken skin. Wash hands thoroughly after use.

**Name, address and telephone number of the chemical manufacturer:**

Henkel Schwarzkopf Professional - Canada  
2515 Meadowpine Blvd  
Mississauga ON L5N 6C3

CHEMTREC: 1-800-424-9300 (24 hours daily)  
Internet: www.henkelna.com

Emergency telephone number: Medical Emergencies: 1-800-463-3081

**2. HAZARDS IDENTIFICATION**

The hazards described in this OSHA Globally Harmonized System Safety Data Sheet (SDS) are not intended for consumers, and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Classification of the substance or mixture in accordance with paragraph (d) of §1910.1200

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A
RESPIRATORY SENSITIZATION	1
SKIN SENSITIZATION	1
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	1

Signal word, hazard statement(s), symbol(s) and precautionary statement(s) in accordance with paragraph (f) of §1910.1200

Signal word: DANGER

**Hazard Statement(s):**

Causes skin irritation.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
Causes damage to organs through prolonged or repeated exposure.

**Symbol(s):****Precautionary Statements:****Prevention:**

Do not breathe vapors, mist, or spray.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear eye and face protection.  
Wear protective gloves.  
In case of inadequate ventilation wear respiratory protection.

**Response:** IF ON SKIN: Wash with plenty of water.  
 IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 If skin irritation or rash occurs: Get medical attention.  
 If eye irritation persists: Get medical attention.  
 If experiencing respiratory symptoms: Call a poison center or physician.  
 Take off contaminated clothing.

**Storage:** Not prescribed

**Disposal:** Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

**Hazards not otherwise classified:** Not available.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

The following chemicals are classified as health hazards in accordance with paragraph (d) of § 1910.1200.

Chemical Name*	CAS Number (Unique Identifier)	Concentration
Propane-1,2-diol	57-55-6	5 - 10 %
White mineral oil, highly refined, Visc. >7 mm <sup>2</sup> /s <20.5 mm <sup>2</sup> /s, 40°	8042-47-5	1 - 5 %
Alcohols, C16-18, 20EO	68439-49-6	1 - 5 %
Siloxanes and Silicones, di-Me, hydrogen-terminated, polymers with polyethylene glycol bis(2-methyl-2-propen-1-yl) ether, 3-[3-[bis(	1253692-80-6	1 - 5 %
Sodium sulphite	7757-83-7	1 - 5 %
2-methyl-p-phenylenediamine sulphate	615-50-9	0.1 - 1 %
Naphthalene-2,7-diol	582-17-2	0.1 - 1 %

\*The specific chemical identity and/or exact percentage (concentration) of composition has been withheld because a trade secret is claimed in accordance with paragraph (i) of §1910.1200.

### 4. FIRST AID MEASURES

#### Description of necessary measures

**Inhalation:** Remove from exposure area to fresh air. Treat symptomatically and supportively. Asthmatic-type symptoms may develop and may be immediate or delayed up to several hours.

**Skin contact:** First aid measures not required. Cosmetic product and therefore not necessary.

**Eye contact:** Rinse eyes immediately with plenty of water, occasionally lifting upper and lower lids, until no evidence of product remains. Get medical attention if pain or irritation develops.

**Ingestion:** Dilution by rinsing the mouth and giving water or milk to drink is generally recommended. Contact physician or local poison control center.

#### Most important symptoms and effects, both acute and delayed

After eye contact: May cause moderate to severe irritation. After skin contact: Repeated or prolonged excessive exposure may cause irritation or sensitization dermatitis in previously exposed individuals. After ingestion: Nausea and possible vomiting may occur. After inhalation: Unlikely to occur due to the physical properties of the product. At elevated temperatures, vapors or mists may cause irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

#### Indication of any immediate medical attention and special treatment needed

After eye contact: Rinse eyes with plenty of water until no evidence of product remains. After skin contact: Rinse affected area with large amounts of water until no evidence of product remains. After ingestion: Dilution by rinsing the mouth and giving a glass of water to drink is generally recommended. After inhalation: Remove from exposure area to fresh air.

### 5. FIRE FIGHTING MEASURES

#### Suitable (and unsuitable) extinguishing media

**Suitable extinguishing media:** Dry chemical, carbon dioxide, water spray or regular foam.

**Unsuitable extinguishing media:** None known

**Specific hazards arising from the chemical**

Irritating smoke, carbon monoxide, and carbon dioxide.

**Special protective equipment and precautions for fire-fighters**

In case of fire, wear a full-face positive-pressure self-contained breathing apparatus and protective suit. Shut off all ignition sources. Apply cooling water to sides of containers that are exposed to flames until well after fire is out. Isolate area. Keep unnecessary personnel away. Avoid breathing vapors, keep upwind.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures**

Wear skin, eye and respiratory protection as recommended in Section 8. Stop leak if you can do it without risk. Spills present a slipping hazard. Keep unnecessary personnel away. Ventilate spill area if possible. Make sure area is slip-free before re-opening to traffic.

**Environmental precautions**

Small or household quantities may be disposed in sewer or other liquid waste system. For larger quantities check with your local disposal authorities.

**Methods and materials for containment and cleaning up**

SMALL SPILLS: Contain and absorb with sand or other absorbent material and place into clean, dry containers for later disposal. Wash site of spillage thoroughly with water. LARGE SPILLS: Dike far ahead of spill to prevent further movement. Recover by pumping or by using a suitable absorbent material and place into containers for later disposal. Dispose in suitable waste container.

## 7. HANDLING AND STORAGE

**Precautions for safe handling**

Do not get in eyes. Do not take internally. Use with adequate ventilation. Avoid generating aerosols and mists.

**Conditions for safe storage, including any incompatibilities**

Store in original containers in a cool dry area. Storage areas for large quantities (warehouse) should be well ventilated. Keep the containers tightly closed when not in use.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Propane-1,2-diol	None	None	10 mg/m3 TWA Aerosol.	None
White mineral oil, highly refined, Visc. >7 mm <sup>2</sup> /s <20.5 mm <sup>2</sup> /s, 40°	5 mg/m3 TWA Inhalable fraction.	5 mg/m3 PEL Mist.	None	None
Sodium sulphite	None	None	None	None

**Appropriate engineering controls**

Provide local exhaust or general dilution ventilation to keep exposure to airborne contaminants below the permissible exposure limits where mists or vapors may be generated.

**Individual protection measures**

- Respiratory:** Air contamination monitoring should be carried out where mists or vapors are likely to be generated, to assure that the employees are not exposed to airborne contaminants above the permissible exposure limits.
- Eye:** Splash-proof safety glasses are required to prevent eye contact where splashing of product may occur.
- Hand/Body:** Protective gloves are required where repeated or prolonged skin contact may occur. Protective clothing is required where repeated or prolonged skin contact may occur.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	cream white, light beige, light yellow
<b>Odor:</b>	ammoniacal, floral
<b>Odor threshold:</b>	Not available.
<b>pH:</b>	9.30 - 9.80 (20 °C)
<b>Melting point/ range:</b>	Not available.
<b>Boiling point/range:</b>	Not available.
<b>Flash point:</b>	Not applicable
<b>Evaporation rate:</b>	Not available.
<b>Flammable/Explosive limits - lower:</b>	Not available.
<b>Flammable/Explosive limits - upper:</b>	Not available.
<b>Vapor pressure:</b>	Not available.
<b>Vapor density:</b>	Not available.
<b>Solubility in water:</b>	Miscible
<b>Partition coefficient (n-octanol/water):</b>	Not available.
<b>Autoignition temperature:</b>	Not available.
<b>Decomposition temperature:</b>	Not available.
<b>Viscosity:</b>	11,000 - 50,000 mPa.s
<b>VOC content:</b>	Not available.

## 10. STABILITY AND REACTIVITY

<b>Reactivity:</b>	This product may react with strong alkalies.
<b>Chemical stability:</b>	Stable under normal ambient temperature (70°F, 21°C) and pressure (1 atm).
<b>Possibility of hazardous reactions:</b>	Hazardous polymerization has not been reported to occur under normal temperatures and pressures.
<b>Conditions to avoid:</b>	Avoid storing in direct sunlight and avoid extremes of temperature.
<b>Incompatible materials:</b>	Strong oxidizers and alkalis.
<b>Hazardous decomposition products:</b>	Thermal decomposition may release toxic and/or hazardous gases, including ammonia.

## 11. TOXICOLOGICAL INFORMATION

### Likely routes of exposure including symptoms related to characteristics

<b>Inhalation:</b>	Unlikely to occur due to the physical properties of the product. At elevated temperatures, vapors or mists may cause irritation. Allergic respiratory reaction.
<b>Skin contact:</b>	Repeated or prolonged excessive exposure may cause irritation or sensitization dermatitis in previously exposed individuals.
<b>Eye contact:</b>	May cause moderate to severe irritation.
<b>Ingestion:</b>	May cause mild gastrointestinal irritation with nausea, vomiting, diarrhea and abdominal pain.
<b>Physical/Chemical:</b>	No physical/chemical hazards are anticipated for this product.
<b>Other relevant toxicity information:</b>	This product is a personal care or cosmetic product. The use of this product by consumers is safe under normal and reasonable foreseen use. Repeated or prolonged exposure may cause allergic dermatitis.

### Numerical measures of toxicity, including delayed and immediate effect

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
Propane-1,2-diol	Oral LD50 (RABBIT) = 18 g/kg Oral LD50 (RAT) = 30 g/kg	Irritant
White mineral oil, highly refined, Visc. >7 mm <sup>2</sup> /s <20.5 mm <sup>2</sup> /s, 40°	None	Irritant
Alcohols, C16-18, 20EO	None	Irritant
Siloxanes and Silicones, di-Me, hydrogen-terminated, polymers with polyethylene glycol bis(2-methyl-2-propen-1-yl) ether, 3-[3-bis(	None	No Data
Sodium sulphite	None	Allergen, Cardiac, Central nervous system, Gastrointestinal, Irritant, Respiratory
2-methyl-p-phenylenediamine sulphate	None	No Data
Naphthalene-2,7-diol	None	No Data

### Carcinogenicity information

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Propane-1,2-diol	No	No	No
White mineral oil, highly refined, Visc. >7 mm <sup>2</sup> /s <20.5 mm <sup>2</sup> /s, 40°	No	No	No
Alcohols, C16-18, 20EO	No	No	No
Siloxanes and Silicones, di-Me, hydrogen-terminated, polymers with polyethylene glycol bis(2-methyl-2-propen-1-yl) ether, 3-[3-bis(	No	No	No
Sodium sulphite	No	No	No
2-methyl-p-phenylenediamine sulphate	No	No	No
Naphthalene-2,7-diol	No	No	No

### Carcinogenicity

None of the ingredients in this product are listed as carcinogens by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA).

### Mutagenicity

None of the ingredients in this product are known to cause mutagenicity.

### Toxicity for reproduction

None of the ingredients in this product are known as reproductive, fetal, or developmental hazards.

## 12. ECOLOGICAL INFORMATION

### Aquatic Toxicity:

This product is anticipated to be safe for the environment at concentrations predicted in household settings under normal use conditions. The following toxicity information is available for the hazardous ingredient(s) when used as technical grade and is provided as reference for the occupational settings.

### Toxicity to fish:

The aquatic toxicity profile of this product has not been determined.

### Toxicity to aquatic invertebrates:

The aquatic toxicity profile of this product has not been determined.

### Toxicity to algae:

The aquatic toxicity profile of this product has not been determined.

**Persistence and degradability**

Hazardous substances CAS-No.	Result value	Route of application	Species	Method
Propane-1,2-diol 57-55-6	readily biodegradable	aerobic	60 %	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
Fatty alcohol, C16-18, ethoxylate 68439-49-6	readily biodegradable	aerobic	> 70 %	OECD Guideline 301 A (new version) (Ready Biodegradability: DOC Die Away Test)
2-methyl-p- phenylenediamine sulphate 615-50-9		aerobic	71 - 75 %	EU Method C.4-E (Determination of the "Ready" Biodegradability Closed Bottle Test)
Naphthalene-2,7-diol 582-17-2		aerobic	85 %	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)
		aerobic	17 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
		aerobic	21 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
	inherently biodegradable	aerobic	81 %	OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test)

**Bioaccumulative potential**

The bioaccumulation potential of this product has not been determined.

**Mobility in soil**

The mobility of this product (in soil and water) has not been determined.

### 13. DISPOSAL CONSIDERATIONS

**Description of waste residues:**

**Hazardous waste number:** Not regulated

**Safe handling and disposal methods:**

**Recommended method of disposal:** This product is not a RCRA hazardous waste and can be disposed of in accordance with federal, state and local regulations.

**Disposal of uncleaned packages:** Place in trash.

### 14. TRANSPORT INFORMATION

The information in this section is for reference only and should not take the place of a shipping paper (bill of lading) specific to an order. Please note that the proper shipping classification may vary by packaging, properties, and mode of transportation.

**U.S. Department of Transportation Ground (49 CFR)**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**International Air Transportation (ICAO/IATA)**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**Water Transportation (IMO/IMDG)**

<b>Proper shipping name:</b>	Not regulated
<b>Hazard class or division:</b>	None
<b>Identification number:</b>	None
<b>Packing group:</b>	None

**15. REGULATORY INFORMATION**

**Occupational safety and health act:** Hazard Communication Standard, 29 CFR 1910.1200(g) Appendix D: The Occupational Safety and Health Administration (OSHA) require that the Safety Data Sheets (SDSs) are readily accessible to employees for all hazardous chemicals in the workplace. Since the use pattern and exposure in the workplace are generally not consistent with those experienced by consumers, this SDS may contain health hazard information not relevant to consumer use.

**United States Regulatory Information**

<b>TSCA 8 (b) Inventory Status:</b>	All components are listed or are exempt from listing on the Toxic Substances Control Act inventory.
<b>TSCA 12 (b) Export Notification:</b>	None above reporting de minimis
<b>CERCLA/SARA Section 302 EHS:</b>	None above reporting de minimis
<b>CERCLA/SARA Section 311/312:</b>	Not available.
<b>CERCLA/SARA Section 313:</b>	The following components are subject to reporting levels established by SARA Title III, Section 313: Ammonium hydroxide (CAS# 1336-21-6). Ammonium sulphate (CAS# 7783-20-2).
<b>California Proposition 65:</b>	No California Proposition 65 listed chemicals are known to be present.

**Canada Regulatory Information**

<b>CERCLA/SARA Section 313:</b>	One or more components are not listed on, and are not exempt from listing on either the Domestic Substances List or the Non-Domestic Substances List.
---------------------------------	---

**16. OTHER INFORMATION**

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

**This safety data sheet contains changes from the previous version in sections:** New Safety Data Sheet format.

<b>Prepared by:</b>	R&D Support Services
<b>Issue date:</b>	11/17/2015