

Safety Data Sheet

Style Sexy Hair Blow It Up

SECTION 1: IDENTIFICATION

MSDS FIRST PREPARATION DATE: January 30, 2015 FORMULA: B-9309J GENERIC/CHEMICAL NAME: N/A PRODUCT TYPE/CHEMICAL FAMILY: Personal Care Product PRODUCT CODE: N/A SYNONYMS: Sexy Hair – Blow It Up Mousse Gel CONTACT ADDRESS: Sexy Hair Concepts, LLC. 21551 Prairie St. Chatsworth, CA 91311

EMERGENCY PHONE NUMBERS:

CHEMTEL: +1 (813) 248-0585 / +1 (888) 255-3924 (CN - MIS0002907)

SECTION 2: HAZARDS IDENTIFICATION

This product is classified as a HAZARDOUS SUBSTANCE and as DANGEROUS GOODS according to the classification criteria of NOHSC: 1008 (2004) and ADG Code (Australia).

WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINERS: MAY BURST IF HEATED. CAUSES EYE IRRITATION.

Classification: Aerosols 2; Eye Irrit, 2

Hazard statements (H):

H223	Flammable Aerosol
H320	Causes eye irritation

Precautionary statements (P):

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use
P264	Wash thoroughly after handling.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove Contact lenses if present and easy to do so. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention
P410 + P412	Protect from sun light. Do not expose to temperature exceeding 50 °C/122 °F.
P501	Dispose of contents/containers to licensed and permitted disposal or recycling facility.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition:

							Exp	osure L	imits in <i>i</i>	Air (mg/r	n³)		
					ACC	SIH		NOHSC			OSHA		
					рр	m		ppm			ppm		
Chemical Name (s)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	Other
Proprietary Blend	NA	NA	NA	60-100	NA	NA	NF	NF	NF	NA	NA	NA	
(with water)	Flam.Liq,2; H225												
	78-78-4	EK4430000	201-142-8	1-5	600	NA	NF	NF	NF	NA	NA	NA	
Isopentane	Flam. Liq. 1; Asp. Tox. 1; STOT SE 3; Aquatic Chronic 2; H224, H304, H336, H411												
	75-28-5	TZ4300000	200-857-2	1-5	600	750	NF	NF	NA	NA	NA	NA	
Isobutane	Flam. Gas 1; H	H220											

SECTION 4: FIRST AID MEASURES

4.1 First Aid:

Ingestion:	If ingested do not induce vomiting! If product has been swallowed drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of substance that was swallowed.
Skin:	If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before reuse. If irritation, redness or swelling persists, consult a physician immediately.
Eyes:	If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Raise and lower eyelid(s) while flushing to ensure thorough irrigation. If problem persist seek immediate medical attention.
Inhalation: comfor	In the event of massive inhalation Remove Victim to fresh air and keep table for breathing.

4.2 Effects of Exposure:

- **Ingestion:** If product is swallowed, may cause vomiting and/or diarrhea and central nervous system depression.
- **Eyes:** Moderately irritating to the eyes.
- **Skin:** May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals upon prolonged or repeated exposure.
- **Inhalation:** Vapors of this product may be moderately irritating to the nose, throat and other tissues of the respiratory system. Symptoms of overexposure can include coughing, wheezing, nasal congestion, and difficulty breathing. Inhalation of concentrated vapors can cause central nervous system depression (e.g., drowsiness, dizziness, headaches, nausea).

4.3 Symptoms of Overexposure:

Ingestion:	May cause vomiting and/or diarrhea and central nervous system depression.
Eyes:	Overexposure in eyes may cause redness; itching and watering (risk of serious damage to eyes). Contact may cause mild eye irritation including stinging, watering and redness.
Skin:	Prolonged contact with skin may result in bleaching and irritation of skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals. Symptoms of skin overexposure may include redness, Itching, and irritation of affected areas.
Inhalation:	Symptoms of overexposure may include coughing, wheezing, nasal congestion, and difficulty breathing.

4.4 Acute Health Effects:

Moderate irritation to eyes and skin near affected areas. Additionally, high concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.

4.5 Chronic Health Effects:

No harmful or chronic health effects are expected to occur from a single accidental ingestion. These ingredients may be irritating to the skin and mucous membrane of the eye and respiratory system. Overexposure may trigger asthma-like symptoms in some sensitive individuals. May also induce skin sensitization and respiratory hypersensitivity. Possible allergic dermatitis.

4.6 Target Organs:

Eyes, skin, respiratory system.

4.7 Medical Conditions Aggravated by Exposure:

Acute health hazards may be delayed. Most common symptoms include irritating properties to eyes, respiratory system and skin. Existing dermatological conditions (such as eczema) and respiratory conditions (such as bronchial asthma and/or bronchitis) may be exacerbated.

HEALTH	1			
FLAMMA	2			
PHYSICAL HAZARDS				0
PROTECTIVE EQUIPMENT			В	
EYES	SKIN			

SECTION 5: FIRE FIGHTING MEASURES

5.1 Fire & Explosion hazards:

Level 1 Aerosol (NFPA 30B), Aerosols may burst at temperatures above 120 °F. Cool uninvolved containers to prevent possible bursting. Aerosols may be projectile hazards when bursting. If aerosols are bursting, stay clear until bursting is complete. Containers may rupture and release flammable liquids or exposed gasses if exposed to the heat of fire. Keep containers cool by spraying them with water until the fire has been extinguished.



5.2 Extinguishing Methods:

Water Fog, Foam, Dry Chemical, CO₂

5.3 Firefighting Procedures

As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure demand) full and protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire exposed surfaces and to protect personnel. Fight fire upwind. Avoid spraying water directly into storage containers because of danger of boil over. Prevent run off from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies.

SECTION 6: ACCIDENTIAL RELEASE MEASURES

- **Spills:** Before cleaning any spill or leak, individual involved in a spill cleanup must wear appropriate Personal Protective Equipment. Plastic or rubber gloves, respirator, eye protection and apron may be required for clean-up of large spills.
- **Small Spills:** Wear appropriate protective equipment including gloves and protective eyewear. Use a non-combustible material such as vermiculite or sand to soak up the product and place into a container for later disposal. Do not use water or a material such as "speed dry" to soak up material. Sweep up material using non-sparkling materials (e.g., plastic brooms, shovels, dustpans) and place into a plastic container or plastic liner within another container.
- **Large Spills:** Keep incompatible materials (e.g., organics such as oil) away from spill. Stay upwind and away from spill or release. Isolate immediate hazard area and keep unauthorized personnel out of area. Stop spill or release if it can be done with minimal risk. Wear appropriate protective equipment including respiratory protection as conditions warrant.

SECTION 7: HANDLING AND STORAGE

7.1 Work & Hygiene Practices:

Do not eat, drink or smoke when handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water.

7.2 Storage & Handling:

Use and store in a cool, dry, well-ventilated location (e.g., exhaust ventilation fans) away from heat and direct sunlight. Avoid temperatures above 120°F. Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Storage level 1.

7.3 Special Precautions:

Spilled material presents a slipping hazard if left unattended. Clean all spills promptly.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

	ACGI	Н		NOHSC			OSHA		
		STE	ES-	ES-	ES-		STE	IDL	
Chemical Name(s)	TLV	L	TWA	STEL	PEAK	PEL	L	Н	other
Isopentane	600	NA	NF	NF	NF	NA	NA	NA	
Isobutane	600	750	NF	NF	NA	NA	NA	NA	

8.1 Exposure Limits ppm (mg/m³)

8.2 Ventilation & Engineering Controls:

General mechanical (e.g., fans) or natural ventilation is sufficient when this product is in use. Use local or general exhaust ventilation to effectively remove and prevent buildup of vapors or mist generated from the handling of this product.

8.3 Respiratory Protection:

No special respiratory protection is required under typical circumstances of use or handling. In instances where dusts of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR 1910.134, applicable U.S State regulations, or the Canadian CAS standard Z94.4-93 and applicable standards of Canadian Provinces, EC member states, or Australia.

8.4 Eye Protection:

Avoid eye contact. None required under normal conditions of use. Safety glasses could be used when handling or using large quantities of this product.

8.5 Hand Protection:

None required under normal conditions of use. However may cause skin irritation in some sensitive individuals. When handling large quantities (e.g., \geq 1 gallon (3.8L)), wear rubber, nitrite or impervious plastic gloves.

8.6 Body Protection:

No apron needed when handling small quantities. When handling large quantities (e.g., \geq 5 lbs), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Appearance:	Clear blue liquid foaming gel
9.2 Odor:	Fresh Floral
9.3 Odor Threshold:	NA
9.4 pH:	5.5-6.5
9.5 Melting Point / Freezing Point:	NA
9.6 Initial Boiling Point/Boiling Point:	NA
9.7 Flash Point (°C):	30 °F (-34 °C) TCC for propellant only
9.8 Upper/lower Flammability Limits:	NA
9.9 Vapor Pressure:	N/A
9.10 Vapor Density:	N/A



9.11 Relative Density:	0.97-0.99
9.12 Solubility:	Soluble
9.13 Partition Coefficient (log PG ow)	:NA
9.14 Autoignition Temperature:	NA
9.15 Decomposition Temperature:	NA
9.16 Viscosity:	N/A
9.17 Other Information:	55% VOC

SECTION 10: STABILITY AND REACTIVITY

10.1 Stability: Stable at normal temperatures. 10.2 Hazardous Decomposition Products: Oxides of carbon (CO, CO₂) and sulfur (SO₂) 10.3 Hazardous Polymerization: Will not occur 10.4 Conditions to avoid Excessive heat, direct sunlight, flames, heat sources and incompatible substances 10.5 Incompatible substances: Mixture with strong acids, alkalis or oxidizers SECTION 11: TOXICOLOGICAL INFORMATION 11.1 Routes of Entry: Inhalation: NO Absorption: YES Ingestion: YES 11.2 Texisity date:

11.2 Toxicity data:		animals. Toxicology data, found e for some of the components of ed in this document.
11.3 Acute Toxicity:	See section 4.4	
11.4 Chronic Toxicity:	See section 4.5	
11.5 Suspected Carcinogen:	No	
11.6 Reproductive Toxicity:	This product is not reported to o humans.	cause reproductive toxicity in
Mutagenicity:	This product is not reported to phumans.	produce mutagenic effects in
Embryotoxicity:	This product is not reported to phumans.	produce embryotoxic effects in
Teratogenicity:	This product is not reported to o humans.	cause teratogenic effects in
Reproductive Toxicity:	This product is not reported to o humans.	cause reproductive effects in
11.7 Irritancy of Product:	See section 4.3	
11.8 Biological Exposures indices:	NE	
11.9 Physician Recommendations:	Treat symptomatically	

SECTION 12: ECOLOGICAL INFORMATION

12.1 Environmental Stability:

There is no specific data available for this product.

12.2 Effects on Plants & Animals:

There is no specific data available for this product.

12.3 Effects on Aquatic Life:

This product itself has not been tested as a whole. There is no specific data available for this product.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste Disposal:

Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropriate disposal method for the ingredient listed in Section 2. Any disposal practice must be in compliance with local, state, and federal laws and regulations. Contact the appropriate agency for specific information. A licensed facility or waste hauler must provide treatment, transport, storage and disposal of hazardous waste.

13.2 Special Considerations: U.S. EPA Hazardous waste – Characteristic- Ignitable (D001)

SECTION 14: TRANSPORT INFORMATION

The basic description (ID number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1 49 CFR (GND):	UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1.0 L) - until 12/31/2020	3
14.2 IATA (AIR)	UN 1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL \leq 0.5 L); or ID8000, CONSUMER COMMODITY, ORM-D (IP VOL \leq 0.5 L)	
14.3 IMDG (OCN):	UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)	
14.4 TDGR (CANADIAN GN	D) UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or MARK PACKAGE "LIMITED QUANTITY," "LTD QTY," or "QUANT LTÉE" or "QUANTITE LIMITÉE"	29
14.5 ADR/RID (EU):	UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)	
14.6 SCT (MEXICO):	UN 1950, AEROSOLS, 2.1 (CANTIDAD LIMITADA, IP VOL \leq 1.0 L)	
14.7 ADGR (AUS):	UN 1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L)	



SECTION 15: REGULATORY INFORMATION

15.1 SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, Section 313 reporting requirements.			
15.2 SARA Threshold Planning Quan	tity: There are no specific Threshold Planning Quantities for the components of this product.			
15.3 TSCA Inventory Status:	The components of this product are listed in the TSCA Inventory.			
15.4 CERCLA Reportable Quantity (RQ): NA				
15.5 Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics)			

15.6 Other Canadian Regulations:

This product has been classified according to the hazard criteria of the CPR and MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS Class B5 (Flammable Aerosol).



15.7 State Regulatory Information:

Isopentane: is found on the following state criteria lists: Massachusetts Hazardous Substances List (MA), Pennsylvania Right-to-know List (PA). New Jersey Right-to-know List (NJ).

Isobutane: is found on the following state criteria lists: Massachusetts Hazardous Substances List (MA), Pennsylvania Right-to-Know (PA), and New Jersey Right-to-Know List (NJ).

No other ingredients in this product, present in concentration of 1.0% or greater are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances Lists (MN) New Jersey Right-to-know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-know List (PA), and Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).

15.8 Other Requirements:

The primary components of this product are listed in Annex I of EU Directive 67/548/EEC.

Isobutane: Flammable (F+). <u>Risk Phrases</u> (R): 65 – Highly flammable. <u>Safety Phrases</u> (S): 2-9-16- Keep out of reach of children. Keep container in a well-ventilated place. Keep away from sources of ignition – No smoking.

Isopentane: Harmful (Xn). Risk Phrases: (R): 65 - Harmful: may cause lung damage if swallowed Safety Phrases: (S): 2-9-29-62 - Keep out of reach of children. Keep container in well-ventilated place. Do not empty into drains. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible



The primary components of this product are listed in Annex Iof EU Directive 67/548/EEC. Isopentane: Harmful (Xn). Risk Phrases (R): 65 - Harmful: may cause lung damage if swallowed. Safety Phrases (S): 2-9-29-62 - Keep out of reach of children. Keep container in well ventilated place. Do not empty into drains. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label where possible.

Isobutane: Flammable (F+). Risk Phrases (R): 12- Highly flammable. Safetv Phrases (S):2-9-16-Keep out of reach of children. Keep container in a well-ventilated place. Keep away from sources of ignition- No smoking.

SECTION 16: OTHER INFORMATION

16.1 Other Information:

WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED. HIGHLY FLAMMABLE LIQUID AND VAPOR. CAUSES EYE IRRITATION.

Keep away from heat, sparks, open flames and/or other ignition sources. No Smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing vapor/spray. Wash thoroughly with soap and water after handling. Use only in a well-ventilated area. Wear eye protection. Protect from sunlight. Do not expose to temperatures exceeding 50 °C (122 °F). IF INHALED: remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention. **KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.**

16.2 Terms & Definitions: See last page of this Safety Data Sheet

16.3 Disclaimer:

This Safety Data sheet is offered pursuant to OSHA's Hazard Communication Standard 29 CFR 1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Sexy Hair Concepts, LLC knowledge, the information contained herein is reliable and accurate as of this date; however accuracy, suitability or completeness are not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.

		Chemical Abstract Service Number							
EXPOSURE I		LIMITS IN AIR: American Conference on Governmental Industrial Hygienists							
	C		Ceiling Limit						
	ES		xposure Standard (Australia) nmediately Dangerous to Life and Health						
IDLH Immediately Dangerous to Li OSHA U.S. Occupational Safety and									
	PEL		sible Exposure L	osure Limit					
	STEL		hort-Term Exposure Limit nreshold Limit Value						
	TLV		eighted Average	9					
FIRS									
	CPR	stopped	ulmonary resus receives manu vide oxygen to t	al chest c					
HMIS	-III HEA	LTH, FI	AMMABILIT	Y & REA	ACTIV	ITY RAT	INGS:		
0	Minima	I Hazard			HE	ALTH			
1	Slight H	Slight Hazard			FLAMMABILITY				
2	Modera	erate Hazard			PHYSICAL HAZARDS				
3	Severe	evere Hazard			PERSONAL PROTECTION				
4									
	1								
PERS	ONAL P	ROTE	CTION RATIN	GS:					
A	0				G	0			
в	0				н	0		1	8
С	0				Т	0			
D	B				J	0		Î	8
E	0		\bigcirc		к	đ		Ŕ	
F	0				x			direction	
Saf	ety Glass	es	Splash Gogg	les		Shield &		Glov	es
	Boots		Synthetic Ap	ron		tive Cloth	hing	Dust Res	pirator
Full Fa	(P) ace Resp	irator	Dust & Vapor Mask Respira		Fu	ull Face spirator	A	Airline Hoo or SC	
ОТНЕ	R STAN	IDARD	ABBREVIAT	IONS:					
	ML		num Limit						
mg/m3 NA ND									
	NE	Not Established							
	NF NR		Not Found No Results						
	ppm		parts per million						
	SCBA		ontained Breath	ing Appa	ratus	5 NO. 10 NO. 10 NO. 10 NO.			
	-		OTECTION A	SSOCIA	TION	: NFPA			
	oignition		um temperature	required	to ini	tiate com	bustion i	n air with	no other
	perature	source	e of ignition Explosive Limit						
	LEL		de or ignite in the					oj rolalilo	,

HAZARD RATINGS: 0 Minimal Hazard 1 Slight Hazard FLAMMABILITY 2 Moderate Hazard REACTIVITY 3 Severe Hazard 4 Extreme Hazard ACD Acidic ALK Alkaline COR Corrosive 1 W Use No Water OX Oxidizer TREFOIL Radioactive HEALTH TOXICOLOGICAL INFORMATION: SPECIAL LD₅₀ Lethal Dose (solids & liquids) w PRECAUTIONS LC50 Lethal concentration (gases) which kills 50% of the exposed animal ppm Concentration expressed in parts of material per million parts TD_{to} Lowest dose to cause a symptom TCLo Lowest concentration to cause a symptom TDIo, LDIo, & LDo or Lowest dose (or concentration) to cause lethal or toxic effects TC, TCo, LCio, & LCo IARC International Agency for Research on Cancer NTP National Toxicology Program RTECS Registry of Toxic Effects of Chemical Substances BCF Bioconcentration Factor TL_m Median threshold limit log Kow or log Koc Coefficient of Oil/Water Distribution **REGULATORY INFORMATION:** WHMIS Canadian Workplace Hazardous Material Information System DOT U.S. Department of Transportation TC Transport Canada EPA U.S. Environmental Protection Agency DSL Canadian Domestic Substance List NOHSC National Occupational Health and Safety Commission (Australia) NDSL Canadian Non-Domestic Substance List PSL Canadian Priority Substances List TSCA U.S. Toxic Substance Control Act EU European Union (European Union Directive 67/548/EEC) WGK Wassergefährdungsklassen (German Water Hazard Class) HMIS-III National Paint & Coatings Association Hazardous Materials Identification System WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM: 1 2 0 S. \$ 53 Ř Class A Class B Class C Class D1 Class D2 Class D3 Class E Class F Compressed Flammable Oxidizing Toxic Irritation Infectious Corrosive Reactive EC (67/548/EEC) INFORMATION: - Q-5 A Х Х () **L**O С F Е N 0 Т Xi Xn Corrosive Explosive Flammable Harmful Oxidizing Irritant Harmful Toxic CLP/GHS (1272/2008/EC) PICTOGRAMS: <u>s</u> ł ! ł, 0 Q Ł GHS07 GHS09 GHS01 GHS02 GHS03 GHS04 GHS05 GHS06 GHS08 Harmful Health Explosive Flammable Oxidizer Pressurized Corrosive Toxic Invironme Hazard Irritating