

B10022C

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 1-31-2018

	1. PRODUCT & COMPANY IDENTIFICATION					
1.1	Product Name:	Hot Sexy Hair Control Me				
1.2	Chemical Name:	Aerosol Hairspray				
1.3	Synonyms:	Brushable Hairspray 55%VOC – B10022C				
1.4	Trade Names:	Hot Sexy Hair Control Me				
1.5	Product Uses/ Restrictions	Professional and Cosmetic Use				
1.6	Distributor's Name:	Sexy Hair Concepts, LLC				
1.7	Distributor's Address:	5800 Bristol Parkway, Suite 700 Culver City CA, 90230				
1.8	Emergency Phone:	CHEMTEL: +1 (703) 527-3887 / +1 (800) 424-9300				

2. HAZARDS IDENTIFICATION

2.1 Hazard Identification: This product is classified as a HAZARDOUS by the 2012 OSHA Hazard Communication Standard (29CFR 1910.1200)

WARNING! FLAMMABLE AEROSOL. PRESSURIZED CONTAINER: MAY BURST IF HEATED. HIGHLY FLAMMABLE LIQUID AND VAPOR. CAUSES EYE IRRITATION.

<u>Classification:</u> Level 1 Aerosol; Category 2 Flammable Aerosol

Hazard Statements:

Flammable Aerosol- Category 2

Gases under Pressure - Liquefied Gas

Causes eye irritation —Category 2 - Sub category B

<u>Precautionary Statement</u> (P): Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No Smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

<u>Precautionary Statements – response</u>: Avoid breathing vapors/spray. Use only in well-ventilated area. IF INHALED; Remove person to fresh air and keep comfortable for breathing. IF IN EYES; Rinse cautiously with water for several minutes. Remove contact lenses, if present, continue rinsing. If eye irritation persists: Get medical advice/attention.

<u>Precautionary Statements – Storage</u>: Protect from sunlight. Do no expose to temperature exceeding 48°C (120 °F). Keep product locked up and out of reach of children. Store in well ventilated areas.

<u>Precautionary Statements – Disposal</u>: Dispose of contents/container to licensed and permitted disposal or recycling facility.

Hazards not otherwise classified (HNOC)

Not Applicable



3. COMPOSITION & INGREDIENT INFORMATION

Substance / Chemical Name(s)	CAS No.	EINECS No.	%	Other
DIFLUOROETHANE (R-152a)	75-37-6	200-866-1	10 – 30	Flam. Gas 1; H220
Dimethyl Ether	115-10-6	204-065-8	1-10	Press. Gas 1; Flam. Gas 1; H220
Ethanol (SD Alcohol 40B)	64-17-5	200-578-6	20 - 30	Flam. Liq. 2; H225

4. FIRST AID MEASURES

4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
		Skin:	If irritation occurs & product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with plenty of soap and water. Remove contaminated clothing and wash thoroughly before ruse. If irritation, redness or swelling persists, consult a physician immediately.
		Eyes:	If product get in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Raise and lower eyelid(s) while flushing to ensure thorough irrigation. If problems persist seek immediate medical attention.
		Inhalation:	Remove victim to fresh air and keep comfortable for breathing.
4.2	Effects of Exposure:	Ingestion:	If product is swallowed, may cause nausea, vomiting and/or diarrhea and central nervous system depression.



B10022C

I	Prepared to OSHA, ACC, ANS	SI, NOHSC, WH	MIS, 2001/58 & 1272/2008/EC Standards SDS F	Revision: 1.0 SDS	Revision Dat	e: 1-31-2018			
		Skin:	May be irritating to skin. The product can cause aller		e.g., rashes, w	velts, dermatitis) in			
			some sensitive individuals upon prolonged or repeated exposure.						
		Eyes: Moderately irritating to the eyes. Vapors of this product may be moderately irritating to the nose, throat and other tissues of the							
		Inhalation:	respiratory system. Symptoms of overexposure can it difficulty breathing. Inhalation of concentrated vapor drowsiness, dizziness, headaches, nausea).	nclude coughing, w	heezing, nasa	al congestion, and			
4.3	Symptoms of Overexposure	Ingestion:	May cause nausea, vomiting and/or diarrhea and cen	tral nervous system	depression.				
		Skin:	Prolonged contact with skin may result in bleaching a skin reactions (e.g., rashes, welts, dermatitis) in some overexposure may include redness, itching, and irritary	nd irritation of skin sensitive individua tion of affected are	. The produc ls. Symptom as.	s of skin			
		Eyes:	Overexposure in eyes, may cause redness, itching and watering (risk of serious damage to eyes) Contact may cause mild eye irritation including stinging, watering and redness.						
		Inhalation:	Symptoms of overexposure can include coughing, wh						
4.4	Acute Health Effects:	Moderate irr	itation to eyes and skin near affected areas. Additional	lly, high concentrat	ions of vapors	s can cause			
7.7	Acute Health Effects.		dizziness, headaches and nausea.						
			r chronic health effects are expected to occur from a si	-					
4.5	Chronic Health Effects:	_	kin and mucous membrane of the eye and respiratory some sensitive individuals. May also induce skin sensit						
		allergic derm	atitis.						
4.6	Target Organs:	Eyes, skin, re	spiratory system.						
4.7	Medical Conditions	Acute health	hazards may be delayed. Most common symptoms	HEALTH		1			
	Aggravated by Exposure		ting properties to eyes, respiratory system and skin.	FLAMMABILITY		3			
		Existing derm	natological conditions (such as eczema) and respiratory	PHYSICAL HAZAF	RDS	0			
		conditions (s	uch as bronchial asthma and/or bronchitis) may be	PROTECTIVE EQU	JIPMENT	В			
		exacerbated.		EYES	SKIN				
5.1	Fire and Explosion Hazards:	uninvolved c	5. FIREFIGHTING MEASURES sol (NFPA 30B). Aerosols may burst at temperatures abontainers to prevent possible bursting. Aerosols may be erosols are bursting, stay clear until bursting is complete.	e projectile hazards	when				
		and release f	lammable liquids and/or exposed gases if exposed to the policy by spraying them with water until the fire has been	ne heat of fire. Kee					
5.2	Extinguishing Methods:		oam, CO ₂ , Dry Chemical						
5.3	Firefighting Procedures:	As in any fire demand_ and water spray trunoff from for natural wate pressure self	wear MSHA/NIOSH approved self-contained breathing full protective gear. Keep containers cool until well at co cool fire-exposed surfaces and to protect personnel. Fire control or dilution from entering sewers, drains, drium and the fire fighters must use full bunker gear including Necontained breathing apparatus to protect against pote ition products and oxygen deficiencies.	fter the fire is out. Fight fire upwind. nking water supply, NIOSH-approved po	Use Prevent or any sitive	0			
			6. ACCIDENTIAL RELEASE MEASUR	RES					
6.1	Spills:	Equipment (I Small spills W combustible not use wate (e.g., plastic I Large spills: k release. Isola	ing any spill or leak, individuals involved in spill cleanup PPE). Vear appropriate personal protective equipment including material such as vermiculite or sand to soak up the propror or a material such as "speedy dry" to soak up material orooms, shovels, dustpans) and place into a plastic confidency incompatible materials (e.g., organics such as oil) and the immediate hazard area and keep unauthorized persimmal risk. Wear appropriate protective equipment incompatible.	ing gloves and prot duct and place into il. Sweep up mater tainer or plastic line away from spill. Sta connel out of area.	ective eyewer a container f ial using non- er within anot ay upwind and Stop spill or r	ar. Use a non- for later disposal. Do sparking materials ther container. d away from spill or release if it can be			
		7.	HANDLING AND STORAGE INFORM	IATION					
		, .							



B10022C

	rrepared to OSHA, ACC, ANS	I, NOHSC, WHMIS, 2001/58 & 12					evision: 1.0		evision D		
7.1	Work & Hygiene Practices	Do not eat, drink, or smoke while handling this product. Contents under pressure. Handle as to avoid puncturing container(s). When used as intended, no additional protective equipment is necessary. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water.									
.2	Storage and Handling:	Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F (48°C). Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying, keep cap in place when not in use. Storage level 1.									
7.3	Special Precautions:	Spilled material may present a	slipping ł	nazard if	left unatte	ended. Clea	an all spills	promptly	у.		
		8. EXPOSURE CON	TROL	S & P	ERSON	IAL PRO	DTECTIO	NC			
3.1	Exposure Limits:	ACGIH NOHSC (OTHER
	Ppm (mg/m ³)	Chemical Name(s)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
		Ethanol (SD Alcohol 40B)	1000	3000	1000	1800	NF	1000	1900	3300	
		DIFLUOROETHANE (R-152a)	1000	NA	1000	NA	NA	NE	NA	NA	
		DIMETHYL ETHER	NA	NA	400	760	NF	NA	NA	NA	
.2	Ventilation & Engineering	General mechanical (e.g., fans)									-
	Controls	exhaust ventilation to effective	ly remov	e and pre	event buil	dup of vapo	ors or mist	generate	d from th	ne handi	ing of this
2	Dagainete m. Duete etiem.	product.	:	اممدنام مدان	4	-:	f		1		
3.3	Respiratory Protection:	No special respiratory protection handling. In instances where d									
		protection is needed, use only							5		
		State regulations, or the Canad							·		
		Canadian Provinces, EC member				ана арриса					
.4	Eye Protection:	None required under normal co				contact. Sa	afety glasse	s should			
		be used when handling or using	g large qu	antities	of this pro	duct (e.g.,	<u>></u> 1 gallon (3.8 L)).		7	
.5	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation is some									
		sensitive individuals. When handling large quantities (e.g., \geq 1 gallon (3.8 L)), wear rubber, nitrile or impervious plastic gloves.									
.6	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., ≥ 5 lbs.), eye wash station and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.									
		9. PHYSICA	L & CI	HEMIC	CAL PR	OPERT	IES				
9.1	Appearance:	Aerosol, misty spray									
.2	Odor:	Fresh Sweet odor									
.3	Odor Threshold	NA									
.4	pH:	NA									
.5	Melting/Freezing Point	NA									
.6	Initial Boiling Point/ Boiling Range:	NA									
9.7	Flashpoint:		-30 °F (-34 °C) TCC for propellant only; 35.6 °F (2 °C) EPA method 1010 Concentrate only								
9.8	Upper/Lower Flammability limits	NA									
.9	Vapor Pressure:	@ 20 °C (68° F) – Can pressure	not to ex	ceed 180) psig @ 5	5 °C (131 °F) 12.4 bar				
	Vapor Density	>1									
	Relative Density:	0.85 - 0.95									
	Solubility:	Soluble									
.13	Partition Coefficient	NA									
	(log P _{ow}):										
	Autoignition Temperature:										
.14		NA									
).14	Decomposition	INA .									
9.14 9.15	Temperature.										
9.14 9.15 9.16		Aerosol at ambient temperatur Evaporation Rate >1: Percent V		FF0/							



B10022C

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 1-31-2018

		10. STABILITY & REACTIVITY							
10 1	Stability:	Stable at normal temperatures.							
	Hazardous Decomposition	·							
10.2	Products:	Oxides of carbon (CO, CO ₂) and sulfur (SO ₂)							
10.3		Will not occur.							
10.4	,	Excessive heat, direct sunlight, flames, heat sources and incompatible substances.							
10.5	Incompatible Substances	Mixture with strong acids, alkalis or oxidizers.							
	F								
		11. TOXICOLOGICAL INFORMATION							
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES							
11.2	•	This product was not tested on animals.							
11.3	,	See Section 4.4							
11.4		See Section 4.5							
11.5	Suspected Carcinogen:	NA NA							
	Reproductive Toxicity:	This product is not reported to cause reproductive toxicity in humans.							
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans.							
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.							
	Teratogenicity:	This product is not report to cause teratogenic effects in humans.							
	Reproductive Toxicity:	This product is not report to cause reproductive effects in humans.							
11.7		See Section 4.3							
11.8	Biological Exposure Indices:	NA							
11.9	Physician Recommendations:	Treat symptomatically.							
		12. ECOLOGICAL INFORMATION							
12.1	Environmental Stability:	There is no specific data available for this product.							
12.2	· · · · · · · · · · · · · · · · · · ·	There is no specific data available for this product.							
12.3	Effects on Aquatic Life:	The product itself has not been tested as a whole. There is no specific data available for this product.							
		13. DISPOSAL CONSIDERATIONS							
	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and							
13.1	Tracte Disposan	appropriate disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with							
13.1									
13.1		local, state and federal laws and regulations. Contact the appropriate agency for specific information. A licensed facili							
13.1									
	Special Considerations:	or waste hauler must provide treatment, transport, storage and disposal of hazardous waste.							
	Special Considerations:	local, state and federal laws and regulations. Contact the appropriate agency for specific information. A licensed facili or waste hauler must provide treatment, transport, storage and disposal of hazardous waste. U.S. EPA Hazardous Waste – Characteristic – Ignitable (D001)							
	Special Considerations:	or waste hauler must provide treatment, transport, storage and disposal of hazardous waste.							
13.2	Special Considerations: 49 CFR (GND):	or waste hauler must provide treatment, transport, storage and disposal of hazardous waste. U.S. EPA Hazardous Waste – Characteristic – Ignitable (D001)							
13.2		or waste hauler must provide treatment, transport, storage and disposal of hazardous waste. U.S. EPA Hazardous Waste – Characteristic – Ignitable (D001) 14. TRANSPORTATION INFORMATION							
13.2 14.1		or waste hauler must provide treatment, transport, storage and disposal of hazardous waste. U.S. EPA Hazardous Waste − Characteristic − Ignitable (D001) 14. TRANSPORTATION INFORMATION UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or							
13.2 14.1	49 CFR (GND):	or waste hauler must provide treatment, transport, storage and disposal of hazardous waste. U.S. EPA Hazardous Waste – Characteristic – Ignitable (D001) 14. TRANSPORTATION INFORMATION UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1.0 L) – until 12/31/2020							
13.2 14.1 14.2	49 CFR (GND): IATA (AIR) IMDG (OCN):	or waste hauler must provide treatment, transport, storage and disposal of hazardous waste. U.S. EPA Hazardous Waste − Characteristic − Ignitable (D001) 14. TRANSPORTATION INFORMATION UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1.0 L) − until 12/31/2020 UN1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL ≤ 0.5 L); or							
13.2 14.1 14.2 14.3	49 CFR (GND): IATA (AIR) IMDG (OCN):	or waste hauler must provide treatment, transport, storage and disposal of hazardous waste. U.S. EPA Hazardous Waste – Characteristic – Ignitable (D001)							
13.2 14.1 14.2	49 CFR (GND): IATA (AIR) IMDG (OCN):	or waste hauler must provide treatment, transport, storage and disposal of hazardous waste. U.S. EPA Hazardous Waste – Characteristic – Ignitable (D001)							
14.1 14.2 14.3 14.4	49 CFR (GND): IATA (AIR) IMDG (OCN):	or waste hauler must provide treatment, transport, storage and disposal of hazardous waste. U.S. EPA Hazardous Waste – Characteristic – Ignitable (D001)							
13.2 14.1 14.2 14.3 14.4	49 CFR (GND): IATA (AIR) IMDG (OCN): TDGR (Canadian GND):	or waste hauler must provide treatment, transport, storage and disposal of hazardous waste. U.S. EPA Hazardous Waste − Characteristic − Ignitable (D001) 14. TRANSPORTATION INFORMATION UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or CONSUMER COMMODITY, ORM-D (IP VOL ≤ 1.0 L) − until 12/31/2020 UN1950, AEROSOLS, FLAMMABLE, 2.1 (LTD QTY, IP VOL ≤ 0.5 L); or ID8000, CONSUMER COMMODITY, ORM-D (IP VOL ≤ 0.5 I=L) UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L) UN1950, AEROSOLS, 2.1 (LTD QTY, IP VOL ≤ 1.0 L); or MARK PACKAGE "LIMITED QUANTITY", "LTD QTY", OR "QUANT LTÉE" OR "QUANTITÉ LIMITÉE"							



B10022C

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 1-31-2018

		15. REGULATORY INFOR	IVIATION				
15.1 SARA Reporting Requirements:		This product does not contain any substance subject to SATA Title III, section 313 reporting requirements.					
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.					
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA I	nventory.				
15.4	CERCLA Reportable Quantity (RQ):	Ethanol: 2270 kg; 5000 lbs					
15.5	Other Federal Requirements:	This product complies with the appropriate sections of t (Cosmetics)	he Food and Drug Administration's 21 CFR Subchapter G.				
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information required by the CPR. The components of the product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substance List. WHMIS Class B5 (Flammable Aerosol)					
15.7	State Regulatory Information:	state criteria lists: California Proposition 65 (CA65), Dela List (FL), Massachusetts Hazardous Substances List (MA)	eria lists: MA, MN, PA, WA and NJ Peria lists: MA and NJ Intration of 1.0% or greater, are listed on any of the following Inware Air Quality Management List (DE), Florida Toxic Substance I, Michigan Critical Substances List (MI), Minnesota Hazardous I), New York Hazardous Substances List (NY), Pennsylvania Righ				
15.8	Other Requirements:	The primary components of this product are listed in An Dimethyl Ether: Flammable (F+). Risk Phrases (R) 12 – Keep out of reach of children. Keep cool store below 12 ignition – No smoking. <u>Ethanol</u> : Flammable (F). Risk Phrases (R): 11 – Flammab children. Keep container tightly closed. Keep away from	Highly Flammable. Safety Phrases (S): 2-6-16 – 0 0F (48.8 0C). Keep away from sources of le. Safety Phrase (S): 2-7-16 – Keep out of reach of				
		16. OTHER INFORMA	TION				
16.1	Other Information:	_					
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	government regulations must be reviewed for applicabil knowledge, the information contained herein is reliable complete=ness are not guaranteed and no warranties of information contained herein relates only to the specific	and accurate as of this date; however, accuracy, suitability or fany type, either expressed or implied, are provided. The				
16.4	Prepared By:	Sexy Hair Concepts, LLC					




B10022C

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 1-31-2018

http://www.kikcorp.com





B10022C

SDS Revision Date: 1-31-2018

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

Irritant / Harmful

SDS Revision: 1.0

Reactive



Oxidizing Flammable



Full Face Respirator

Infectious



Corrosive



Compressed



Toxic

(T)

Irritation