

# Safety Data Sheet Style Sexy Hair Matte Clay

**SECTION 1: IDENTIFICATION** 

SDS FIRST PREPARATION DATE: June 29, 2016

FORMULA: 29553-07 / TNB-082415-A & 32265-02/ TNB-022916-C

**GENERIC/CHEMICAL NAME: N/A** 

PRODUCT TYPE/CHEMICAL FAMILY: Personal Care Product

PRODUCT CODE: N/A SYNONYMS: None

CONTACT ADDRESS: Sexy Hair Concepts, LLC. 21551 Prairie St. Chatsworth, CA 91311

#### **EMERGENCY PHONE NUMBERS:**

CHEMTREC: Domestic North America 800-424-9300; For Information: 818-206-6700

#### **SECTION 2: HAZARDS IDENTIFICATION**

Inhalation: Slight nasal irritation may occur

**Skin Contact:** May be irritating to extra-sensitive skin.

Eye Contact: May cause mechanical irritation.

**Ingestion:** Harmful if swallowed. May cause gastrointestinal irritation. **Chronic effects and medical conditions aggravated by overexposure:** 

Chronic effects and medical conditions aggravated by overexposure to this product have been not established. Unnecessary exposure to this product or any chemical should be avoided.

#### SECTION 3:COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Emergency Overview:

The identity of individual components of this mixture is proprietary information and regarded to be a trade secret. However, based on the health hazard determination of contained ingredients present, this mixture presents the following health hazard(s):

Hazardous Components	% Range	CAS NO.	OSHA PEL	ACGIH TLV
N/A	N/A	N/A	N/A	N/A

#### **SECTION 4: FIRST AID MEASURES**

**Inhalation:** If inhaled, remove to fresh air. Get medical attention if symptoms occur.

**Skin:** If irritation is experienced, wash exposed area thoroughly with water. If irritation persists,

get medical assistance.

**Eyes:** Flush with plenty of water for 15 minutes, if irritation persists, get medical assistance. **Ingestion:** Do not induce vomiting, drink 3-4 glasses of water. Get prompt medical attention.

#### **SECTION 5: FIRE FIGHTING MEASURES**

Flammability Classification: Not flammable Flash Point: Not applicable

**Extinguishing Media:** Foam, CO<sub>2</sub>, water, fog, sand/earth.

Unusual Fire And Explosion Hazards: Not applicable.

**Special Fire Fighting Procedures:** Must wear NIOSH approved self-contained breathing apparatus

and protective clothing. Cool fire and exposed container with

water spray.

#### **SECTION 6: ACCIDENTIAL RELEASE MEASURES**

#### Steps To Be Taken In Case Material Is Released Or Spilled:

Caution! Floor may become slippery. Absorb spilled material with inert material such as sawdust, sand or earth.

#### **Disposal Method:**

Sweep up and dispose of in accordance with Federal, State and local regulations.

### **SECTION 7: HANDLING AND STORAGE**

**Usage Precautions:** Use as directed.

Storage Precautions: Protect containers against physical damage. Keep closed until used. Store in a

dry place at ambient temperatures. Keep out of reach of children.

Other Precaution: Caution! Spilled material is slippery.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

Engineering Control: Not required.
Respiration Protection: Not applicable.
Protective Gloves: Not required.
Eve And Face Protection: Not required.

Hygienic Work Practices: No special practices noted. No eating or drinking while working with this

material.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Vapor Density:XHeavierLighter Than AirEvaporation Rate:FasterXSlower, Than EthAppearance:Opaque Solid ClayOdor/Taste:Floral, FreshSolubility In Water:NON-MisciblePH (range):N/ASpecific Gravity:1.1	Boiling range :	Not determined.
Appearance: Opaque Solid Clay Odor/Taste: Floral, Fresh Solubility In Water: NON-Miscible pH (range): N/A Specific Gravity: 1.1	0 0	X_ Heavier Lighter Than Air
Odor/Taste: Floral, Fresh Solubility In Water: NON-Miscible pH (range): N/A Specific Gravity: 1.1	Evaporation Rate:	Faster X Slower, Than Ether
Solubility In Water: NON-Miscible pH (range): N/A Specific Gravity: 1.1	Appearance:	Opaque Solid Clay
pH (range): N/A Specific Gravity: 1.1	Odor/Taste:	Floral, Fresh
Specific Gravity: 1.1	Solubility In Water:	NON-Miscible
·	pH (range):	N/A
Viscosity (rango): N/A	Specific Gravity:	1.1
viscosity (range).	Viscosity (range):	N/A

#### **SECTION 10: STABILITY AND REACTIVITY**

Stability: Unstable Incompatibility (Materials To Av Hazardous Decomposition Prod	,	X Strong acids and oxidiz May produce toxic fum	Stable zing agents. es of oxides of carbon, sulfur and
•		Nitrogen; ammonia.	,
Hazardous Polymerization:	May Occur	X	Will Not Occur
Conditions To Avoid:	•	Extreme temperatures.	

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

The product has not been tested for specific toxicity data. This product has not been tested on animals.

**Carcinogenicity:** This information is not available.

Reproductive toxicity: No Data Available STOT-Single exposure: No Data Available STOT-Repeated exposure: No Data Available

Aspiration toxicity: No Data Available

#### **SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicity: No Data Available

Persistence and degradability: No Data Available Bioaccumlative potential: No Data Available Other Adverse Effects: No Data Available

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal Method:** Collect and dispose of in accordance with Federal, State and local laws and regulations. This product is not classified as an equitable hazardous waste.

#### **SECTION 14: TRANSPORT INFORMATION**

#### **General information:**

Not regulated according to RID, ADR, ADNR, IMDG, IATA-DGR, CFR and TDG

.

#### **SECTION 15: REGULATORY INFORMATION**

TSCA: All components are listed or exempted

SARA, Title III, Section 313 (40CFR 372): No listed substance

SARA 302/304/311/312 extremely hazardous substances: No listed substance SARA 302/304 emergency planning and notification: No listed substance

California Proposition 65: This product is not subject to warning labeling under California Proposition

65

### **SECTION 16: OTHER INFORMATION**

Revision: N/A

	OTHER INFOR	
HMIS IDENTIFIC	CATION SYSTEM	l:
HEALTH		0
FLAMMABILITY	/	0
PHYSICAL HAZ	'ARD	0

#### Disclaimer:

The information contained in this Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on its own studies and on the work of others, and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of or in connection with the accuracy, completeness, or adequacy of the information herein. It is intended to assist in the normal safe usage of the product.

## GENERAL INFORMATION: CAS No. | Chemical Abstract Service Number **EXPOSURE LIMITS IN AIR:** OSURE LIMITS IN AIK: ACGIH American Conference on Governmental Industrial Hygienists C Celling Limit ES Exposure Standard (Australia) IDLH Immediately Dangerous to Life and Health OSHA U.S. Occupational Safety and Health Administration PEL Permissible Exposure Limit STEL Short-Term Exposure Limit TLV Threshold Limit Value TWA Time Weighted Average TAID MEASLIRES: FIRST AID MEASURES:

CPR Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

#### HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard

HEALTH **FLAMMABILITY** PHYSICAL HAZARDS PERSONAL PROTECTION

#### PERSONAL PROTECTION RATINGS:

PER	SUNAL I	KUIEU	HON KA	ATINGS.
Α				
В				
С			盘	
D			盘	
E				
F				
			1000	

G				
Н				8
ı				
J			<b>9</b>	
K	•		A	
X	Consult special I	your sup	ervisor or directions	SOPs























#### OTHER STANDARD ABBREVIATIONS:

ML	Maximum Limit
mg/m3	milligrams per cubic meter
NA	Not Available
ND	Not Determined
NE	Not Established
NF	Not Found
NR	No Results
ppm	parts per million
SCBA	Self-Contained Breathing Apparatus

#### NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI*	TY LIMITS IN AIR:
Autoignition	Minimum temperature required to initiate combustion in air with no other
Temperature	source of ignition
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will
80000920	explode or ignite in the presence of an ignition source
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will
	explode or ignite in the presence of an ignition source

#### HAZARD RATINGS:

0	Minimal Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
W	Use No Water
OX	Oxidizer
TREFOIL	Radioactive
TOVICOLO	CICAL INFORMATION:



#### TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) w	PRECAUTION			
1000	S	711201011011			
LC <sub>50</sub>	<ul> <li>Lethal concentration (gases) which kills 50% of the exposed</li> </ul>				
ppm	Concentration expressed in parts of material per million parts				
TD <sub>lo</sub>	Lowest dose to cause a symptom				
TCLo	CLo Lowest concentration to cause a symptom				
TD <sub>lo</sub> , LD <sub>lo</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause	ethal or toxic effects			
TC, TCo, LCio, & LCo					
IARC	ncer				
NTP	National Toxicology Program				
RTECS Registry of Toxic Effects of Chemical Substances					
BCF Bioconcentration Factor					
TL <sub>m</sub>	TL <sub>m</sub> Median threshold limit				
log Kow or log Koc	Coefficient of Oil/Water Distribution				

#### REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System
DOT	U.S. Department of Transportation
TC	Transport Canada
EPA	U.S. Environmental Protection Agency
DSL	Canadian Domestic Substance List
NOHSC	National Occupational Health and Safety Commission (Australia)
NDSL	Canadian Non-Domestic Substance List
PSL	Canadian Priority Substances List
TSCA	U.S. Toxic Substance Control Act
EU	European Union (European Union Directive 67/548/EEC)
WGK	Wassergefährdungsklassen (German Water Hazard Class)
HMISJIII	National Paint & Coatings Association Hazardous Materials Identification System

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(A)</b>	<b>(2)</b>	<b>②</b>	①	<b>®</b>		(Ř)
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

#### EC (67/548/EEC) INFORMATION:

		M	*	8	<b>2</b>	×	×
С	E	F	N	0	т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

#### CLP/GHS (1272/2008/EC) PICTOGRAMS:

		<b>③</b>	$\Diamond$			$\Diamond$		<b>(1)</b>
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment