

1. Identification

Product identifier PULP RIOT PERMANENT COLOR - GROUP 10

Other means of identification

SDS number 00-21-0000370

Recommended use Personal care product used for cosmetic effect.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Address: Pulp Riot
16501 Ventura Blvd #500
Encino, CA 91436
USA

Emergency Phone # : 1-800-535-5053 (International: 352-323-3500)

For further information: 1-732-499-2741

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 1

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes serious eye damage.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye protection/face protection. Wear protective gloves.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients**Mixtures**

Chemical name	Common name and synonyms	CAS number	%
LAURETH-3		68439-50-9	5
AMMONIUM HYDROXIDE		1336-21-6	1.8
OLEYL PHOSPHATE		37310-83-1	1.25
HC YELLOW NO. 2		4926-55-0	< 2

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO ₂).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
AMMONIUM HYDROXIDE (CAS 1336-21-6)	PEL	35 mg/m ³
		50 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
AMMONIUM HYDROXIDE (CAS 1336-21-6)	STEL	35 ppm
	TWA	25 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
AMMONIUM HYDROXIDE (CAS 1336-21-6)	STEL	27 mg/m ³
		35 ppm
	TWA	18 mg/m ³
		25 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Applicable for industrial settings only. Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Hand protection Applicable for industrial settings only. Wear appropriate chemical resistant gloves.

Other Applicable for industrial settings only. Wear appropriate chemical resistant clothing.

Respiratory protection Applicable for industrial settings only. In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties**Appearance**

Physical state Liquid.

Form Cream.

Color Shaded

Odor Characteristic.

Odor threshold Not available.

pH 9.7 - 10.1

Melting point/freezing point Not available.

Initial boiling point and boiling range > 212 °F (> 100 °C)

Flash point > 212.0 °F (> 100.0 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye damage.
Ingestion	Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.
--	---

Information on toxicological effects

Acute toxicity	Not known.
----------------	------------

Product	Species	Test Results
PULP RIOT PERMANENT COLOR - GROUP 10		
<u>Acute</u>		
Dermal		
ATEmix		85320 mg/kg
Oral		
ATEmix		10700 mg/kg
Components	Species	Test Results
AMMONIUM HYDROXIDE (CAS 1336-21-6)		
<u>Acute</u>		
Inhalation		
LC50	Rat	11590 mg/l, 1 h

Components	Species	Test Results
Oral		
LD50	Rat	350 mg/kg bw OECD 401
HC YELLOW NO. 2 (CAS 4926-55-0)		
Acute		
Oral		
LC50	Rat	625 - 1250 mg/kg OECD 401
LAURETH-3 (CAS 68439-50-9)		
Acute		
Dermal		
LD50	Rabbit	2000 mg/kg, 24 Hours
	Rat	> 5000 mg/kg EU B.1
OLEYL PHOSPHATE (CAS 37310-83-1)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg OECD 402
		> 2000 mg/kg, 24 Hours
Oral		
LD50	Rat	> 2000 mg/kg
		> 2000 mg/kg OECD 423
Skin corrosion/irritation	Causes skin irritation.	
Irritation Corrosion - Skin		
AMMONIUM HYDROXIDE		OECD 404 Result: Corrosive Species: Rat
LAURETH-3		OECD 404 Result: Slightly Irritating Species: Rabbit
HC YELLOW NO. 2		OECD 439 Result: Not Irritating Species: RhE
OLEYL PHOSPHATE		OECD 439 Result: Not Irritating Species: RhE
Serious eye damage/eye irritation	Causes serious eye damage.	
Irritation Corrosion - Eye		
LAURETH-3		OECD 405 Result: Corrosive Species: Rabbit
OLEYL PHOSPHATE		OECD 438 Result: Corrosive Species: In vitro
HC YELLOW NO. 2		OECD 438 Result: Irritating Species: ICE
AMMONIUM HYDROXIDE		Result: Corrosive
Respiratory or skin sensitization		
Respiratory sensitization	Due to partial or complete lack of data the classification is not possible.	
Skin sensitization	Due to partial or complete lack of data the classification is not possible.	
Skin sensitization		
OLEYL PHOSPHATE		OECD 429 Result: Not Sensitizing Species: Mouse
HC YELLOW NO. 2		OECD 429, (2%) Result: Not Sensitizing Species: Mouse

Skin sensitization

AMMONIUM HYDROXIDE

Result: Not Sensitizing

Species: Guinea pig

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Mutagenicity

AMMONIUM HYDROXIDE

Result: In vitro tests did not show mutagenic effects

LAURETH-3

Result: In vitro tests did not show mutagenic effects

OLEYL PHOSPHATE

Result: In vitro tests did not show mutagenic effects

HC YELLOW NO. 2

Result: In vitro tests showed mutagenic effects which were not observed with in vivo test.

Carcinogenicity

Not classifiable as to carcinogenicity to humans. Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Developmental effects

HC YELLOW NO. 2

500 mg/kg bw/d OECD 414

Result: NOAEL

Species: Rat

Reproductivity

OLEYL PHOSPHATE

1000 mg/kg bw/d OECD 412

Result: NOAEL

Species: Rat

Specific target organ toxicity - single exposure

Due to partial or complete lack of data the classification is not possible.

AMMONIUM HYDROXIDE

Result: Highly Irritating

Specific target organ toxicity - repeated exposure

Due to partial or complete lack of data the classification is not possible.

OLEYL PHOSPHATE

1000 mg/kg bw/d OECD 407

Result: NOAEL

Species: Rat

Test Duration: 27 d

HC YELLOW NO. 2

50 mg/kg bw/d OECD 408

Result: NOAEL

Species: Rat

Test Duration: 91 d

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Further information

The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

12. Ecological information**Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
AMMONIUM HYDROXIDE (CAS 1336-21-6)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Chlorella vulgaris	2700 mg/l, 18 d
Crustacea	EC50	Daphnia magna	101 mg/l, 48 h ASTM E729-80
Fish	LC50	Oncorhynchus mykiss	0.89 mg/l, 96 h
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	0.79 mg/l, 21 d
Fish	NOEC	Oncorhynchus mykiss	1.2 mg/l, 61 d OECD 210

Components	Species		Test Results
HC YELLOW NO. 2 (CAS 4926-55-0)			
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	79.1 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	92.8 mg/l, 48 h OECD 202
LAURETH-3 (CAS 68439-50-9)			
Aquatic			
Acute			
Algae	EC50	Desmodesmus subspicatus	1 - 10 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	1 - 10 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	1 - 10 mg/l, 96 h ISO 7346-2
Other	EC0	Pseudomonas putida	> 100 mg/l, 3 h OECD 209
Chronic			
Crustacea	NOEC	Daphnia magna	<= 1 mg/l, 21 d
OLEYL PHOSPHATE (CAS 37310-83-1)			
Aquatic			
Acute			
Algae	EC50	Pseudokirchneriella subcapitata	> 100 mg/l, 72 h OECD 201
	NOEC	Pseudokirchneriella subcapitata	100 mg/l, 72 h OECD 201
Crustacea	EC50	Daphnia magna	> 100 mg/l, 48 h OECD 202
Fish	LC50	Danio rerio	> 100 mg/l, 96 h OECD 203
Other	EC50	Activated sludge of a predominantly domestic sewage	318.56 mg/l, 3 h OECD 209

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation)

HC YELLOW NO. 2

2.5 - 4 % OECD 301 F

Result: Not Readily Biodegradable

Test Duration: 28 d

LAURETH-3

Result: Readily Biodegradable

OLEYL PHOSPHATE

26.1 % OECD 301 D

Result: Readily Biodegradable

Test Duration: 28 d

Bioaccumulative potential

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

FINISHED GOODS

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IATA**FINISHED GOODS**

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

IMDG**FINISHED GOODS**

Not regulated as dangerous goods.

BULK

Not regulated as dangerous goods.

15. Regulatory information**US federal regulations**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

AMMONIUM HYDROXIDE (CAS 1336-21-6) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)**SARA 302 Extremely hazardous substance**

Not listed.

SARA 311/312 Hazardous chemical No (Exempt)

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
AMMONIUM HYDROXIDE	1336-21-6	1.8

Other federal regulations**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

16. Other information, including date of preparation or last revision

Issue date 10-04-2020

Revision date 11-27-2020

Version # 02

NFPA ratings Health: 3
Flammability: 1
Instability: 0

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision information

Product and Company Identification: Product and Company Identification - L'Oreal
Composition / Information on Ingredients: Ingredients
Physical and chemical properties: Odor
Ecological information: Ecotoxicity