

SAFETY DATA SHEET

PULP RIOT SEMI-PERMANENT HAIRCOLOR - GROUP 7

Version 1.0 Revision Date: 08/20/2025 SDS Number: 00-22-410000002442 Date of last issue: -
Date of first issue: 08/20/2025

SECTION 1. IDENTIFICATION

Product name : PULP RIOT SEMI-PERMANENT HAIRCOLOR - GROUP 7

Manufacturer or supplier's details

Address : L'Oreal USA Products, Inc
30 Terminal Avenue
Clark, NJ 07066
USA

Telephone : 1-732-499-2745

E-mail address : CORPREGAFFAIRSMSDS@LOREAL.COM

Emergency telephone

INFOTRAC : 1-800-535-5053 (International: +1 352-323-3500) (Available 24 hours a day. SDS/Product information may not be available for the Emergency Service.)

Recommended use of the chemical and restrictions on use

Recommended use : Personal care product used for cosmetic effect.

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2A

Skin sensitization : Category 1

Specific target organ toxicity : Category 2 (Gastrointestinal tract)
- repeated exposure (Oral)

Other hazards

None known.

GHS label elements

Hazard pictograms :



Signal Word : Warning

SAFETY DATA SHEET

PULP RIOT SEMI-PERMANENT HAIRCOLOR - GROUP 7

Version 1.0 Revision Date: 08/20/2025 SDS Number: 00-22-410000002442 Date of last issue: -
Date of first issue: 08/20/2025

Hazard Statements : H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H373 May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure if swallowed.

Precautionary Statements : P102 Keep out of reach of children.
P103 Read carefully and follow all instructions.

Prevention:

P260 Do not breathe mist or vapors.
P264 Wash hands thoroughly after handling.
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P314 Get medical advice/ attention if you feel unwell.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)
BEHENTRIMONIUM CHLORIDE	68607-24-9*	>= 1 - <= 5
BENZYL ALCOHOL	100-51-6*	>= 1 - <= 5
MYRISTYL STEARATE	17661-50-6*	>= 0.1 - <= 1

* Indicates that the identifier is a CAS No.

SECTION 4. FIRST AID MEASURES

General advice : No hazards which require special first aid measures.

If inhaled : If symptoms persist, call a physician.

SAFETY DATA SHEET

PULP RIOT SEMI-PERMANENT HAIRCOLOR - GROUP 7

Version 1.0	Revision Date: 08/20/2025	SDS Number: 00-22- 410000002442	Date of last issue: - Date of first issue: 08/20/2025
----------------	------------------------------	---------------------------------------	--

In case of skin contact	:	Get medical attention if irritation develops and persists.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. If eye irritation persists, consult a specialist.
If swallowed	:	Rinse mouth with water. Clean mouth with water and drink afterwards plenty of water. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure if swallowed.
Notes to physician	:	Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.
Specific hazards during fire fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	:	No hazardous combustion products are known.
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system. Standard procedure for chemical fires.
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

SAFETY DATA SHEET

PULP RIOT SEMI-PERMANENT HAIRCOLOR - GROUP 7

Version 1.0 Revision Date: 08/20/2025 SDS Number: 00-22-410000002442 Date of last issue: -
Date of first issue: 08/20/2025

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid contact with eyes.
Avoid exposure - obtain special instructions before use.
For personal protection see section 8.
Persons susceptible to skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.

Materials to avoid : Do not store near acids.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
BENZYL ALCOHOL	100-51-6	TWA	10 ppm	US WEEL
MYRISTYL STEARATE	17661-50-6	TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : Applicable for industrial settings only. Nitrile rubber

SAFETY DATA SHEET

PULP RIOT SEMI-PERMANENT HAIRCOLOR - GROUP 7

Version 1.0	Revision Date: 08/20/2025	SDS Number: 00-22- 410000002442	Date of last issue: - Date of first issue: 08/20/2025
----------------	------------------------------	---------------------------------------	--

Eye protection	:	Applicable for industrial settings only. Safety glasses
Skin and body protection	:	Applicable for industrial settings only. Work uniform or laboratory coat.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Form	:	viscous liquid
Color	:	pigmented
Odor	:	characteristic
pH	:	3.5 - 4.5
Melting point/freezing point	:	No data available
Boiling point/boiling range	:	Not available
Flash point	:	> 199 °F / > 93 °C Method: ISO 3679
Fire Point	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	0.957 - 0.963 (68 °F / 20 °C)
Solubility(ies)	:	

SAFETY DATA SHEET

PULP RIOT SEMI-PERMANENT HAIRCOLOR - GROUP 7

Version 1.0 Revision Date: 08/20/2025 SDS Number: 00-22-410000002442 Date of last issue: -
Date of first issue: 08/20/2025

Water solubility : soluble

Partition coefficient: n-octanol/water : Not applicable

Autoignition temperature : No data available

Decomposition temperature : Not applicable

Viscosity
Viscosity, kinematic : No data available

Dust explosion class : Not applicable

Particle characteristics
Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Not applicable

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

BEHENTRIMONIUM CHLORIDE:

Acute oral toxicity : LD50 (Rat, female): 3,190 mg/kg
Method: OECD Test Guideline 401

SAFETY DATA SHEET

PULP RIOT SEMI-PERMANENT HAIRCOLOR - GROUP 7

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/20/2025	00-22- 410000002442	Date of first issue: 08/20/2025

Assessment: The substance or mixture has no acute oral toxicity

BENZYL ALCOHOL:

Acute oral toxicity : LD50 (Rat, male): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 4,178 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Components:

BEHENTRIMONIUM CHLORIDE:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

BENZYL ALCOHOL:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks : May irritate eyes.

Components:

BEHENTRIMONIUM CHLORIDE:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

BENZYL ALCOHOL:

Species : Rabbit
Result : Eye irritation
Method : OECD Test Guideline 405

SAFETY DATA SHEET

PULP RIOT SEMI-PERMANENT HAIRCOLOR - GROUP 7

Version 1.0 Revision Date: 08/20/2025 SDS Number: 00-22-410000002442 Date of last issue: -
Date of first issue: 08/20/2025

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Based on available data, the classification criteria are not met.

Product:

Remarks : May cause sensitization.

Components:

BEHENTRIMONIUM CHLORIDE:

Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitization.

BENZYL ALCOHOL:

Routes of exposure : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : The product is a skin sensitizer, sub-category 1B.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Components:

BEHENTRIMONIUM CHLORIDE:

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Based on available data, the classification criteria are not met.

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

PULP RIOT SEMI-PERMANENT HAIRCOLOR - GROUP 7

Version 1.0 Revision Date: 08/20/2025 SDS Number: 00-22-410000002442 Date of last issue: -
Date of first issue: 08/20/2025

Components:

BEHENTRIMONIUM CHLORIDE:

Reproductive toxicity - Assessment : Weight of evidence does not support classification for reproductive toxicity

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs (Gastrointestinal tract) through prolonged or repeated exposure if swallowed.

Components:

BEHENTRIMONIUM CHLORIDE:

Routes of exposure : Ingestion
Target Organs : Gastrointestinal tract
Assessment : The substance or mixture is classified as specific target organ toxicant, repeated exposure, category 2.

Repeated dose toxicity

Components:

BEHENTRIMONIUM CHLORIDE:

Species : Rat, male and female
NOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 28 d
Method : OECD Test Guideline 407

Aspiration toxicity

Based on available data, the classification criteria are not met.

Further information

Product:

Remarks : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

PULP RIOT SEMI-PERMANENT HAIRCOLOR - GROUP 7

Version 1.0 Revision Date: 08/20/2025 SDS Number: 00-22-410000002442 Date of last issue: -
Date of first issue: 08/20/2025

Components:

BEHENTRIMONIUM CHLORIDE:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 3.5 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.39 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): 3.48 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- EC10 (Desmodesmus subspicatus (green algae)): 0.78 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): 0.24 mg/l
Exposure time: 9 d
Method: OECD Test Guideline 212
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.119 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Ecotoxicology Assessment

- Acute aquatic toxicity : Very toxic to aquatic life.
- Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

BENZYL ALCOHOL:

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- Toxicity to fish (Chronic toxicity) : NOEC (Fish): 48.9 mg/l
Exposure time: 30 d
Remarks: The value is given based on a SAR/AAR approach using OECD Toolbox, DEREK, VEGA QSAR models

SAFETY DATA SHEET

PULP RIOT SEMI-PERMANENT HAIRCOLOR - GROUP 7

Version 1.0 Revision Date: 08/20/2025 SDS Number: 00-22-410000002442 Date of last issue: -
Date of first issue: 08/20/2025

(CAESAR models), etc.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability

Components:

BEHENTRIMONIUM CHLORIDE:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 80 %
Exposure time: 28 d
Method: OECD Test Guideline 301B
Remarks: The 10 day time window criterion is not fulfilled.

BENZYL ALCOHOL:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d
Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

BEHENTRIMONIUM CHLORIDE:

Bioaccumulation : Bioconcentration factor (BCF): 835
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 3.29
pH: 5.4

BENZYL ALCOHOL:

Bioaccumulation : Bioconcentration factor (BCF): 1.55

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : The reference to any animal testing for individual constituents mentioned in this document is based on public, third-party data.

SAFETY DATA SHEET

PULP RIOT SEMI-PERMANENT HAIRCOLOR - GROUP 7

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/20/2025	00-22- 410000002442	Date of first issue: 08/20/2025

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Dispose of in accordance with local regulations.
- Contaminated packaging : Do not re-use empty containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

Domestic regulation

49 CFR

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization
Specific target organ toxicity (single or repeated exposure)
Serious eye damage or eye irritation

SAFETY DATA SHEET

PULP RIOT SEMI-PERMANENT HAIRCOLOR - GROUP 7

Version 1.0 Revision Date: 08/20/2025 SDS Number: 00-22-410000002442 Date of last issue: -
Date of first issue: 08/20/2025

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.


This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
ACGIH / TWA : 8-hour, time-weighted average
US WEEL / TWA : 8-hr TWA

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dan-

SAFETY DATA SHEET

PULP RIOT SEMI-PERMANENT HAIRCOLOR - GROUP 7

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/20/2025	00-22- 410000002442	Date of first issue: 08/20/2025

gerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Revision Date : 08/20/2025

US / EN