This form is regarded to be in compliance with 29 CFR Part 1910.1200

SECTION 1 : IDENTIFICATION

PRODUCT NAME: Star Nail ECO Nail Systems Universal Top Coat

Product Use: Nail Gel

Manufacturer's Name : Star Nail International, Inc. Chemical Family :

Address : 29120 Avenue Paine Proprietary Mix City, State, Zip : Valencia, CA 91355 CAS# N/A

24 HR. EMERGENCY TELEPHONE: CHEMTEL 1-813-248-0573 Preparation Date: 01/02/2014

SECTION 2: HAZARDOUS IDENTIFICATION

EMERGENCY OVERVIEW

This information may be based on findings from related or similar materials.

- May be slightly toxic.
- May cause moderate skin injury (reddening & swelling).
- May cause eye irritation.

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry

No specific information is available for this product. Although, this product

opposes only slight irritation concern with all routes of entry.

Eye No specific information available. Contains materials that are essentially

nonirritating, but contact may cause slight transient irritation.

Skin No specific information available. Contains materials that may cause

moderate skin injury (reddening and swelling) and/or sensitization. Prolonged contact may cause blister formation (burns). Since irritation

may not occur immediately, contact can go unnoticed.

Ingestion No specific information available. Contains materials that may be

practically nontoxic.

Inhalation No specific information available. Low volatility makes vapor inhalation

unlikely.

Sub-Chronic Effects No specific information available. Limited tests showed no evidence of

teratogenicity in animals. A lifetime skin painting study with mice showed

no evidence of carcinogenicity.

NOTE: Refer to Section 11, Toxicological Information for Details



OFOTION A			INIODEDIENTO
SECTION 3:	COMPOSITION	INFORMATION	on INGREDIENTS

Chemical Identity	CAS#	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH	Carcinogen TWA/STEL	%
IARC/NTP/OSHA							
Polyurethane Acryla Oligomer	te Exempt	N/E	Di-Hema Trimethylhexyl Dicarbamate*	N/E	N/E	NOT LISTED	50-60
2-Hydroxyethyl Methacrylate	868-77-9	212-782-2	НЕМА	N/E	N/E	NOT LISTED	15-20
Hydroxypropyl Methacrylate	27813-02-1	248-666-3 metha	Hydroxypropyl acrylate	N/E	N/E	NOT LISTED	15-20
Hydroxycyclohexyl 9 phenyl ketone	947-19-3	213-426-9	Hydroxycyclohexyl phenyl ketone	N/E	N/E	NOT LISTED	0-1
D&C Violet #2	81-48-1	201-353-5	Violet 2/Cl60725	N/E	N/E	NOT LISTED	0-1
	81-48-1 None Establishe					* See section 16 Ri	

Phrase

SECTION 4 : FIRST AID MEASURES

First Aid for Eye: Flush with plenty of water for 15 minutes and retract eyelids often. Seek

medical attention immediately.

First Aid for Skin: Remove contaminated clothing and wash contact area with soap and

water for 15 minutes.

First Aid for Inhalation: In case of exposure to a high concentration of vapor or mist, remove person

to fresh air. If breathing has stopped, administer artificial respiration and

seek medical attention.

.....

SECTION 5: FIRE FIGHTING MEASURES

FLASH POINT FLAMMABLE LIMIT AUTO-IGNITION TEMPATURE
(F/C) (vol %) (vol %)
>212F/100C Setaflash No Data No Data

METHOD:

for large fires.

Fire Fighting

Instructions: Remove all ignition sources. Wear self-contained breathing apparatus

and complete personal protective equipment when entering confined areas where potential for exposure to vapors or products of combustion

exists.

Unusual Hazards: High temperatures and fire conditions may cause rapid and uncontrolled

polymerization which can result in explosions and the violent rupture of

storage vessels or containers. Avoid the use of a stream of water to control fires since frothing can occur.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Spill or Release Spontaneou

Spontaneous polymerization can occur. Eliminate ignition sources. Use eye and skin protection. Place leaking containers in a well ventilated area. Dike and recover large spills. Soak up small spills with inert solids (such as vermiculite, clay) and sweep/shovel into disposal container. Wash spill area with strong detregent and water solution; rinse with water, but minimize water use during clean-up. Do not flush to sewer! US Regulations (CERCLA) require reporting spills and releases to soil, water and air in excess of reportable quantities. The toll free number for the US Coast Guard National Response Center is (800) 424-8802. EU Regulations require the consultation of Directive 98/24/EC. Dispose and report per regulatory requirements if necessary. Please prevent washings from entering waterways.

SECTION 7: HANDLING & STORAGE

Handling: Avoid contact with skin and eyes. Avoid breathing vapor. Keep container

closed when not in use. Avoid prolonged exposure to light. Remove all

contaminated clothing, shoes, belts and other leather goods immediately. Incinerate leather goods (including shoes). Wash

contaminated clothing thoroughly before reuse. Wash skin thoroughly with soap and water after handling. Solvents should not be used to clean skin because of increased penetration potential. Most acrylic monomers have low viscosities, thus only needing room temperature conditions to facilitate proper pouring techniques. However, viscous type gels such as these may require heating to facilitate proper pouring techniques. To ensure that this happens, product may be heated to 60°C/140°F for not more than 24 hours. Do NOT use localized heat sources such as band heaters to heat/melt product. Do NOT use steam. Hot boxes or hot rooms are recommended for heating/melting material. The hot box and/or room should only be set to a maximum temperature of 60°C/140°F. Do not overheat, this may compromise product effectiveness and should be avoided. Refrain from multiple reheatings of product, this will also

diminishing the quality of the product.

Storage: Product is extremely light sensitive. If exposed to natural light or UV light,

material will cure very quickly. Store in a cool, dry place, away from heat and all types of light. Store at temperatures below 100°F/38°C but above the product's freezing point. If no freezing point is given, keep above

32°F/0°C at all times.

Explosion Hazard: High temperatures and fire conditions may cause rapid and uncontrolled

polymerization which can result in explosions and the violent rupture of

storage vessels or containers.

SECTION 8: EXPOSURE CONTROLS/ PERSONAL PROTECTION

Engineering Controls: Local exhaust recommended to control exposure which may result from operations generating aerosols and hot operations generating vapors.

Personal Protective Equipment:

General To identify additional Personal Protective Equipment (PPE)

requirements, it is recommended that a Hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be conducted before using this product. Provide eye wash stations and safety showers. Wear impervious clothing to prevent ANY contact with this product, such as gloves, apron, boots, or whole body suit. Nitrile rubber is better than PVC.

Eye/ Face Protection Wear chemical splash goggles.
Skin Protection Wear impervious gloves (Neoprene).

Respiratory Protection A NIOSH/MSHA approved air purifying respirator with an organic vapor

cartridge or canister may be permissible under certain limited

circumstances where airborne concentrations are expected to exceed exposure limits. Protection provided by nuisance level organic vapor dust masks can be used, however the use of the respirator is limited. Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Stan

SECTION 9: PHYSICAL & CHEMICAL PROPERTIES

AppearanceOdor & Odor ThresholdPHSpecific GravityViscosity% VolatileClear to slight violet, characteristic acrylate odorNA(H2O=1): 1.15N/DA By Volume:< 0.5</td>

viscous liquid

Boiling Point/ Decomposition Octanol/Water Vapor Vapor Evaporation Ignition Solubility **Freezing Point Temperature Partitioning** Pressure: Density In Water Rate Coefficient (20°C) Log Po/w N/A N/A N/A (mm Hg)@20 No Data No Data No Data Insoluble C: < 0.01

Flash Point (°F/°C) (vol%) Auto-ignition Temperature (°F/°C) (vol%) (vol%) > 212°F/100°C Setaflash No Data No Data

SECTION 10: STABILITY & REACTIVITY

Stability Incompatibility (Materials to Avoid):

Normally Stable Polymerization initiators including peroxides, strong

oxidizing agents, copper, copper alloys, carbon steel,

iron, rust and strong bases.

Hazardous Decomposition Products: Hazardous Polymerization: May occur -- Uncontrolled Fumes produced when heated to decomposition polymerization may cause rapid evolution of heat and may include: carbon monoxide, increased pressure that could result in violent rupture carbon dioxide of sealed storage vessels or containers.

Conditions to Avoid

Storage >100°F/38°C , exposure to light, loss of dissolved air, loss of polymerization inhibitor, contamination with incompatible materials.

SECTION 11: TOXICOLOGICAL INFORMATION

A suita Onal Tanisita A suita Dannal Tanisita A suita Inhalatian

Acute Oral ToxicityAcute Dermal ToxicityAcute InhalationToxicity Irritation—skinIrritation - EyeNo informationNo informationNo informationNo informationNo informationavailableavailableavailableavailable

Since this product contains a very low concentration of active components, the primary toxicological information is derived from the oligomers. Further hazardous properties cannot be excluded. The product should be handled with care when dealing with chemicals.

Sensitization Mutagenicity Sub-chronic Toxicity

N/DA N/DA N/DA

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological Information

Acute Toxicity Acute Toxicity Bioconcentration Toxicity to Sewage Bacteria

to Fish to Invertebrates to Algae

N/DA N/DA N/DA N/DA N/DA

Chemical Fate Information

Biodegradability N/DA **Chemical Oxygen Demand** N/DA

To the best of our knowledge, the ecotoxocological and chemical fate properties have not been thoroughly investigated.

Do not allow to enter drinking water supplies, wastewater, or soil

SECTION 13:

Non-contaminated, properly inhibited product is not a RCRA hazardous waste. It is the generators responsibility to determine

what is classified as a hazardous waste. Comply with all federal, state, and local regulations.

Dispose of diking materials and absorbent in compliance with State, Local, and Federal regulations. Residual vapors may

explode on ignition; do not cut, drill, or weld on or near the container. Mix with compatible chemical which is less flammable

and incinerate.

SECTION 14: TRANSPORT INFORMATION

DOT (49 CFR 172)

Proper Shipping Name: Non-Regulated Material

Identification Number: N/A
Marine Pollutant: No
Special Provisions: N/A
Emergency Response Guidebook (ERG) #: N/A

IATA (DGR):

Proper Shipping Name: Non-Regulated Material

Class or Division: N/A UN or ID Number: N/A

Packaging Instructions:

Emergency Response Guidance (ICAO)#:

IMO (IMDG):

Proper Shipping Name: Non-Regulated Material

Class or Division: N/A
UN or ID Number: N/A
Special Provisions & Stowage/Segregation: None

Emergency Schedule (EmS)#:

Other Information: Flash point > 100°C

SECTION 15: REGULATORY INFORMATION

US Federal Regulations

Clean Air Act: HAP/ODS

This product contains the following hazardous air pollutants (HAP), as defined by the

U. S. Clean Air Act:

NONE

This product contains no ODS's

Clean Water Act: This product contains no chemicals listed under the U. S. Clean Water Act Priority

Pollutant List. Priority Pollutant

FDA: Food Packaging Status

This product has not been cleared by the FDA for use in food packaging

and /or other applications as an indirect food additive.

Occupational Safety and Health Act This product is considered to be a hazardous chemical under the OSHA

Hazard Communication Standard. Its hazards are:

Immediate (acute) health hazardDelayed (chronic) health hazard

Reactive hazard

RCRA This product is not considered to be a hazardous waste under RCRA

(40 CFR 261).

SARA Title III: Section 302 (TPQ)

This product contains no chemicals regulated under Sec. 302 as extremely

hazardous substances that carry a TPQ.

SARA Title III: Section 302 (RQ)

This product contains no chemicals regulated under Section 304 as extremely

hazardous chemical for emergency release notification ("CERCLA" List).

SARA Title III: Section 311-312: This product is considered hazardous under the OSHA Hazard Communication

Standard and is regulated under Section 311-312 (40 CFR 370). Its hazards are:

• Immediate (acute) health hazard

· Delayed (chronic) health hazard

· Reactive hazard

SARA Title III: Section 313: This product contains no chemicals subject to the reporting requirements of

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of

1986 and 40 CFR Part 372.

TSCA Section 8(b): Inventory: This product contains chemicals listed on the TSCA inventory or otherwise

complies with TSCA pre-manufacture notification requirements.

TSCA Significant New Use Rule: None of the chemicals listed have a SNUR under TSCA.

State Regulations

CA Right-to-Know Law: NONE
California No Significant Risk Rule: NONE
MA Right-to-Know Law: NONE
NJ Right-to-Know Law: NONE
PA Right-to-Know Law: NONE
FL Right-to-Know NONE
MN Right-to-Know NONE

International Regulations

CDSL: Canadian Inventory Hydroxypropyl methacrylate CAS #27813-02-1 is on the DSL List. WHMIS = D2B

Hydroxycyclohexyl phenyl ketone CAS# 947-19-3 is on the DSL list. WHMIS = n/da 2-Hydroxyethyl methacrylate CAS# 868-77-9 is on the DSL List. WHMIS = n/da

Labeling according to EC directives - 1999/45/EC

• HAZARD SYMBOLS: Xi: Irritant

• RISK PHRASES: R22: Harmful if swallowed, R36/38: Irritating to eyes and skin

R43: *May cause sensitization by skin contact.*

• SAFETY PHRASES: **S18:** Handle and open container with care, **S24/25:** avoid contact with skin and eyes, **S36/37:** Wear suitable protective clothing and gloves, **S38:** in case of insufficient ventilation, wear suitable respiratory equipment.



SECTION 16: OTHER INFORMATION

EU Classes and Risk / Safety Phrases for Referenced Ingredients (See Section 2):

Hazard Symbol:

Xi – Irritants

Risk Phrases:

R36/37/38 Irritating to eyes, respiratory system and skin; R36/38 Irritating to eyes and skin; R43 May cause sensitization by skin contact

Safety Phrases:

S2 Keep out of the reach of children; S3/7 Keep container tightly closed in a cool place; S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice; S28 After contact with skin, wash immediately with plenty of water; S36/37 Wear suitable protective clothing and gloves; S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label

Hazard Symbol:

Xi – Irritants

Risk Phrases:

R36/37/38 Irritating to eyes, respiratory system and skin; R36/38 Irritating to eyes and skin; R43 May cause sensitization by skin contact

Safety Phrases:

S2 Keep out of the reach of children; S3/7 Keep container tightly closed in a cool place; S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice; S28 After contact with skin, wash immediately with plenty of water; S36/37 Wear suitable protective clothing and gloves; S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label