



esthétique sans frontières

AZULEN LUKEWARM DEPILATORY WAX MATERIAL SAFETY DATA SHEET

Product: **AZULEN DEPILATORY WAX**

ELB1051 / ELB3021 / ELB1021

SECTION 01: PREPARATION INFORMATION

Supplier / Manufacturer:	Esthétique sans Frontières inc. 9101, DU PARCOURS ANJOU (QC) Canada, H1J 2Y1
Prepared by:	Technical Department
Dated prepared:	2017-05-08
Telephone	(514) 327-6734
Chemical name:	N/A
Chemical formula:	N/A
Chemical family:	N/A
Use:	Depilatory
Emergency Telephone numbers:	1 (800) 463-5060

SECTION 02: COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients	CAS-nr
NONE	

SECTION 03: HAZARD IDENTIFICATION

HAZARD TO MAN / TARGET ORGAN EFFECTS

INGESTION:

MAY CAUSE IRRITATION TO THE MUCOUS MEMBRANES.

EYE CONTACT:

MAY CAUSE SLIGHT BUT TRANSIENT EYE IRRITATION, THE EFFECTS BEING REVERSIBLE.

SKIN CONTACT:

MAY CAUSE MILD SKIN IRRITATION.

INHALATION:

VAPORS MAY CAUSE SLIGHT IRRITATION.

ENVIRONMENTAL CLASSIFICATION:

SEE SECTION 12" ECOLOGICAL INFORMATION.

SECTION 04: FIRST AID MEASURES

INHALATION:

REMOVE PATIENT TO FRESH AIR AND SEEK MEDICAL ATTENTION IF BREATHING BECOMES DIFFICULT.

SKIN CONTACT:

WASH OFF CONTAMINATION WITH SOAP AND WATER. SEEK MEDICAL ATTENTION IF IRRITATION DEVELOPS.

EYE'S CONTACT:

IMMEDIATELY WASH EYE THOROUGHLY WITH WATER WHILST SEPARATING.

INGESTION:

RINSE MOUTH AND DRINK WATER, IF LARGE QUANTITIES HAVE BEEN SWALLOWED, OBTAIN MEDICAL ATTENTION.

AZULEN LUKEWARM DEPILATORY WAX MSDS

ESF - 9101 DU PARCOURS, ANJOU, QC, CANADA, H1J 2Y1
PH: 514.327.6734 FX: 514.327.7933



esthétique sans frontières

SECTION 05: FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA:

GOVERNED BY OTHER MATERIAL PRESENT. CAN USE CARBON DIOXIDE, DRY FOAM OR POWDER.

UNSUITABLE EXTINGUISHING MEDIA:

DO NOT USE WATER ON HOT PRODUCT.

SPECIAL PROTECTIVE EQUIPMENT:

SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING SHOULD BE WORN IN FIRE CONDITIONS.

SPECIAL EXPOSURE HAZARDS:

NONE.

SECTION 06: ACCIDENTAL RELEASE MEASURES

ENVIRONMENTAL PROTECTION / CLEAN UP MEASURES

LARGE SPILLAGES:

CONTAIN AND ABSORB WITH SAND OR EARTH. TRANSFER TO A SUITABLE CONTAINER FOR DISPOSAL. PREVENT THE PRODUCT FROM REACHING SEWAGE WITH WATER COURSES IN LARGE QUANTITIES.

SMALL SPILLAGES:

AS FOR LARGE SPILLAGES.

PERSONAL PROTECTION:

GOGGLES, RUBBER / PVC GLOVES AND FULL WORKING CLOTHES RECOMMENDED.

SECTION 07: HANDLING AND STORAGE

HANDLING:

NORMAL HANDLING PRECAUTIONS APPLICABLE TO INDUSTRIAL CHEMICALS.

STORAGE:

STORE IN A COOL PLACE. PROTECT FROM FREEZING.

MATERIALS TO AVOID:

NO INFORMATION AVAILABLE.

FIRE AND EXPLOSION PROTECTION:

NO SPECIAL MEASURES NECESSARY

SECTION 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

RESPIRATORY PROTECTION:

NOT APPLICABLE UNDER NORMAL CONDITIONS OF USE.

SKIN CONTACT:

RUBBER / PVC GLOVES AND FULL WORKING CLOTHES RECOMMENDED. CONTAMINATED CLOTHING SHOULD BE LAUNDERED BEFORE RE-USE.

EYE / FACE CONTACT:

GOGGLES AND EYEWASH STATION RECOMMENDED. SUITE #8.

ENGINEERING MEASURES:

NO SPECIFIC MEASURES NECESSARY.

OCCUPATIONAL EXPOSURE LIMITS:

NO INFORMATION.



esthétique sans frontières

SECTION 09: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:

FORM: PAST COLOR: GREEN ODEUR: ESSENTIAL OIL

SAFETY RELATED DATA

MELTING POINT / BOILING POINT: BPT CA. 320 DEGRÉ CELSIUS

PH:

VISCOSITY:

NOT KNOWN

FLASH POINT:

PLUS DE 150 DEGRÉ CELSIUS

AUTO INFLAMMABILITY:

PLUS DE 300 DEGRÉ CELCIUS

VAPOR PRESSURE:

NOT KNOWN

EVAPORATION RATE:

NOT KNOWN

DENSITY:

CA. 1.070

BULK DENSITY:

NOT APPLICABLE

SOLIBILITY:

SOLUBLE IN AROMATIC AND CHLORINATED HYDROCARBONS, ESTERS.

ODOR THRESHOLD:

NOT KNOWN

PARTITION COEFFICIENT:

OCTANOL / WATER LOG POW:

NOT KNOWN

EXPLOSION PROPERTIES, UPPER AND LOWER LIMITS:

NOT APPLICABLE.

SECTION 10: STABILITY AND REACTIVITY

HAZARDOUS DECOMPOSITION:

NOT KNOWN

HAZARDOUS REACTIONS:

NONE

CONDITIONS TO AVOID:

NOT KNOWN

MATERIAL TO AVOID:

NOT KNOWN

AZULEN LUKEWARM DEPILATORY WAX MSDS

ESF - 9101 DU PARCOURS, ANJOU, QC, CANADA, H1J 2Y1
PH:514.327.6734 FX: 514.327.7933



esthétique sans frontières

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:

LD50 (ORAL, RAT) PLUS DE 2000 mg#kg.*

DERMAL TOXICITY:

LD50 (rats) CA: 2500 mg / kg

ACUTE INHALATION STUDIES WITH RATS SUBMITTED TO DECOMPOSITION FUMES, NO DEATHS OCCURED AFTER A SIX HOUR EXPOSURE PERIOD.

IRRITATION DATA:

SKIN CONTACT:

PRODUCT MAY CAUSE SKIN IRRITATION.

EYE CONTACT:

PRODUCT MAY CAUSE SLIGHT BUT TRANSIENT EYE IRRITATION.

SENSITIZATION DATA:

NO INFORMATION.

CARCINOGENICITY AND MUTAGENICITY:

NO INFORMATION.

REPRODUCTIVE TOXICITY:

NO INFORMATION.

TERATOGENICITY:

NO INFORMATION.

(AS ACCORDING TO:

WHMIS, Osha, European Union)

SECTION 12: ECOLOGICAL INFORMATION

BIODEGRADABILITY:

NO INFORMATION.

AQUATIC TOXOCITY:

PRODUCT IS INSOLUBLE IN WATER THEREFORE THE AVAILABILITY TO AQUATIC ORGANISMS WOULD PROBABLY BE VERY LOW.

SECTION 13: TRANSPORT INFORMATION

SUMMARY:

NOT CLASSIFIED AS DANGEROUS FOR TRANSPORT.

14: REGULATORY INFORMATION.

SECTION 14: REGULATORY INFORMATION

'WHMIS / OSHA' CLASSIFICATION:

'WHMIS':

NOT CONTROLLED UNDER THE CONTROLLED PRODUCTS REGULATIONS.

'OSHA':

NOT REGULATED UNDR 29-cfr-1910.1200